



Electronic Communications Committee (ECC)  
within the European Conference of Postal and Telecommunications Administrations (CEPT)

**THE EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS  
IN THE FREQUENCY RANGE 9 kHz to 3000 GHz**

**Lisboa 02- Dublin 03- Kusadasi 04- Copenhagen 04- Nice 07- Baku 08 – Kyiv 09**

CONTENTS

**1 INTRODUCTION ..... 3**

**2 EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS ..... 3**

**3 ITU RADIOCOMMUNICATION CONFERENCES ..... 3**

**4 ECC/ERC DECISIONS AND RECOMMENDATIONS ..... 3**

**5 MILITARY REQUIREMENTS..... 4**

**6 THE EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS IN THE FREQUENCY RANGE 9 kHz TO 3000 GHz ..... 5**

ANNEX 1 – EUROPEAN-FOOTNOTES INCLUDED IN THE EUROPEAN COMMON ALLOCATION TABLE..... 209

ANNEX 2 – ITU RADIO REGULATIONS FOOTNOTES FOR REGION 1 ..... 211

ANNEX 3 - RELEVANT CEPT ECC/ERC DECISIONS AND RECOMMENDATIONS..... 241

ANNEX 4 – EUROPEAN STANDARDS INCLUDED IN THE ECA ..... 245

ANNEX 5 - LIST OF ABBREVIATIONS USED IN THIS DOCUMENT ..... 249

**The European Table of frequency allocations for the frequency range 9 kHz to 3000 GHz establishes a strategic framework for the utilisation of the radio spectrum in Europe**

## **1 INTRODUCTION**

Two key objectives of the ECC, as defined in its Terms of Reference, are to develop European common positions and proposals for use in the framework of international and regional bodies, and to forward plan and harmonise within Europe the efficient use of the radio spectrum and satellite orbits so as to satisfy the requirements of users and industry.

In order to achieve these objectives CEPT endorsed the principle of adopting a harmonised European Table of Frequency Allocations and Utilisations to establish a strategic framework for the utilisation of the radio spectrum in Europe. The task of developing and maintaining this Table is the responsibility of the Working Group Frequency Management (WGFM). Much of this work is carried out by the European Radiocommunications Office on behalf of WGFM and a fully searchable electronic version of the ECA can be found at: <http://apps.ero.dk/ECA/>.

This Report and its associated table is reviewed periodically (once a year) and revised as necessary by the WGFM taking into account the results of ITU Radiocommunication Conferences, ECC/ERC Decisions/Recommendations, European standards and other relevant developments.

## **2 EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS**

A European Table of Frequency Allocations and Utilisations for the frequency band 9 kHz to 3000 GHz is provided in this Report. It is expected that CEPT member countries will endeavour to implement, as soon as possible, as many parts of the Table as they are able. It is also expected that the Table will be used as a source document by CEPT member countries for the development of Decisions, Recommendations, and European Common Proposals (ECPs) for future Radiocommunication Conferences of the ITU and as background for development of national frequency allocation tables and national frequency usage plans.

## **3 ITU RADIOCOMMUNICATION CONFERENCES**

Due account has been taken of the relevant decisions of the ITU World Radiocommunication Conferences WARC-92, WRC-95, WRC-97, WRC-2000, WRC-03 and WRC-07 as well as the Regional Radiocommunication Conference Geneva-06 and of strategies developed by other international fora concerning, in particular, the introduction and development of mobile and mobile-satellite services.

## **4 ECC/ERC DECISIONS AND RECOMMENDATIONS**

During the preparation of the Table account was taken of work already completed by CEPT in respect of systems expected to operate in this frequency range. The ECC/ERC Decisions and ECC/ERC Recommendations, which are relevant to frequency management issues and which were finally adopted prior to 31 March 2009 have been incorporated into the Table and are listed in Annex 3.

### **Understanding of the term “to designate”**

ECC Decisions that "designate" a frequency band for a harmonised application are intended to foster the deployment of an application to meet a market demand in a harmonised manner throughout CEPT. Members signing the Decision commit themselves to make spectrum available for this harmonised application which includes assessing when and where there is a demand for the harmonised service/application and deciding whether that demand is great enough to exclude other services and applications from the harmonised band.

Thus, such Decisions do not necessarily preclude authorising other uses and applications in the same band, or part(s) thereof on the following conditions:

1. an underlay application (i.e., able to share co-frequency, co-coverage with the application for which the band was designated) may be implemented, preferably subject to prior harmonisation at CEPT level, without affecting the application for which the band is designated, i.e., this underlay system is designed in

- such a way that they are not causing interference to the application for which the band is designated nor request protection against interference;
2. the deployment of the application for which a band is designated may be constrained geographically in a reasonable extent in order to protect stations of another service/application using the same band;
  3. there may be a lack of market demand for the application for which the band is designated in some cases:
    - a) absence of demand for deployment in certain geographical areas, thus enabling geographical sharing with other applications;
    - b) transition period until equipment are available for the deployment of the harmonised application, so that other applications may be introduced or retained for this temporary period;
    - c) in cases where market demand does not fully materialise for the harmonised application, all or parts of the band could be used for alternative applications, having due regard to spectrum use consideration (channelling, guard bands, protection of the harmonised application).

In all these cases, Members retain the commitment to make their best efforts to make the frequency band available for the application for which the band is designated in due time where the market demand materialises.

### Underlay regulations

Underlay regulations by contrast do not "designate" a specific frequency band for a certain usage but rather define conditions of use of the radio spectrum across a relatively wide frequency range. The intentional emissions of underlay applications are not limited to the boundaries of a specific frequency band, which implies that underlay regulations cannot be referenced conveniently in a frequency allocation table.

Regulations developed within CEPT for applications using Ultra-Wideband (UWB) technology typically fit within this regulatory approach.

For example, the following regulations available at the date of publication of this Report can be described as "underlay regulations":

- ECC/DEC/(06)04 Amended 6 July 07 on generic UWB
- ECC/DEC/(06)08 on GPR/WPR imaging systems
- ECC/DEC/(06)12 on LDC mitigation technique
- ECC/DEC/(07)01 on BMA devices

Detailed references to these regulations can be found in Annex 3.

## 5 MILITARY REQUIREMENTS

Liaison with military authorities from CEPT countries has also been necessary in view of their use of, and requirements in, this frequency range. Although no single representative military body exists for all CEPT member countries, the North Atlantic Treaty Organisation (NATO) has a Joint Civil/Military Frequency Agreement (NJFA) which was felt to be a useful basis from which to develop a view of military frequency requirements. A forum that allows both civil and military frequency managers from all CEPT countries to meet has also been established by CEPT. This forum, which meets about every 18 months, considers requirements for harmonised military usage of spectrum to meet the needs of both NATO and non-NATO CEPT countries and makes proposals to WGMF.

Military requirements vary both between activities and countries. In some countries national requirements may be more than the harmonised band, in other countries for the time being there may be no national requirements in a band specifically harmonised for military use.

In general, the harmonised military bands should provide *a common military frequency resource* in order to allow systems to operate in common border areas, facilitate common exercises and Peace Keeping Operations (PKO), include the core frequency assets for day-to-day training, exercise, combat readiness and deployment and support Electronic Countermeasures (ECM) training.

Any reorganisation of spectrum utilisation should aim at a provision of a common military frequency resource in accordance with the European Common Allocation (ECA) table.

## 6 THE EUROPEAN TABLE OF FREQUENCY ALLOCATIONS AND UTILISATIONS IN THE FREQUENCY RANGE 9 kHz TO 3000 GHz

### Explanatory notes to the table

The heading of this table includes a number of columns, with the following contents:

Column 1: RR Region 1 Allocation and RR footnotes applicable to CEPT

Indicates the frequency band referred to in that row of the table and current ITU RR Article 5 allocations and footnotes which correspond to ITU Region 1.

See Annex 2 for description of the RR Article 5 footnotes included in the table.

It should be noted that, as shown in the Table, the band 275-3000 GHz is not currently allocated and that work is on-going within ITU-R in preparation for agenda item 1.6 of WRC-2011, the purpose of which is to extend the upper limit from 1000 GHz to 3000 GHz.

Column 2: European Common Allocation

Contains in each frequency band:

- Allocations of major use or major interest in CEPT member countries.
- RR Article 5 footnotes affecting a major number of CEPT countries. RR Article 5 footnotes with general provisions applicable to CEPT countries are only included in the European Table if 10 or more CEPT countries are included in the footnote
- EU footnotes relevant to the European allocation. See Annex 1.

Column 3: Major utilisation

This column includes where appropriate in each frequency band and for the services allocated in the European Common Allocation:

- The major uses in CEPT member countries.
- Mention of systems / radio applications expected to be in use in a major number of CEPT member countries.

Mention of specific utilisations of a given service does not preclude the use of other services / utilisations mentioned in the European Common Allocation, nor indicate this use to be regulated in all CEPT member countries.

Also note that there is no priority implied by the order in which the major utilisations are listed.

Column 4: European footnotes

This column contains European footnotes (EU) relevant to the particular utilisation.

Column 5: ECC/ERC document

This column contains information about ECC/ERC Decisions and Recommendations relevant to the particular utilisation. The ECC/ERC documents are described in Annex 3.

Column 6: Standard

This column contains information about the relevant European standards - see Annex 4.

Column 7: Notes

This column indicates where appropriate in each frequency band:

Where applicable, the date of entry into force of:

- a) a specific allocation of the European Common Allocation column.
- b) ECC/ERC Decision or Recommendation mentioned in the utilisations column.
- c) major utilisation contained in the utilisation column.

Any other relevant information such as the nature of use of a major utilisation.

In respect of **defence systems** two terms are used with the associated definitions:

1) Common military tuning range: - A common military tuning range is normally a recommended tuning range for radio equipment operating across harmonised military bands. Such a tuning range forms the basis for planning of future military equipment procurement.

2) Harmonised military band: - A frequency band which is in general military use in Europe and identified for military utilisation in the European Common Allocation Table (ECA). Such a frequency band forms a basis for military use and planning. The band can be shared between civil and military users according to national requirements and legislation.

**9 - 14 kHz**

RADIONAVIGATION

RADIONAVIGATION

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

ISM

EU2

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

**14 - 19.95 kHz**

FIXED

FIXED

Defence systems

MARITIME MOBILE 5.57

MARITIME MOBILE 5.57

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

5.55

5.56 EU2

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

5.56

**19.95 - 20.05 kHz**

STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)

STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)

**20.05 - 70 kHz**

FIXED

FIXED

Defence systems

MARITIME MOBILE 5.57

MARITIME MOBILE 5.57

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

5.56

5.56 EU2

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

5.58

### 70 - 72 kHz

RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
		Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
	EU2				

### 72 - 84 kHz

FIXED	FIXED	DCF time signal			77.5 kHz
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57	Defence systems			
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
5.56	5.56 EU2	Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz

### 84 - 86 kHz

RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Defence systems			
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
	EU2	Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz

### 86 - 90 kHz

FIXED	FIXED	Defence systems			
MARITIME MOBILE 5.57	MARITIME MOBILE 5.57	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
RADIONAVIGATION	RADIONAVIGATION	Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.56	5.56 EU2				



### 90 - 110 kHz

RADIONAVIGATION 5.62  
Fixed  
5.64

RADIONAVIGATION 5.62  
Fixed  
5.64 EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

### 110 - 112 kHz

FIXED  
MARITIME MOBILE  
RADIONAVIGATION  
5.64

FIXED  
MARITIME MOBILE  
RADIONAVIGATION  
5.64 EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

### 112 - 115 kHz

RADIONAVIGATION 5.60

RADIONAVIGATION 5.60  
EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

### 115 - 117.6 kHz

RADIONAVIGATION 5.60  
Fixed  
Maritime mobile  
5.64  
5.66

RADIONAVIGATION 5.60  
Fixed  
Maritime mobile  
5.64 EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 9-148.5 kHz

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

### 117.6 - 126 kHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Defence systems				
MARITIME MOBILE	MARITIME MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Medical implants		ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.64	5.64 EU2					

### 126 - 129 kHz

RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
	EU2	Medical implants		ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz

### 129 - 130 kHz

FIXED	FIXED	Defence systems				
MARITIME MOBILE	MARITIME MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
RADIONAVIGATION 5.60	RADIONAVIGATION 5.60	Medical implants		ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.64	5.64 EU2					

### 130 - 135.7 kHz

FIXED	FIXED	Defence systems				
MARITIME MOBILE	MARITIME MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
5.64	5.64 EU2	Medical implants		ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.67						

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>135.7 - 137.8 kHz</b>					
Amateur 5.67A FIXED	Amateur 5.67A FIXED	Amateur		EN 301 783	Within the band 135.7-137.8 kHz
MARITIME MOBILE 5.67B	MARITIME MOBILE 5.67B	Defence systems			
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
		Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
<b>137.8 - 148.5 kHz</b>					
FIXED	FIXED	Defence systems			
MARITIME MOBILE	MARITIME MOBILE	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 9-148.5 kHz
5.64	5.64 EU2	Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.67					
<b>148.5 - 255 kHz</b>					
BROADCASTING	BROADCASTING	Broadcasting		EN 302 017 EN 302 245	Frequency Assignment plan GE75. Digital systems to be introduced
5.68		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.69		Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz
5.70					
<b>255 - 283.5 kHz</b>					
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Beacons (aeronautical)			Frequency Assignment plan GE85
BROADCASTING	BROADCASTING	Broadcasting		EN 302 017	Frequency Assignment plan GE75. Digital systems to be introduced
5.70		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.71		Medical implants	ERC/REC 70-03	EN 302 195	Within the band 9-315 kHz

**283.5 - 315 kHz**

AERONAUTICAL  
RADIONAVIGATION  
MARITIME RADIONAVIGATION  
(radiobeacons) 5.73  
5.72  
5.74

AERONAUTICAL  
RADIONAVIGATION  
MARITIME RADIONAVIGATION  
(radiobeacons) 5.73  
5.74 EU2

Beacons (aeronautical)

Frequency Assignment plan GE85

Beacons (maritime)

Frequency Assignment plan GE85

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Medical implants

ERC/REC 70-03

EN 302 195

Within the band 9-315 kHz

**315 - 325 kHz**

AERONAUTICAL  
RADIONAVIGATION  
Maritime radionavigation  
(radiobeacons) 5.73  
5.72  
5.75

AERONAUTICAL  
RADIONAVIGATION  
Maritime radionavigation  
(radiobeacons) 5.73  
EU2

Beacons (aeronautical)

Frequency Assignment plan GE85

Beacons (maritime)

Frequency Assignment plan GE85.  
IALA plan to allow differential GPS

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Within the band 315-600 kHz

EN 302 536

**325 - 405 kHz**

AERONAUTICAL  
RADIONAVIGATION  
5.72

AERONAUTICAL  
RADIONAVIGATION  
EU2

Beacons (aeronautical)

Frequency Assignment plan GE85

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz.  
For RFID only within the band 400-600 kHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Within the band 315-600 kHz

EN 302 536

### 405 - 415 kHz

RADIONAVIGATION 5.76	RADIONAVIGATION 5.76	Beacons (aeronautical)				Frequency Assignment plan GE85
		Beacons (maritime)				Frequency Assignment plan GE85. IALA - plan to allow differential GPS
5.72	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz

### 415 - 435 kHz

AERONAUTICAL RADIONAVIGATION MARITIME MOBILE 5.79	AERONAUTICAL RADIONAVIGATION MARITIME MOBILE 5.79	Beacons (aeronautical)				Frequency Assignment plan GE85
5.72	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
		Maritime				Frequency Assignment plan GE85
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz

### 435 - 495 kHz

MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation	MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation	Detection of avalanche victims		ERC/REC 70-03	EN 300 718	457 kHz
5.72	5.82 EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
5.82		Maritime				Frequency Assignment plan GE85
		Navtex transmission national language			EN 300 065	490 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>495 - 505 kHz</b>					
MOBILE 5.82A	MOBILE 5.82A	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
5.82B	5.82B	Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz
<b>505 - 526.5 kHz</b>					
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Beacons (aeronautical)			Frequency Assignment plan GE85
MARITIME MOBILE 5.79 5.79A 5.84	MARITIME MOBILE 5.79 5.79A 5.84	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
5.72	EU2	Maritime			Frequency Assignment plan GE85
		Navtex transmission International		EN 300 065	518 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz
<b>526.5 - 1606.5 kHz</b>					
BROADCASTING	BROADCASTING	Broadcasting		EN 302 017 EN 302 245	Frequency Assignment plan GE75. Digital systems to be introduced
5.87		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz. For RFID only within the band 400-600 kHz
5.87A		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330 EN 302 536	Within the band 315-600 kHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>1606.5 - 1625 kHz</b>						
FIXED	FIXED	Defence systems				
LAND MOBILE	LAND MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
MARITIME MOBILE 5.90	MARITIME MOBILE 5.90	Maritime			EN 300 373	Frequency Assignment plan GE85
5.92	Radiolocation	Radiodetermination applications				
<b>1625 - 1635 kHz</b>						
RADIOLOCATION	RADIOLOCATION	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.93	5.93	Radiodetermination applications				
<b>1635 - 1800 kHz</b>						
FIXED	FIXED	Defence systems				
LAND MOBILE	LAND MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
MARITIME MOBILE 5.90	MARITIME MOBILE 5.90	Maritime			EN 300 373	Frequency Assignment plan GE85
5.92	5.96	Radiodetermination applications				
5.96						
<b>1800 - 1810 kHz</b>						
RADIOLOCATION	RADIOLOCATION	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.93	5.93	Radiodetermination applications				

**1810 - 1850 kHz**

AMATEUR	AMATEUR	Amateur		EN 301 783	
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.100	5.98 EU2				
5.98	5.100				
5.99					

**1850 - 2000 kHz**

FIXED	FIXED	Amateur		EN 301 783	
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Defence systems			
5.103	5.96	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.92	5.103	Maritime		EN 300 373	
5.96		Radiodetermination applications			

**2000 - 2025 kHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.103	5.103	Maritime		EN 300 373	
5.92		Radiodetermination applications			

**2025 - 2045 kHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
Meteorological aids 5.104		Maritime		EN 300 373	
5.103	5.103	Oceanographic meteorological buoys			
5.92	5.104	Radiodetermination applications			



	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>2045 - 2160 kHz</b>						
FIXED	FIXED	Defence systems				
LAND MOBILE	LAND MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
MARITIME MOBILE	MARITIME MOBILE	Maritime			EN 300 373	Frequency Assignment plan GE85
5.92	5.92					
<b>2160 - 2170 kHz</b>						
RADIOLOCATION	RADIOLOCATION	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Radiodetermination applications				
5.107	5.93					
5.93						
<b>2170 - 2173.5 kHz</b>						
MARITIME MOBILE	MARITIME MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime			EN 300 373	Frequency Assignment plan GE85
	EU2					
<b>2173.5 - 2190.5 kHz</b>						
MOBILE (distress and calling)	MOBILE (distress and calling)	DSC for distress and calling				2187.5 kHz
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.108	5.108 EU2	Maritime GMDSS distress and calling			EN 300 373	2182 kHz distress and calling
5.109	5.109	Telex distress traffic			EN 300 373	2174.5 kHz
5.110	5.110					
5.111	5.111					

**2190.5 - 2194 kHz**

MARITIME MOBILE

MARITIME MOBILE

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Maritime

EN 300 373

EU2

**2194 - 2300 kHz**

FIXED

FIXED

Defence systems

MOBILE except aeronautical mobile (R)

MOBILE except aeronautical mobile (R)

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

5.103

5.103

Maritime

EN 300 373

5.112

5.92

Radiodetermination applications

**2300 - 2498 kHz**

BROADCASTING 5.113

FIXED

Defence systems

FIXED

MOBILE except aeronautical mobile (R)

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

MOBILE except aeronautical mobile (R)

5.103

5.103

EU2

Maritime

EN 300 373

**2498 - 2501 kHz**

STANDARD FREQUENCY AND TIME SIGNAL (2500 kHz)

STANDARD FREQUENCY AND TIME SIGNAL (2500 kHz)

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**2501 - 2502 kHz**

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**2502 - 2625 kHz**

FIXED  
MOBILE except aeronautical mobile (R)  
5.103  
5.114  
5.92

FIXED  
MOBILE except aeronautical mobile (R)  
5.103 EU2  
5.92

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Radiodetermination applications

**2625 - 2650 kHz**

MARITIME MOBILE  
MARITIME RADIONAVIGATION  
5.92

MARITIME MOBILE  
MARITIME RADIONAVIGATION  
5.92 EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Maritime

EN 300 373

**2650 - 2850 kHz**

FIXED  
MOBILE except aeronautical mobile (R)  
5.103  
5.92

FIXED  
MOBILE except aeronautical mobile (R)  
5.103  
5.92

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Radiodetermination applications

**2850 - 3025 kHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)			Appendix 27 Allotment Plan
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.111	5.111	Radiotelephony distress and safety traffic		EN 300 373	3023 kHz
5.115	5.115				

**3025 - 3155 kHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)			Appendix 26 Allotment Plan
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**3155 - 3200 kHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 3155-3400 kHz; and within the band 148.5 kHz - 30 MHz
5.116	5.116 EU2	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.117		Maritime		EN 300 373	

**3200 - 3230 kHz**

BROADCASTING 5.113	FIXED	Defence systems			
FIXED	MOBILE except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 3155-3400 kHz; and within the band 148.5 kHz - 30 MHz
MOBILE except aeronautical mobile (R)		Maritime		EN 300 373	
5.116	5.116 EU2				

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>3230 - 3400 kHz</b>						
BROADCASTING 5.113	FIXED	Defence systems				
FIXED	MOBILE except aeronautical mobile	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 3155-3400 kHz; and within the band 148.5 kHz - 30 MHz
MOBILE except aeronautical mobile						
5.116	5.116 EU2	Maritime			EN 300 373	
5.118						
<b>3400 - 3500 kHz</b>						
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)				Appendix 27 Allotment Plan. Including HF Data Links
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
<b>3500 - 3800 kHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
FIXED	FIXED	Defence systems				
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.92	5.92 EU2	Maritime			EN 300 373	
<b>3800 - 3900 kHz</b>						
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)				Appendix 26 Allotment Plan
FIXED	FIXED	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
LAND MOBILE	LAND MOBILE					
	EU2					

**3900 - 3950 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

Appendix 26 Allotment Plan

5.123

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**3950 - 4000 kHz**

BROADCASTING  
FIXED

BROADCASTING  
FIXED

Broadcasting

EN 302 017

Digital systems to be introduced

EN 302 245

EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**4000 - 4063 kHz**

FIXED  
MARITIME MOBILE 5.127

FIXED  
MARITIME MOBILE 5.127

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

5.126

EU2

Maritime

EN 300 373

Appendix 17 channeling plan.  
Appendix 25 allotment plan

**4063 - 4438 kHz**

MARITIME MOBILE 5.79A 5.109 5.110	MARITIME MOBILE 5.79A 5.109 5.110	DSC calling			EN 300 373	4208, 4208.5, 4209, 4219.5, 4220, 4220.5 kHz
5.128	5.130 EU2	DSC distress traffic			EN 300 373	4207.5 kHz
5.130	5.131	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.131	5.132	Maritime			EN 300 373	Appendix 17 channelling plan. Appendix 25 allotment plan
5.132		Maritime Safety Information			EN 300 373	4210 kHz
		Meteorological and navigational warnings			EN 300 373	4209.5 kHz
		Radiotelephony distress and safety traffic			EN 300 373	4125 kHz
		Railway applications		ERC/REC 70-03		4234 kHz
		Telex distress traffic			EN 300 373	4177.5 kHz

**4438 - 4650 kHz**

FIXED	FIXED	Defence systems				
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Railway applications		ERC/REC 70-03	EN 300 330	4516 kHz Euroloop systems

**4650 - 4700 kHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)				Appendix 27 Allotment Plan. Including HF Data Links
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**4700 - 4750 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

Appendix 26 Allotment Plan

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**4750 - 4850 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

BROADCASTING 5.113

FIXED

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

FIXED

LAND MOBILE

LAND MOBILE

**4850 - 4995 kHz**

BROADCASTING 5.113

FIXED

Defence systems

FIXED

LAND MOBILE

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

LAND MOBILE

EU2

**4995 - 5003 kHz**

STANDARD FREQUENCY AND TIME SIGNAL(5000 kHz)

STANDARD FREQUENCY AND TIME SIGNAL(5000 kHz)

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz



**5003 - 5005 kHz**

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**5005 - 5060 kHz**

BROADCASTING 5.113  
FIXED

FIXED

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**5060 - 5250 kHz**

FIXED  
Mobile except aeronautical mobile  
5.133

FIXED  
Mobile except aeronautical mobile

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**5250 - 5450 kHz**

FIXED  
MOBILE except aeronautical mobile

FIXED  
MOBILE except aeronautical mobile

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**5450 - 5480 kHz**

AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE	AERONAUTICAL MOBILE (OR) FIXED LAND MOBILE EU2	Aeronautical Mobile (OR) ----- Defence systems ----- Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
--	---	---	--	---------------	------------	------------------------------------

**5480 - 5680 kHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical Mobile (OR)				Appendix 27 Allotment Plan. Including HF Data Links
5.111	5.111	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.115	5.115	Radiotelephony distress and safety traffic			EN 300 373	5680 kHz

**5680 - 5730 kHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)				Appendix 26 Allotment Plan
5.111	5.111	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.115	5.115	Radiotelephony distress and safety traffic			EN 300 373	5680 kHz

**5730 - 5900 kHz**

FIXED LAND MOBILE	FIXED LAND MOBILE EU2	Defence systems ----- Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
----------------------	-----------------------------	--	--	---------------	------------	------------------------------------

**5900 - 5950 kHz**

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure
5.136	5.136	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**5950 - 6200 kHz**

BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**6200 - 6525 kHz**

MARITIME MOBILE 5.109 5.110 5.130	MARITIME MOBILE 5.109 5.110 5.130	DSC calling				6312.5, 6313, 6313.5, 6331, 6331.5, 6332 kHz
		DSC distress traffic				6312 kHz
5.132	5.132 EU2					
5.137	5.137	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime				Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information				6314 kHz
		Radiotelephony distress and safety traffic				6215 kHz
		Telex distress traffic				6268 kHz

**6525 - 6685 kHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)				Appendix 27 Allotment Plan. Including HF Data Links
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**6685 - 6765 kHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)				Appendix 26 Allotment Plan
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**6765 - 7000 kHz**

FIXED	FIXED	Defence systems				
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 6765-6795 kHz; and within the band 148.5 kHz - 30 MHz
5.138	5.138 EU2	ISM				Within the band 6765-6795 kHz
5.138A	5.138A	Non-Specific SRDs		ERC/REC 70-03	EN 300 330	Within the band 6765-6795 kHz
5.139						

**7000 - 7100 kHz**

AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

5.140  
5.141  
5.141A

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>7100 - 7200 kHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.141A	5.141C					
5.141C						
5.142						
<b>7200 - 7300 kHz</b>						
BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
<b>7300 - 7400 kHz</b>						
BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure WARC92 band, change of band utilisation is effective from 1 April 2007. Digital systems to be introduced
5.143	5.143					
5.143A	5.143B	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.143B						
5.143C						
5.143D						
<b>7400 - 7450 kHz</b>						
BROADCASTING	BROADCASTING	Broadcasting			EN 302 245 EN 302 017	Article 12 planning procedure
5.143B	5.143B	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 7400-8800 kHz; and within the band 148.5 kHz - 30 MHz
5.143C						

**7450 - 8100 kHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile (R)	MOBILE except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 7400-8800 kHz; and within the band 148.5 kHz - 30 MHz
5.143E	5.143E EU2				
5.144					

**8100 - 8195 kHz**

FIXED	FIXED	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 7400-8800 kHz; and within the band 148.5 kHz - 30 MHz
MARITIME MOBILE	MARITIME MOBILE	Maritime		EN 300 373	Appendix 17 channeling plan
	EU2				

**8195 - 8815 kHz**

MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling		EN 300 373	8415, 8415.5, 8416, 8436.5, 8437, 8437.5 kHz
		DSC distress traffic		EN 300 373	8414.5 kHz
5.111	5.145 EU2 5.111	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 7400-8800 kHz; and within the band 148.5 kHz - 30 MHz
		Maritime		EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information		EN 300 373	8416.5 kHz
		Radiotelephony distress and safety traffic		EN 300 373	8291 kHz
		Telex distress traffic		EN 300 373	8376.5 kHz

**8815 - 8965 kHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

Aeronautical mobile (R)

Appendix 27 Allotment Plan. Including HF Data Links

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**8965 - 9040 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

Appendix 26 Allotment Plan

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**9040 - 9400 kHz**

FIXED

FIXED

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**9400 - 9500 kHz**

BROADCASTING 5.134

BROADCASTING 5.134

Broadcasting

EN 302 017

EN 302 245

Article 12 planning procedure. Digital systems to be introduced

5.146

5.146

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**9500 - 9900 kHz**

BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.147	5.147	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**9900 - 9995 kHz**

FIXED	FIXED	Defence systems				
	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**9995 - 10003 kHz**

STANDARD FREQUENCY AND TIME SIGNAL(10000 kHz) 5.111	STANDARD FREQUENCY AND TIME SIGNAL(10000 kHz) 5.111	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
--	--	------------------------	--	---------------	------------	------------------------------------

**10003 - 10005 kHz**

STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	Inductive applications SAR (communications)		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz 10003 kHz (+/-3 kHz) concerning manned space vehicles
---	---	--	--	---------------	------------	--



**10005 - 10100 kHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

Aeronautical mobile (R)

Appendix 27 Allotment Plan. Including HF Data Links

5.111

5.111

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**10100 - 10150 kHz**

FIXED

FIXED

Amateur

EN 301 783

Amateur

Amateur

Defence systems

EU2

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**10150 - 11175 kHz**

FIXED

FIXED

Defence systems

Mobile except aeronautical mobile (R)

Mobile except aeronautical mobile (R)

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 10200-11000 kHz; and within the band 148.5 kHz - 30 MHz

EU2

Railway applications

ERC/REC 70-03

EN 302 609

Within the band 11100-16000 kHz

**11175 - 11275 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

Appendix 26 Allotment Plan

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Railway applications

ERC/REC 70-03

EN 302 609

Within the band 11100-16000 kHz

**11275 - 11400 kHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)				Appendix 27 Allotment Plan. Including HF Data Links
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz

**11400 - 11600 kHz**

FIXED	FIXED	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Railway applications			EN 302 609	Within the band 11100-16000 kHz

**11600 - 11650 kHz**

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.146	5.146	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz

**11650 - 12050 kHz**

BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.147	5.147	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03		Within the band 11100-16000 kHz

**12050 - 12100 kHz**

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. WARC92 band, change of band utilisation is effective from 1 April 2007.
5.146	5.146					Digital systems to be introduced
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz

**12100 - 12230 kHz**

FIXED	FIXED	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz

**12230 - 13200 kHz**

MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling			EN 300 373	12577.5, 12578, 12578.5, 12657, 12657.5, 12658 kHz
		DSC distress traffic			EN 300 373	12577 kHz
	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime			EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information			EN 300 373	12579 kHz
		Radiotelephony distress and safety traffic			EN 300 373	12290 kHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Telex distress traffic			EN 300 373	12520 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**13200 - 13260 kHz**

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)			Appendix 26 Allotment Plan
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**13260 - 13360 kHz**

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)			Appendix 27 Allotment Plan. Including HF Data Links
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**13360 - 13410 kHz**

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED RADIO ASTRONOMY 5.149	FIXED RADIO ASTRONOMY 5.149 EU2	Defence systems			
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Radio astronomy			
		Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 13410 - 13570 kHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Defence systems				
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	Inductive applications		ERC/REC 70-03	EN 300 330 EN 302 291	Within the band 13553-13567 kHz; and within the band 148.5 kHz - 30 MHz
5.150	5.150 EU2	ISM				Within the band 13553-13567 kHz
		Non-Specific SRDs		ERC/REC 70-03	EN 300 330	Within the band 13553-13567 kHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 13570 - 13600 kHz

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.151	5.151	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 13600 - 13800 kHz

BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**13800 - 13870 kHz**

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting		EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.151	5.151	Inductive applications		ERC/REC 70-03 EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03 EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03 EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**13870 - 14000 kHz**

FIXED	FIXED	Defence systems			
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	Inductive applications		ERC/REC 70-03 EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Railway applications		ERC/REC 70-03 EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03 EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**14000 - 14250 kHz**

AMATEUR	AMATEUR	Amateur		EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			
		Inductive applications		ERC/REC 70-03 EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03 EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03 EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**14250 - 14350 kHz**

AMATEUR	AMATEUR	Amateur		EN 301 783	
5.152		Inductive applications		ERC/REC 70-03 EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03 EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03 EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 14350 - 14990 kHz

FIXED	FIXED	Defence systems			
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 14990 - 15005 kHz

STANDARD FREQUENCY AND TIME SIGNAL(15000 kHz)	STANDARD FREQUENCY AND TIME SIGNAL(15000 kHz)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
5.111	5.111	SAR (communications)			14993 kHz (+/-3 kHz) concerning manned space vehicles
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 15005 - 15010 kHz

STANDARD FREQUENCY AND TIME SIGNAL	STANDARD FREQUENCY AND TIME SIGNAL	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
Space research	Space research	Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

### 15010 - 15100 kHz

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)			Appendix 26 Allotment Plan
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications	ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare	ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**15100 - 15600 kHz**

BROADCASTING	BROADCASTING	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**15600 - 15800 kHz**

BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.146	5.146	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**15800 - 16360 kHz**

FIXED	FIXED	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.153	EU2	Railway applications		ERC/REC 70-03	EN 302 609	Within the band 11100-16000 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz



	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>16360 - 17410 kHz</b>						
MARITIME MOBILE 5.109 5.110 5.132 5.145	MARITIME MOBILE 5.109 5.110 5.132 5.145	DSC calling			EN 300 373	16805, 16805.5, 16806, 16903, 16903.5, 16904 kHz
	EU2	DSC distress traffic			EN 300 373	16804.5 kHz
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime			EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information			EN 300 373	16806.5 kHz
		Radiotelephony distress and safety traffic			EN 300 373	16420 kHz
		Telex distress traffic			EN 300 373	16695 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>17410 - 17480 kHz</b>						
FIXED	FIXED	Defence systems				
	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>17480 - 17550 kHz</b>						
BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Digital systems to be introduced
5.146	5.146	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**17550 - 17900 kHz**

BROADCASTING

BROADCASTING

Broadcasting

EN 302 017  
EN 302 245

Article 12 planning procedure.  
Digital systems to be introduced

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

**17900 - 17970 kHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

Aeronautical mobile (R)

Appendix 27 Allotment Plan.  
Including HF Data Links

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

**17970 - 18030 kHz**

AERONAUTICAL MOBILE (OR)

AERONAUTICAL MOBILE (OR)

Aeronautical Mobile (OR)

Appendix 26 Allotment Plan

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

**18030 - 18052 kHz**

FIXED

FIXED

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>18052 - 18068 kHz</b>						
FIXED	FIXED	Defence systems				
Space research	Space research	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>18068 - 18168 kHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	
5.154		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>18168 - 18780 kHz</b>						
FIXED	FIXED	Defence systems				
Mobile except aeronautical mobile	Mobile except aeronautical mobile	DSC calling			EN 300 373	18898.5, 18899. 18899.5 kHz
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>18780 - 18900 kHz</b>						
MARITIME MOBILE	MARITIME MOBILE	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime			EN 300 373	Appendix 17 channeling plan
	EU2	Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>18900 - 19020 kHz</b>						
BROADCASTING 5.134	BROADCASTING 5.134	Broadcasting			EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
5.146	5.146	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>19020 - 19680 kHz</b>						
FIXED	FIXED	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>19680 - 19800 kHz</b>						
MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	DSC calling			EN 300 373	19703.5, 19704, 19704.5 kHz
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Maritime			EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information			EN 300 373	19680.5 kHz
		Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz
<b>19800 - 19990 kHz</b>						
FIXED	FIXED	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Wireless applications in Healthcare		ERC/REC 70-03	EN 300 330	Active animal implantable devices within the band 12500-20000 kHz

**19990 - 19995 kHz**

STANDARD FREQUENCY AND TIME SIGNAL  
Space research  
5.111

STANDARD FREQUENCY AND TIME SIGNAL  
Space research  
5.111

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

SAR (communications)

19993 kHz (+/-3 kHz) concerning manned space vehicles

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

**19995 - 20010 kHz**

STANDARD FREQUENCY AND TIME SIGNAL(20000 kHz)  
5.111

STANDARD FREQUENCY AND TIME SIGNAL(20000 kHz)  
5.111

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

Wireless applications in Healthcare

ERC/REC 70-03

EN 300 330

Active animal implantable devices within the band 12500-20000 kHz

**20010 - 21000 kHz**

FIXED  
Mobile

FIXED  
Mobile

EU2

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**21000 - 21450 kHz**

AMATEUR  
AMATEUR-SATELLITE

AMATEUR  
AMATEUR-SATELLITE

Amateur

EN 301 783

Amateur Satellite

EN 301 783

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**21450 - 21850 kHz**

BROADCASTING

BROADCASTING

Broadcasting

EN 302 017  
EN 302 245

Article 12 planning procedure.  
Digital systems to be introduced

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**21850 - 21870 kHz**

FIXED 5.155A

FIXED

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

5.155

EU2

**21870 - 21924 kHz**

FIXED 5.155B

FIXED 5.155B

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**21924 - 22000 kHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

Aeronautical mobile (R)

Appendix 27 Allotment Plan.  
Including HF Data Links

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

**22000 - 22855 kHz**

MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	DSC calling			EN 300 373	22374.5, 22375, 22375.5, 22444, 22444.5, 22445 kHz
5.156	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
		Maritime			EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information			EN 300 373	22376 kHz

**22855 - 23000 kHz**

FIXED	FIXED	Defence systems				
5.156	EU2	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**23000 - 23200 kHz**

FIXED	FIXED	Defence systems				
Mobile except aeronautical mobile (R)	Mobile except aeronautical mobile (R)	Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.156	EU2					

**23200 - 23350 kHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Aeronautical Mobile (OR)				
FIXED 5.156A	FIXED 5.156A	Defence systems				
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**23350 - 24000 kHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile 5.157	MOBILE except aeronautical mobile 5.157	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2				

**24000 - 24890 kHz**

FIXED	FIXED	Defence systems			
LAND MOBILE	LAND MOBILE	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2				

**24890 - 24990 kHz**

AMATEUR	AMATEUR	Amateur		EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite		EN 301 783	
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**24990 - 25005 kHz**

STANDARD FREQUENCY AND TIME SIGNAL(25000 kHz)	STANDARD FREQUENCY AND TIME SIGNAL(25000 kHz)	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
---	---	------------------------	---------------	------------	------------------------------------



**25005 - 25010 kHz**

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

STANDARD FREQUENCY AND TIME SIGNAL  
Space research

Inductive applications  
Space Research

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz  
Scientific and medical space research

**25010 - 25070 kHz**

FIXED  
MOBILE except aeronautical mobile

FIXED  
MOBILE except aeronautical mobile

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**25070 - 25210 kHz**

MARITIME MOBILE

MARITIME MOBILE

DSC calling

EN 300 373

25208.5, 25209, 25209.5 kHz

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

Maritime

EN 300 373

Appendix 17 channeling plan

**25210 - 25550 kHz**

FIXED  
MOBILE except aeronautical mobile

FIXED  
MOBILE except aeronautical mobile

Defence systems

Inductive applications

ERC/REC 70-03

EN 300 330

Within the band 148.5 kHz - 30 MHz

EU2

**25550 - 25670 kHz**

RADIO ASTRONOMY	RADIO ASTRONOMY	Inductive applications Radio astronomy	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
5.149	5.149				

**25670 - 26100 kHz**

BROADCASTING	BROADCASTING	Broadcasting		EN 302 017 EN 302 245	Article 12 planning procedure. Digital systems to be introduced
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz

**26100 - 26175 kHz**

MARITIME MOBILE 5.132	MARITIME MOBILE 5.132	DSC calling		EN 300 373	26121, 26121.5, 26122 kHz.
		Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Maritime		EN 300 373	Appendix 17 channeling plan. Appendix 25 allotment plan
		Maritime Safety Information		EN 300 373	26100.5 kHz

**26175 - 27500 kHz**

FIXED	FIXED	CB radio (CEPT PR 27)	ERC/DEC/(96)02	EN 300 135	Within the band 26.960-27.410 MHz
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		ERC/DEC/(98)11	EN 300 433	
5.150	5.150 EU2		T/R 20-09		
-----					
Defence systems					
-----					
Inductive applications			ERC/DEC/(01)16	EN 300 330	Within the band 26.957-27.283 MHz
			ERC/REC 70-03		
-----					
Inductive applications			ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
-----					
ISM					
-----					
Model control			ERC/DEC/(01)10	EN 300 220	26.995, 27.045, 27.095, 27.145, 27.195 MHz
			ERC/REC 70-03		
-----					
Non-Specific SRDs			ERC/DEC/(01)02	EN 300 220	Within the band 26.957-27.283 MHz
			ERC/REC 70-03		
-----					
Railway applications			ERC/REC 70-03	EN 300 330 EN 302 608	27.095 MHz Eurobalise system

**27500 - 28000 kHz**

FIXED	FIXED	Defence systems			
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Inductive applications	ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
MOBILE	MOBILE				
	EU2				

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>28 - 29.7 MHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	
		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
<b>29.7 - 30.005 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE		Inductive applications		ERC/REC 70-03	EN 300 330	Within the band 148.5 kHz - 30 MHz
	EU2	Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
		Wireless applications in Healthcare		ERC/REC 70-03	EN 302 510	Within the band 30.0-37.5 MHz
<b>30.005 - 30.01 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE		Radio microphones and Assistive Listening devices	EU1	ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
SPACE OPERATION (satellite identification)						
SPACE RESEARCH	EU2	Wireless applications in Healthcare		ERC/REC 70-03	EN 302 510	Within the band 30.0-37.5 MHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>30.01 - 37.5 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			The bands 30.3-30.5 MHz and 32.15-32.45 MHz are harmonised military bands
MOBILE	EU2 EU27	Model control		ERC/DEC/(01)11 ERC/REC 70-03	EN 300 220	Within the band 34.995-35.225 MHz only for flying models
		PMR		T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471 EN 301 166 EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Within the band 30.01-34.90 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
		Wireless applications in Healthcare		ERC/REC 70-03	EN 302 510	Within the band 30.0-37.5 MHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>37.5 - 38.25 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE	Radio astronomy	PMR		T/R 25-08	EN 300 086	
Radio astronomy					EN 300 113	
5.149	5.149 EU2				EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio astronomy				Continuum observations
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	
<b>38.25 - 39.986 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE		Meteor scatter communications		ERC/REC/(00)04		Within the band 39.0-39.2 MHz
	EU2	PMR		T/R 25-08	EN 300 086	
					EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>39.986 - 40.02 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE	Space research	PMR		T/R 25-08	EN 300 086	
Space research	EU2				EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	
<b>40.02 - 40.66 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE		PMR		T/R 25-08	EN 300 086	
	EU2				EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	

	European Common Allocation		Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>40.66 - 40.7 MHz</b>							
FIXED	MOBILE		Defence systems	EU1			
MOBILE			ISM				
5.150	5.150	EU2	Model control		ERC/DEC/(01)12	EN 300 220	40.665, 40.675, 40.685, 40.695 MHz
			Non-Specific SRDs		ERC/DEC/(01)03 ERC/REC 70-03	EN 300 220	
			Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
<b>40.7 - 40.98 MHz</b>							
FIXED	MOBILE		Defence systems	EU1			
MOBILE			PMR		T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471 EN 301 166 EN 302 561	
		EU2	Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis



**40.98 - 41.015 MHz**

FIXED	MOBILE	Defence systems	EU1			
MOBILE	Space research	PMR		T/R 25-08	EN 300 086	
Space research					EN 300 113	
5.160	EU2				EN 300 219	
5.161					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	

**41.015 - 44 MHz**

FIXED	MOBILE	Defence systems	EU1			Harmonised military band
MOBILE		PMR		T/R 25-08	EN 300 086	
5.160	EU27				EN 300 113	
5.161					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
					EN 300 454	

	European Common Allocation		Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>44 - 46.4 MHz</b>							
FIXED	MOBILE		Defence systems	EU1			Harmonised military band
MOBILE			PMR		T/R 25-08	EN 300 086	
5.162	5.162A	EU27				EN 300 113	
5.162A						EN 300 219	
						EN 300 296	
						EN 300 341	
						EN 300 390	
						EN 300 471	
						EN 301 166	
						EN 302 561	
			Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
			Wind profiler radars				In the range 46-68 MHz, geographical sharing with other services

**46.4 - 47 MHz**

Service	Allocation	Footnote	Utilisation	Footnote	Document	Standard	Notes
FIXED	MOBILE		Defence systems	EU1			Harmonised military band
MOBILE			PMR		T/R 25-08	EN 300 086	
5.162	5.162A	EU27				EN 300 113	
5.162A						EN 300 219	
						EN 300 296	
						EN 300 341	
						EN 300 390	
						EN 300 471	
						EN 301 166	
						EN 302 561	
			Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422 EN 300 454	Within the band 29.7-47.0 MHz. Narrow band audio systems including tour guide systems on a tuning range basis
			Wind profiler radars				In the range 46-68 MHz, geographical sharing with other services

**47 - 48 MHz**

Service	Allocation	Footnote	Utilisation	Footnote	Document	Standard	Notes
BROADCASTING	LAND MOBILE		Defence systems	EU1			
			On-site paging			EN 300 224	On site paging in the band 47.0-47.25 MHz
5.162A	5.162A	EU2					
5.163	5.163	EU3	PMR		T/R 25-08	EN 300 086	Single frequency applications
5.164	5.164					EN 300 113	
5.165						EN 300 219	
						EN 300 296	
						EN 300 341	
						EN 300 390	
						EN 300 471	
						EN 301 166	
						EN 302 561	
			Wind profiler radars				In the range 46-68 MHz, geographical sharing with other services

**48 - 48.5 MHz**

BROADCASTING

LAND MOBILE

Defence systems

EU1

PMR

T/R 25-08

EN 300 086

Single frequency applications

5.162A

5.162A EU2

EN 300 113

5.163

5.163 EU3

EN 300 219

5.164

5.164

EN 300 341

5.165

EN 300 390

EN 300 471

EN 301 166

EN 302 561

Wind profiler radars

In the range 46-68 MHz, geographical sharing with other services

**48.5 - 50 MHz**

BROADCASTING

LAND MOBILE

Defence systems

EU1

PMR

T/R 25-08

EN 300 086

Single frequency applications

5.162A

5.162A EU2

EN 300 113

5.164

5.164 EU3

EN 300 219

5.165

EN 300 296

EN 300 341

EN 300 390

EN 300 471

EN 301 166

EN 302 561

Space Research/EESS

Wind profiler radars

In the range 46-68 MHz, geographical sharing with other services

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>50 - 51 MHz</b>						
BROADCASTING	LAND MOBILE	Amateur			EN 301 783	
	Amateur	Defence systems	EU1			
5.162A	5.162A EU2	PMR		T/R 25-08	EN 300 086	Single frequency applications
5.164	5.164 EU3				EN 300 113	
5.165					EN 300 219	
5.169					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Wind profiler radars				In the range 46-68 MHz, geographical sharing with other services

**51 - 52 MHz**

BROADCASTING	LAND MOBILE	Amateur			EN 301 783	
	Amateur	Defence systems	EU1			
5.162A	5.162A EU2	PMR		T/R 25-08	EN 300 086	Single frequency applications
5.164	5.164 EU3				EN 300 113	
5.165					EN 300 219	
5.169					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Wind profiler radars				In the range 46-68 MHz, geographical sharing with other services

### 52 - 54 MHz

BROADCASTING

LAND MOBILE

Defence systems

EU1

PMR

T/R 25-08

EN 300 086

Single frequency applications

5.162A

5.162A EU2

EN 300 113

5.164

5.164 EU3

EN 300 219

5.165

EN 300 296

5.169

EN 300 341

EN 300 390

EN 300 471

EN 301 166

EN 302 561

Wind profiler radars

In the range 46-68 MHz, geographical sharing with other services

### 54 - 61 MHz

BROADCASTING

LAND MOBILE

Defence systems

EU1

PMR

T/R 25-08

EN 300 086

ML paired with 61-68 MHz

5.162A

5.162A EU2

EN 300 113

5.163

5.163 EU3

EN 300 219

5.164

5.164

EN 300 296

5.165

EN 300 341

5.171

EN 300 390

EN 300 471

EN 301 166

EN 302 561

Wind profiler radars

In the range 46-68 MHz, geographical sharing with other services

**61 - 68 MHz**

BROADCASTING

LAND MOBILE

Defence systems

EU1

PMR

T/R 25-08

EN 300 086

FB paired with 54-61 MHz

5.162A

5.162A EU2

EN 300 113

5.164

5.164 EU3

EN 300 219

5.165

EN 300 296

5.171

EN 300 341

EN 300 390

EN 300 471

EN 301 166

EN 302 561

Wind profiler radars

In the range 46-68 MHz, geographical sharing with other services

**68 - 70.45 MHz**

FIXED

MOBILE

Defence systems

EU1

MOBILE except aeronautical mobile

PMR/PAMR

ECC/DEC/(06)06

EN 300 086

ML paired with 77.8-80.25 MHz

5.175

EU2

T/R 25-08

EN 300 113

EU4

EN 300 219

EU9

EN 300 296

EN 300 341

EN 300 390

EN 300 471

EN 301 166

EN 302 561

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>70.45 - 74.8 MHz</b>						
FIXED	MOBILE except aeronautical mobile	Defence systems	EU1			Harmonised military band 73.3-74.1 MHz
MOBILE except aeronautical mobile	Radio astronomy					
		PMR/PAMR		ECC/DEC/(06)06	EN 300 086	ML paired with 80.25-84.6 MHz
5.149	5.149 EU2			T/R 25-08	EN 300 113	
5.175	EU4				EN 300 219	
5.177	EU9				EN 300 296	
5.179	EU27				EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio astronomy				Continuum observations, in 73-74.6 MHz RA for solar wind monitoring
<b>74.8 - 75.2 MHz</b>						
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	ILS/marker beacons				
5.180	5.180					
5.181						
<b>75.2 - 77.7 MHz</b>						
FIXED	MOBILE	Defence systems	EU1			
MOBILE except aeronautical mobile		PMR/PAMR		ECC/DEC/(06)06	EN 300 086	ML paired with 85.0-87.5 MHz
5.175	EU2			T/R 25-08	EN 300 113	
5.179					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	



**77.7 - 77.8 MHz**

FIXED	MOBILE	Defence systems	EU1		
MOBILE except aeronautical mobile		PMR/PAMR		ECC/DEC/(06)06	EN 300 086
5.175	EU2			T/R 25-08	EN 300 113
					EN 300 219
					EN 300 296
					EN 300 341
					EN 300 390
					EN 300 471
					EN 301 166
					EN 302 561

**77.8 - 84.6 MHz**

FIXED	MOBILE	Defence systems	EU1		
MOBILE except aeronautical mobile		PMR/PAMR		ECC/DEC/(06)06	EN 300 086
5.175	EU2			T/R 25-08	EN 300 113
5.187	EU27				EN 300 219
					EN 300 296
					EN 300 341
					EN 300 390
					EN 300 471
					EN 301 166
					EN 302 561

**84.6 - 85 MHz**

FIXED	MOBILE	Defence systems	EU1		
MOBILE except aeronautical mobile		PMR/PAMR		ECC/DEC/(06)06	EN 300 086
5.175	EU2			T/R 25-08	EN 300 113
5.187					EN 300 219
					EN 300 296
					EN 300 341
					EN 300 390
					EN 300 471
					EN 301 166
					EN 302 561

**85 - 87.5 MHz**

FIXED	MOBILE	Defence systems	EU1		
MOBILE except aeronautical mobile		PMR/PAMR		ECC/DEC/(06)06	EN 300 086
5.175	EU2			T/R 25-08	EN 300 113
5.187					EN 300 219
					EN 300 296
					EN 300 341
					EN 300 390
					EN 300 471
					EN 301 166
					EN 302 561

**87.5 - 100 MHz**

BROADCASTING	BROADCASTING	FM Sound Broadcasting			EN 302 018	Geneva Agreement GE84
5.190		Wireless Audio Applications		ERC/REC 70-03	EN 301 357	Within the band 87.5-108.0 MHz

**100 - 108 MHz**

BROADCASTING

BROADCASTING

FM Sound Broadcasting

EN 302 018

Geneva Agreement GE84

Wireless Audio Applications

ERC/REC 70-03

EN 301 357

Within the band 87.5-108.0 MHz

5.192

5.194

**108 - 117.975 MHz**

AERONAUTICAL  
RADIONAVIGATION

AERONAUTICAL  
RADIONAVIGATION  
AERONAUTICAL MOBILE (R)

Aeronautical communications

Safety and regularity of flights, below  
112 MHz limited to ground based  
data link transmitters

5.197

5.197A

ILS/Localiser

Within the band 108-112 MHz

5.197A

VOR

Within the band 108-117.975 MHz

**117.975 - 121.45 MHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

Aeronautical communications

EU5

EN 300 676

Safety and regularity of flights

EN 301 841

EN 301 842

5.200

5.200

**121.45 - 121.55 MHz**

AERONAUTICAL MOBILE (R)

AERONAUTICAL MOBILE (R)

EPIRB

EN 300 152

Band only available for distress and  
safety

EN 301 688

5.111

5.111

5.200

5.200

**121.55 - 136 MHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical communications	EU5		EN 300 676 EN 301 688 EN 301 841 EN 301 842	123.1 MHz Aeronautical mobile distress communication
5.200	5.200					
5.201	5.201					

**136 - 137 MHz**

AERONAUTICAL MOBILE (R)	AERONAUTICAL MOBILE (R)	Aeronautical communications	EU5		EN 300 676 EN 301 841 EN 301 842	
5.202	5.202					

**137 - 137.025 MHz**

METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209	MOBILE	Meteorological Satellites				
SPACE OPERATION (S/E)	MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
SPACE RESEARCH (S/E)	Space operation (S/E)					
Fixed	Space research (S/E)					
Mobile except aeronautical mobile (R)						
5.204	5.206					
5.205	5.208					
5.206						
5.207						
5.208						

**137.025 - 137.175 MHz**

METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
SPACE OPERATION (S/E)	MOBILE	Meteorological Satellites				
SPACE RESEARCH (S/E)	MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
Fixed	Space operation (S/E)					
Mobile except aeronautical mobile (R)	Space research (S/E)					
Mobile-satellite (S/E) 5.208A 5.208B 5.209						
5.204	5.206					
5.205	5.208					
5.206						
5.207						
5.208						

**137.175 - 137.825 MHz**

METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209	MOBILE	Meteorological Satellites				
SPACE OPERATION (S/E)	MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
SPACE RESEARCH (S/E)	Space operation (S/E)					
Fixed	Space research (S/E)					
Mobile except aeronautical mobile (R)						
5.204	5.206					
5.205	5.208					
5.206						
5.207						
5.208						

**137.825 - 138 MHz**

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
SPACE OPERATION (S/E)	MOBILE	Meteorological Satellites				
SPACE RESEARCH (S/E)	Mobile-satellite (S/E) 5.208A 5.208B 5.209	Mobile applications				Mobile restricted to Aeronautical Mobile (OR), including air sport
Fixed	Space operation (S/E)					
Mobile except aeronautical mobile (R)	Space research (S/E)					
Mobile-satellite (S/E) 5.208A 5.208B 5.209						
5.204	5.206					
5.205	5.208					
5.206						
5.207						
5.208						

**138 - 143.6 MHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Defence systems	EU5			Harmonised military band, including air operation control
	LAND MOBILE					
	Space research (S/E)	Mobile applications				The frequencies 138.625, 138.675 MHz and 138.650 MHz are used for existing tracking and asset tracing systems on a national basis
5.210	5.211 EU2					
5.211	EU27					
5.212		Non-Specific SRDs		ERC/REC 70-03	EN 300 220	Within the band 138.20-138.45 MHz
5.214						

**143.6 - 143.65 MHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR)	Defence systems	EU5			Harmonised military band, including air operation control
SPACE RESEARCH (S/E)	LAND MOBILE					
	SPACE RESEARCH (S/E)	Mobile applications				
5.211	5.211 EU2					
5.212	EU27					
5.214						

**143.65 - 144 MHz**

AERONAUTICAL MOBILE (OR)	AERONAUTICAL MOBILE (OR) LAND MOBILE	Defence systems	EU5			Harmonised military band, including air operation control
5.210	5.211	EU2				
5.211		EU27				
5.212						
5.214						

**144 - 146 MHz**

AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	
5.216						

**146 - 146.8 MHz**

FIXED	MOBILE	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	Single frequency applications
MOBILE except aeronautical mobile (R)				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**146.8 - 148 MHz**

FIXED	MOBILE	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	ML-paired with 151.4-152.6 MHz
MOBILE except aeronautical mobile (R)				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**148 - 148.4 MHz**

FIXED	MOBILE	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
MOBILE except aeronautical mobile (R)	MOBILE-SATELLITE (E/S) 5.209	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 113	ML paired with 152.6-153.0 MHz
MOBILE-SATELLITE (E/S) 5.209				T/R 25-08	EN 300 219	
5.218	5.218				EN 300 296	
5.219	5.219				EN 300 341	
5.221	5.221				EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**148.4 - 149.9 MHz**

FIXED	MOBILE	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
MOBILE except aeronautical mobile (R)	MOBILE-SATELLITE (E/S) 5.209	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	ML paired with 153.0-154.5 MHz
MOBILE-SATELLITE (E/S) 5.209				T/R 25-08	EN 300 113	
5.218	5.218				EN 300 219	
5.219	5.219				EN 300 296	
5.221	5.221				EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	



**149.9 - 150.05 MHz**

MOBILE-SATELLITE (E/S) 5.209 5.224A	MOBILE	Low earth orbiting satellites	EU6	ERC/DEC/(99)06	EN 301 721	
RADIONAVIGATION-SATELLITE 5.224B	MOBILE-SATELLITE (E/S) 5.209 5.224A	PMR/PAMR		ECC/DEC/(06)06	EN 300 086	Single frequency applications
	RADIONAVIGATION-SATELLITE 5.224B			T/R 25-08	EN 300 113	
5.220	5.220				EN 300 219	
5.222	5.222				EN 300 296	
5.223	5.223				EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**150.05 - 151.4 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	ML paired with 154.65-156.0 MHz
MOBILE except aeronautical mobile	RADIO ASTRONOMY			T/R 25-08	EN 300 113	
RADIO ASTRONOMY					EN 300 219	
5.149	5.149				EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Radio astronomy				Continuum observation and pulsar/solar observations

**151.4 - 153 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	FB paired with 146.8-148.4 MHz
MOBILE except aeronautical mobile	RADIO ASTRONOMY			T/R 25-08	EN 300 113	
RADIO ASTRONOMY					EN 300 219	
5.149	5.149				EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

Radio astronomy

Continuum observation and pulsar/solar observations

**153 - 154 MHz**

FIXED	MOBILE except aeronautical mobile (R)	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	FB paired with 148.4-149.4 MHz
MOBILE except aeronautical mobile (R)				T/R 25-08	EN 300 113	
Meteorological aids					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**154 - 154.5 MHz**

FIXED	MOBILE except aeronautical mobile (R)	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	FB paired with 149.4-149.9 MHz
MOBILE except aeronautical mobile (R)				T/R 25-08	EN 300 113	
5.226					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**154.5 - 154.65 MHz**

FIXED	MOBILE except aeronautical mobile (R)	PMR/PAMR	EU7	ECC/DEC/(06)06 T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471 EN 301 166 EN 302 561	Single frequency applications
MOBILE except aeronautical mobile (R)						
5.226						

**154.65 - 156 MHz**

FIXED	MOBILE except aeronautical mobile (R)	PMR/PAMR	EU7	ECC/DEC/(06)06 T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471 EN 301 166 EN 302 561	FB paired with 150.05-151.4 MHz
MOBILE except aeronautical mobile (R)						
5.226						

**156 - 156.4875 MHz**

FIXED	MOBILE except aeronautical mobile (R)	Maritime	EU7 EU8		EN 300 162 EN 300 698 EN 301 025 EN 301 178 EN 301 929	Ship stations paired with 160.625-160.950 MHz. Single frequency 156.300 MHz and in 156.375-156.475 MHz. RR Appendix 18
MOBILE except aeronautical mobile (R)						
5.226	5.226					

**156.4875 - 156.5375 MHz**

MARITIME MOBILE (distress and calling via DSC)

MARITIME MOBILE (distress and calling via DSC)

DSC for distress and calling

EN 301 025  
EN 301 929

156.525 MHz.  
RR Appendix 18

5.111

5.111

5.226

5.226

5.227

5.227

**156.5375 - 156.5625 MHz**

MARITIME MOBILE (distress and calling via DSC)

MOBILE except aeronautical mobile (R)  
MARITIME MOBILE (distress and calling via DSC)

Maritime

EU7  
EU8

EN 300 162  
EN 300 698  
EN 301 025  
EN 301 178  
EN 301 929

Single frequency applications.  
RR Appendix 18

5.226

5.226

5.227

5.227

**156.5625 - 156.7625 MHz**

FIXED  
MOBILE except aeronautical mobile (R)

MOBILE except aeronautical mobile (R)

Maritime

EU7  
EU8

EN 300 162  
EN 300 698  
EN 301 025  
EN 301 178  
EN 301 929

Single frequency applications.  
RR Appendix 18

5.226

5.226

**156.7625 - 156.8375 MHz**

MARITIME MOBILE (distress and calling)

MARITIME MOBILE (distress and calling)

Distress, safety and calling

EN 300 162  
EN 301 929

156.8 MHz.  
RR Appendix 18.  
Single frequency applications

5.111

5.111

5.226

5.226

**156.8375 - 157.45 MHz**

FIXED	MOBILE except aeronautical mobile	Maritime	EU7	EN 300 162	Ship stations paired with 161.5-162.0 MHz and single frequency applications. RR Appendix 18
MOBILE except aeronautical mobile			EU8	EN 300 698	
5.226	5.226			EN 301 025	
5.229				EN 301 178	
				EN 301 929	

**157.45 - 160.6 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	ML paired with 162.05-165.2 MHz
MOBILE except aeronautical mobile				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**160.6 - 160.975 MHz**

FIXED	MOBILE except aeronautical mobile	Maritime	EU7	EN 300 162	Coast stations, paired with 156.025-156.350 MHz. RR Appendix 18
MOBILE except aeronautical mobile			EU8	EN 300 698	
5.226	5.226			EN 301 025	
				EN 301 178	
				EN 301 929	

**160.975 - 161.475 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	Single frequency applications
MOBILE except aeronautical mobile				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**161.475 - 162.05 MHz**

FIXED	MOBILE except aeronautical mobile	Maritime	EU7		EN 300 162	Coast stations paired with 156.9-157.4 MHz. RR Appendix 18
MOBILE except aeronautical mobile			EU8		EN 300 698	
5.226	5.226				EN 301 025	
5.227A	5.227A				EN 301 178	
5.229		Shipborne AIS		ERC/DEC/(99)17		161.975 and 162.025 MHz

**162.05 - 165.2 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	FB paired with 157.45-160.6 MHz. The frequency 164.175 MHz is used for existing tracking and asset tracing systems on a national basis
MOBILE except aeronautical mobile				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
5.229					EN 301 166	
					EN 302 561	

**165.2 - 165.225 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR		ECC/DEC/(06)06	EN 300 086	Single frequency applications
MOBILE except aeronautical mobile				T/R 25-08	EN 300 113	
					EN 300 219	
5.229					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

**165.225 - 169.4 MHz**

FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	ML paired with 169.825-174.0 MHz
MOBILE except aeronautical mobile				T/R 25-08	EN 300 113	
					EN 300 219	
5.229					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>169.4 - 169.825 MHz</b>						
FIXED	MOBILE except aeronautical mobile	Aids for hearing impaired		ECC/DEC/(05)02	EN 300 422	The bands 169.400-169.475 MHz; and 169.4875-169.5875; and within the band 169.4-174.0 MHz on a tuning range basis
MOBILE except aeronautical mobile				ERC/REC 70-03		
5.229		Asset Tracking and Tracing / Meter reading		ECC/DEC/(05)02		
				ERC/REC 70-03		
		PMR/PAMR	EU7	ECC/DEC/(05)02	EN 300 086	Single frequency applications
				ECC/DEC/(06)06	EN 300 113	
				T/R 25-08	EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	
		Social alarms		ECC/DEC/(05)02	EN 300 220	Within the bands 169.4750-169.4875 MHz and 169.5875-169.6000 MHz
				ERC/REC 70-03		
<b>169.825 - 174 MHz</b>						
FIXED	MOBILE except aeronautical mobile	Aids for hearing impaired		ECC/DEC/(05)02	EN 300 422	Within the band 173.965-174.015 MHz; and within the band 169.4-174.0 MHz on a tuning range basis
MOBILE except aeronautical mobile				ERC/REC 70-03		
5.229		PMR/PAMR	EU7	ECC/DEC/(06)06	EN 300 086	FB paired with 165.225-169.4 MHz
				T/R 25-08	EN 300 113	
					EN 300 219	
					EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 471	
					EN 301 166	
					EN 302 561	



**174 - 216 MHz**

BROADCASTING	BROADCASTING	Aids for hearing impaired	ERC/REC 70-03	EN 300 422	Within the band 173.965-174.015 MHz
	LAND MOBILE				
5.235	5.235	Radio microphones and Assistive Listening devices	ERC/REC 70-03	EN 300 422 EN 300 454	On a tuning range basis
5.237		T-DAB		EN 300 401 EN 302 077	Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
		TV Broadcasting		EN 300 744 EN 302 297	Geneva Agreement 2006. EN 300 744 is for DVB-T applications

**216 - 223 MHz**

BROADCASTING	BROADCASTING	T-DAB		EN 300 401 EN 302 077	Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
5.235	5.235	TV Broadcasting		EN 300 744	Geneva Agreement 2006. EN 300 744 is for DVB-T applications
5.237					
5.243					

**223 - 225 MHz**

BROADCASTING	BROADCASTING	T-DAB		EN 300 401 EN 302 077	Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
Fixed					
Mobile					
5.243		TV Broadcasting		EN 300 744	Geneva Agreement 2006. EN 300 744 is for DVB-T applications
5.246					
5.247					

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>225 - 230 MHz</b>						
BROADCASTING	BROADCASTING	T-DAB			EN 300 401	Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
Fixed	Land mobile				EN 302 077	
Mobile						
5.246	EU10	TV Broadcasting			EN 300 744	Geneva Agreement 2006. EN 300 744 is for DVB-T applications. This band is within the military tuning range 225-400 MHz. Sharing with defence on national basis.
5.247						
<b>230 - 235 MHz</b>						
FIXED	MOBILE	Defence systems				Harmonised military band
MOBILE		T-DAB			EN 300 401	T-DAB sharing with defence on a national basis. Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
5.247	EU10				EN 302 077	
5.251	EU27					
5.252						
<b>235 - 240 MHz</b>						
FIXED	MOBILE	Defence systems				Harmonised military band
MOBILE		T-DAB			EN 300 401	T-DAB sharing with defence on a national basis. Wiesbaden 1995 Special Arrangement, as revised in Constanta, 2007
5.252	5.254 EU10				EN 302 077	
5.254	EU27					
<b>240 - 242.95 MHz</b>						
FIXED	MOBILE	Defence systems				Harmonised military band.
MOBILE						Air traffic control
5.111	5.254 EU10					
5.254	EU27					
5.256						

**242.95 - 243.05 MHz**

FIXED MOBILE	AERONAUTICAL MOBILE	EPIRB			EN 300 152	Band only available for distress and safety purposes 243.0 MHz
5.111	5.111					
5.254	5.254					
5.256	5.256					

**243.05 - 267 MHz**

FIXED MOBILE except aeronautical mobile	MOBILE	Defence systems				Harmonised military band. Air traffic control
5.111	5.254	EU10				
5.252		EU27				
5.254						
5.256						
5.256A						

**267 - 272 MHz**

FIXED MOBILE	MOBILE	Defence systems				Harmonised military band. Air traffic control
Space operation (S/E)						
5.254	5.254	EU10				
5.257	5.257	EU27				

**272 - 273 MHz**

FIXED	MOBILE			Defence systems			Harmonised military band. Air traffic control
MOBILE							
SPACE OPERATION (S/E)							
5.254	5.254	EU10 EU27					

**273 - 312 MHz**

FIXED	MOBILE			Defence systems			Harmonised military band. Air traffic control
MOBILE							
5.254	5.254	EU10 EU27					

**312 - 315 MHz**

FIXED	MOBILE			Defence systems			Harmonised military band. Air traffic control
MOBILE							
Mobile-satellite (E/S) 5.254 5.255							
	5.254	EU10					
	5.255	EU27					

**315 - 322 MHz**

FIXED	MOBILE			Defence systems			Harmonised military band. Air traffic control
MOBILE							
5.254	5.254	EU10 EU27					

### 322 - 328.6 MHz

FIXED	MOBILE		Defence systems			Harmonised military band
MOBILE	RADIO ASTRONOMY		Radio astronomy			Continuum observations also VLBI
RADIO ASTRONOMY						
5.149	5.149	EU10 EU27				

### 328.6 - 335.4 MHz

AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION		ILS/Glide path			
5.258	5.258	EU2				
5.259						

### 335.4 - 380 MHz

FIXED	MOBILE		Defence systems	EU7		Harmonised military band
MOBILE						Air traffic control
5.254	5.254	EU10 EU27				

### 380 - 385 MHz

FIXED	MOBILE		Defence systems		Harmonised military band
MOBILE			Emergency AGA	ECC/DEC/(06)05	EN 300 113
5.254	5.254	EU2 EU10 EU27			EN 300 390
			PPDR	ECC/DEC/(08)05 T/R 25-08	EN 303 035 EN 300 392
			PPDR DMO	ERC/DEC/(01)19	EN 300 113 EN 300 390 EN 303 035

### 385 - 387 MHz

FIXED	MOBILE		Defence systems		Harmonised military band
MOBILE			Digital land mobile PMR/PAMR	ERC/DEC/(96)04	EN 303 035
5.254	5.254	EU2 EU10 EU27		T/R 25-08	EN 300 392 EN 301 166 EN 302 561
			PPDR	ECC/DEC/(08)05	

### 387 - 390 MHz

FIXED	MOBILE		Defence systems		Harmonised military band
MOBILE			Digital land mobile PMR/PAMR	ERC/DEC/(96)04	EN 303 035
Mobile-satellite (S/E) 5.208A 5.208B 5.254 5.255				T/R 25-08	EN 300 392 EN 301 166 EN 302 561
		EU2 EU10 EU27			

**390 - 395 MHz**

FIXED	MOBILE		Defence systems			Harmonised military band.
MOBILE						Emergency services sharing with defence applications
5.254	5.254	EU2	PPDR	ECC/DEC/(08)05	EN 303 035	FB paired with 380-385 MHz.
		EU10		T/R 25-08	EN 300 392	PPDR (Emergency services) sharing with defence applications
		EU27				
			PPDR AGA	ECC/DEC/(06)05	EN 300 113 EN 300 390	Within the bands 384.8-385.0 and 394.8-395.0 MHz for AGA emergency 384.750-384.800 MHz and 394.750-394.800 MHz may be used as preferred extension bands
			PPDR DMO	ERC/DEC/(01)19	EN 300 113 EN 300 390	Within the bands 380-380.15 and 390-390.15 MHz for DMO emergency

**395 - 399.9 MHz**

FIXED	MOBILE		Defence systems			Harmonised military band
MOBILE						
5.254	5.254	EU2	Digital land mobile PMR/PAMR	ERC/DEC/(96)04	EN 303 035	FB paired with 385.0-389.9 MHz.
		EU10		T/R 25-08	EN 300 392	PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
		EU27			EN 301 166 EN 302 561	
			PPDR	ECC/DEC/(08)05		

**399.9 - 400.05 MHz**

MOBILE-SATELLITE (E/S) 5.209 5.224A	MOBILE-SATELLITE (E/S) 5.209 5.224A		PPDR	ECC/DEC/(08)05		
RADIONAVIGATION-SATELLITE 5.222 5.224B 5.260	RADIONAVIGATION-SATELLITE 5.222 5.224B 5.260					
5.220	5.220					

**400.05 - 400.15 MHz**

STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz)  
5.261  
5.262

STANDARD FREQUENCY AND TIME SIGNAL-SATELLITE (400.1 MHz)  
5.261  
5.262

PPDR

ECC/DEC/(08)05

**400.15 - 401 MHz**

METEOROLOGICAL AIDS  
METEOROLOGICAL-SATELLITE (S/E)  
MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209  
SPACE RESEARCH (S/E) 5.263  
Space operation (S/E)  
5.262  
5.264

METEOROLOGICAL AIDS  
METEOROLOGICAL-SATELLITE (S/E)  
MOBILE-SATELLITE (S/E) 5.208A 5.208B 5.209  
SPACE RESEARCH (S/E) 5.263  
SPACE OPERATION (S/E)  
5.262  
5.264

Low earth orbiting satellites

ERC/DEC/(99)06

EN 301 721

Meteorological radiosondes

EN 302 054

Meteorological Satellites

PPDR

ECC/DEC/(08)05

**401 - 402 MHz**

EARTH EXPLORATION-SATELLITE (E/S)  
METEOROLOGICAL AIDS  
METEOROLOGICAL-SATELLITE (E/S)  
SPACE OPERATION (S/E)  
Fixed  
Mobile except aeronautical mobile

EARTH EXPLORATION-SATELLITE (E/S)  
METEOROLOGICAL AIDS  
METEOROLOGICAL-SATELLITE (E/S)

Meteorological radiosondes

EN 302 054

Meteorological Satellites

Data collection platform telemetry

PPDR

ECC/DEC/(08)05

Wireless applications in Healthcare

ERC/REC 70-03

EN 302 537

Active medical implants and accessories

EU2



**402 - 403 MHz**

EARTH EXPLORATION-SATELLITE (E/S)	EARTH EXPLORATION-SATELLITE (E/S)	Medical implants	ERC/DEC/(01)17	EN 301 839	ULP-AMI within the band 402-405 MHz
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS		ERC/REC 70-03	EN 302 537	
METEOROLOGICAL-SATELLITE (E/S)	METEOROLOGICAL-SATELLITE (E/S)	Meteorological radiosondes		EN 302 054	
Fixed		Meteorological Satellites			Data collection platform telemetry
Mobile except aeronautical mobile		PPDR	ECC/DEC/(08)05		
	EU2				

**403 - 405 MHz**

METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Medical implants	ERC/DEC/(01)17	EN 301 839	ULP-AMI within the band 402-405 MHz
Fixed			ERC/REC 70-03		
Mobile except aeronautical mobile		Meteorological radiosondes		EN 302 054	
	EU2				

**405 - 406 MHz**

METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Meteorological radiosondes		EN 302 054	
Fixed		PPDR	ECC/DEC/(08)05		
Mobile except aeronautical mobile		Wireless applications in Healthcare	ERC/REC 70-03	EN 302 537	Active medical implants and accessories
	EU2				

**406 - 406.1 MHz**

MOBILE-SATELLITE (E/S)

MOBILE-SATELLITE (E/S)

PPDR

ECC/DEC/(08)05

Sat-EPIRB

EN 300 066

Band only available for distress and safety purposes

EN 302 152

5.266

5.266

5.267

5.267

**406.1 - 410 MHz**

FIXED

LAND MOBILE

PMR/PAMR

ECC/DEC/(06)06

EN 300 086

Single frequency applications. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05

MOBILE except aeronautical mobile

RADIO ASTRONOMY

T/R 25-08

EN 300 113

RADIO ASTRONOMY

EN 300 219

5.149

5.149

EN 300 296

EN 300 341

EN 300 390

EN 300 471

EN 301 166

EN 302 561

EN 303 035

PPDR

ECC/DEC/(08)05

Radio astronomy

Continuum observation and pulsar observation

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>410 - 420 MHz</b>						
FIXED	MOBILE except aeronautical mobile	PMR/PAMR		ECC/DEC/(04)06am	EN 300 086	ML paired with 420-430 MHz. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
MOBILE except aeronautical mobile				ECC/DEC/(06)06	EN 300 113	
SPACE RESEARCH (S/S) 5.268				ERC/DEC/(96)04	EN 300 219	
				T/R 25-08	EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 392	
					EN 300 471	
					EN 301 166	
					EN 301 449	
					EN 301 526	
					EN 302 426	
					EN 302 561	
					EN 303 035	
		PPDR		ECC/DEC/(08)05		
<b>420 - 430 MHz</b>						
FIXED	MOBILE except aeronautical mobile	PMR/PAMR	EU7	ECC/DEC/(04)06am	EN 300 086	FB paired with 410-420 MHz. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
MOBILE except aeronautical mobile	Radiolocation			ECC/DEC/(06)06	EN 300 113	
Radiolocation				ERC/DEC/(96)04	EN 300 219	
5.269				T/R 25-08	EN 300 296	
5.270					EN 300 341	
5.271					EN 300 390	
					EN 300 392	
					EN 300 471	
					EN 301 166	
					EN 301 449	
					EN 301 526	
					EN 302 426	
					EN 302 561	
					EN 303 035	
		PPDR		ECC/DEC/(08)05		

**430 - 432 MHz**

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AMATEUR	AMATEUR	Amateur			EN 301 783	
RADIOLOCATION	RADIOLOCATION	PPDR		ECC/DEC/(08)05		
5.271	5.277 EU2					
5.272	EU12					
5.273						
5.274						
5.275						
5.276						
5.277						

**432 - 433.05 MHz**

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AMATEUR	AMATEUR	Active sensors (satellite)				The use of this band by sensors in the EESS (active) shall be in accordance with Recommendation ITU-R SA 1260-1
RADIOLOCATION	RADIOLOCATION					
Earth exploration-satellite (active)	Earth exploration-satellite (active)					
5.279A	5.279A					
5.138	5.277 EU2	Amateur			EN 301 783	
5.271	EU12	PPDR		ECC/DEC/(08)05		
5.272						
5.276						
5.277						
5.280						

**433.05 - 434.79 MHz**

AMATEUR	AMATEUR	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
RADIOLOCATION	RADIOLOCATION	Active sensors (satellite)				The use of this band by sensors in the EESS (active) shall be in accordance with Recommendation ITU-R SA 1260-1
Earth exploration-satellite (active) 5.279A	Land mobile					
	Earth exploration-satellite (active) 5.279A	Amateur			EN 301 783	
5.138	5.138 EU2	ISM				
5.271	5.277 EU12					
5.272	5.280	Non-Specific SRDs		ECC/DEC/(04)02 ERC/REC 70-03	EN 300 220	
5.276						
5.277		PPDR		ECC/DEC/(08)05		
5.280						
5.281						

**434.79 - 438 MHz**

AMATEUR	AMATEUR	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
RADIOLOCATION	AMATEUR-SATELLITE	Active sensors (satellite)				The use of this band by sensors in the EESS (active) shall be in accordance with Recommendation ITU-R SA 1260-1
Earth exploration-satellite (active) 5.279A	RADIOLOCATION					
	Earth exploration-satellite (active) 5.279A	Amateur			EN 301 783	Amateur Satellite Service restricted to 435-438 MHz
5.138	5.277 EU2	Amateur Satellite			EN 301 783	
5.271	EU12					
5.276		PPDR		ECC/DEC/(08)05		
5.277						
5.280						
5.282						

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>438 - 440 MHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
RADIOLOCATION	RADIOLOCATION	PPDR		ECC/DEC/(08)05		
5.271	5.277	EU2				
5.273		EU12				
5.274						
5.275						
5.276						
5.277						
5.283						
<b>440 - 450 MHz</b>						
FIXED	MOBILE except aeronautical mobile	On-site paging			EN 300 224	Call-out & answer-back
MOBILE except aeronautical mobile	Radiolocation	PMR 446 and Digital PMR 446		ECC/DEC/(05)12 ERC/DEC/(98)25	EN 300 296 EN 301 166 EN 300 113	Analogue PMR-446 in 446-446.1 MHz. Digital PMR-446 in 446.1-446.2 MHz
Radiolocation	EU31					
5.269						
5.270						
5.271		PMR/PAMR	EU7	ECC/DEC/(06)06 T/R 25-08	EN 300 086 EN 300 113 EN 300 219 EN 300 296 EN 300 341 EN 300 390 EN 300 471 EN 301 166 EN 302 561	Single frequency operation. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
5.284						
5.285						
5.286						
		PPDR		ECC/DEC/(08)05		
		Wind profiler radars				Geographical sharing with other services

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>450 - 455 MHz</b>						
FIXED	MOBILE	On-site paging			EN 300 224	Call-out & answer-back
MOBILE 5.286AA		----- PMR/PAMR	EU34	ECC/DEC/(04)06am	EN 300 086	ML paired with 460-465 MHz. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
5.209	EU31		EU7	ECC/DEC/(06)06	EN 300 113	
5.271				ERC/DEC/(96)04	EN 300 219	
5.286				T/R 25-08	EN 300 296	
5.286A					EN 300 341	
5.286B					EN 300 390	
5.286C					EN 300 392	
5.286D					EN 301 166	
5.286E					EN 301 449	
					EN 301 526	
					EN 302 561	
					EN 303 035	
		----- PPDR		ECC/DEC/(08)05		
		-----				

**455 - 456 MHz**

FIXED	MOBILE	Existing public cellular networks			
MOBILE 5.286AA		On-site paging		EN 300 224	Call-out & answer-back
5.209	EU31	PMR/PAMR	EU34	ECC/DEC/(04)06am	EN 300 086
5.271			EU7	ECC/DEC/(06)06	EN 300 113
5.286A				ERC/DEC/(96)04	EN 300 219
5.286B				T/R 25-08	EN 300 296
5.286C					EN 300 341
5.286E					EN 300 390
					EN 300 392
					EN 300 471
					EN 301 166
					EN 301 449
					EN 301 526
					EN 302 426
					EN 302 561
					EN 303 035
		PPDR		ECC/DEC/(08)05	



	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>456 - 459 MHz</b>						
FIXED	MOBILE	Existing public cellular networks				
MOBILE 5.286AA		Maritime on board communications		T/R 32-02	EN 300 720	Within the band 457.525-457.575 MHz
5.271	5.287	EU31				
5.287		On-site paging			EN 300 224	Call-out & answer-back
5.288		PMR/PAMR	EU34	ECC/DEC/(04)06am	EN 300 086	ML paired with 466-469 MHz. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
			EU7	ECC/DEC/(06)06	EN 300 113	
				ERC/DEC/(96)04	EN 300 219	
				T/R 25-08	EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 392	
					EN 300 471	
					EN 301 166	
					EN 301 449	
					EN 301 526	
					EN 302 426	
					EN 302 561	
					EN 303 035	
		PPDR		ECC/DEC/(08)05		

**459 - 460 MHz**

FIXED	MOBILE	Existing public cellular networks			
MOBILE 5.286AA		On-site paging		EN 300 224	Call-out & answer-back
5.209	EU31	PMR/PAMR	EU7	ECC/DEC/(04)06am	EN 300 086
5.271				ECC/DEC/(06)06	EN 300 113
5.286A				ERC/DEC/(96)04	EN 300 219
5.286B				T/R 25-08	EN 300 296
5.286C					EN 300 341
5.286E					EN 300 390
					EN 300 392
					EN 300 471
					EN 301 166
					EN 301 449
					EN 301 526
					EN 302 426
					EN 302 561
					EN 303 035
		PPDR		ECC/DEC/(08)05	

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>460 - 470 MHz</b>						
FIXED	MOBILE	Existing public cellular networks				
MOBILE 5.286AA		Maritime on board communications		T/R 32-02	EN 300 720	Within the band 467.525-467.575 MHz
Meteorological-satellite (S/E)						
5.287	5.287 EU31	Meteorological aids				
5.288	5.289					
5.289		On-site paging			EN 300 224	Call-out & answer-back
5.290		PMR/PAMR	EU34	ECC/DEC/(04)06am	EN 300 086	FB paired with 450-460 MHz. PPDR on a tuning range basis in 380-470 MHz range according to ECC/DEC/(08)05
			EU7	ECC/DEC/(06)06	EN 300 113	
				ERC/DEC/(96)04	EN 300 219	
				T/R 25-08	EN 300 296	
					EN 300 341	
					EN 300 390	
					EN 300 392	
					EN 300 471	
					EN 301 166	
					EN 301 449	
					EN 301 526	
					EN 302 426	
					EN 302 561	
					EN 303 035	
		PPDR		ECC/DEC/(08)05		
		Space Research/EESS				Allocation to EESS is via RR 5.289. Data collection platform telecommand. Geographical sharing with other services

### 470 - 608 MHz

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
BROADCASTING	BROADCASTING	Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 470-862 MHz in a tuning range basis
	Mobile	SAP/SAB				Mobile applications restricted to SAB/SAP including radio microphones
5.291A	5.291A					
5.294	5.296					
5.296		TV Broadcasting			EN 300 744	Geneva Agreement 2006.
5.300					EN 302 297	EN 300 744 is for DVB-T applications
5.302		Wind profiler radars				Limited to the band 470-494 MHz. Geographical sharing with other services
5.304						

### 608 - 614 MHz

BROADCASTING	BROADCASTING	Radio astronomy				Continuum measurements and VLBI
	Mobile	Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 470-862 MHz on a tuning range basis
	Radio astronomy				EN 300 454	
5.149	5.149					
5.296	5.296	SAP/SAB				Mobile applications restricted to SAB/SAP including radio microphones
5.300	5.306					
5.304		TV Broadcasting			EN 300 744	Geneva Agreement 2006.
5.306					EN 302 297	EN 300 744 is for DVB-T applications

### 614 - 790 MHz

BROADCASTING	BROADCASTING	Radio microphones and Assistive Listening devices		ERC/REC 70-03	EN 300 422	Within the band 470-862 MHz on a tuning range basis
	Mobile				EN 300 454	
5.296	5.296 EU13	SAP/SAB				Mobile applications restricted to SAB including radiomicrophones
5.300	5.311A					
5.311A	5.312	TV Broadcasting			EN 300 744	Geneva Agreement 2006.
5.312					EN 302 297	EN 300 744 is for DVB-T applications

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>790 - 862 MHz</b>					
BROADCASTING	BROADCASTING	-			This band is planned for future mobile applications, based on the provisions of the radio regulations
FIXED	MOBILE except aeronautical mobile 5.316B 5.317A				
MOBILE except aeronautical mobile 5.316B 5.317A					Tactical links
5.312	5.312 EU2	Defence systems			
5.314	5.316 EU13	Radio microphones and Assistive Listening devices	ERC/REC 70-03	EN 300 422	Within the band 470-862 MHz on a tuning range basis
5.315	5.316A	SAP/SAB			Radio Microphones
5.316		TV Broadcasting		EN 300 744 EN 302 297	Geneva Agreement 2006. EN 300 744 is for DVB-T applications
5.316A					
5.319					
<b>862 - 870 MHz</b>					
BROADCASTING 5.322	MOBILE	-			This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT
FIXED					
MOBILE except aeronautical mobile 5.317A					Within the band 868.6-869.700 MHz
5.319	5.323 EU2	Alarms	ERC/REC 70-03	EN 300 220	
5.323	EU13	Defence systems			
		Non-Specific SRDs	ERC/REC 70-03	EN 300 220	Within the band 863-870 Strategic Plan for the use of SRD within the band 862-870 MHz adopted
		Radio microphones and Assistive Listening devices	ERC/REC 70-03	EN 300 422 EN 300 454 EN 301 357	Within the band 863-865 MHz
		RFID		EN 302 208	Within the band 865-868 MHz
		Wireless Audio Applications	ERC/REC 70-03	EN 300 220 EN 300 454 EN 301 357	Within the band 863-865 MHz. Narrow band analogue voice devices within the band 864.8-865.0 MHz

	European Common Allocation		Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>870 - 876 MHz</b>							
BROADCASTING 5.322 FIXED	MOBILE		-				This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT
MOBILE except aeronautical mobile 5.317A							
5.319	5.323	EU2	Defence systems				The bands 870-876 and 915-921 MHz are identified as preferred bands for TRR, in particular for cross-border operations. In countries where these bands are or will be in civil use according to ERC/ECC Decisions (e.g. digital PMR/PAMR), shared use of the bands should be considered on a national basis. Other sub-bands within the tuning range 610-960 MHz may also be used on a national basis according to the national requirements
5.323		EU13					
			Digital land mobile PMR/PAMR		ECC/DEC/(04)06am ERC/DEC/(96)04 T/R 25-08	EN 300 392 EN 301 166 EN 301 449 EN 301 526 EN 302 426 EN 302 561 EN 303 035	ML paired with 915-921 MHz
<b>876 - 880 MHz</b>							
BROADCASTING 5.322 FIXED	MOBILE		-				This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT
MOBILE except aeronautical mobile 5.317A							
5.319	5.323	EU2	Defence systems				Sharing on a national basis
5.323		EU13	GSM-R		ECC/DEC/(02)05am ECC/DEC/(02)09 ECC/DEC/(02)10 ECC/REC/(05)08	EN 301 419 EN 301 502 EN 301 511	ML paired with 921-925 MHz. Railway systems

**880 - 890 MHz**

BROADCASTING 5.322	MOBILE		Defence systems				Sharing on a national basis
FIXED							
MOBILE except aeronautical mobile 5.317A			GSM-900	EU32	ECC/REC/(05)08	EN 301 419	ML paired with 925-935 MHz
5.319	5.317A	EU2			ERC/DEC/(97)02	EN 301 502	
5.323	5.323	EU13				EN 301 511	
		EU29	GSMOBV		ECC/DEC/(08)08		
			IMT		ECC/DEC/(06)13	EN 301 908	
					ECC/REC/(08)02		

**890 - 915 MHz**

BROADCASTING 5.322	MOBILE		GSM-900	EU32	ECC/REC/(05)08	EN 301 502	ML paired with the band 935-960 MHz
FIXED	Radiolocation				ERC/DEC/(94)01	EN 301 511	
MOBILE except aeronautical mobile 5.317A						EN 301 419	
Radiolocation			GSMOBV		ECC/DEC/(08)08		
5.323	5.317A	EU13	IMT		ECC/DEC/(06)13	EN 301 908	
	5.323	EU14			ECC/REC/(08)02		
		EU29					

### 915 - 921 MHz

BROADCASTING 5.322

MOBILE

-

This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT

FIXED

Radiolocation

MOBILE except aeronautical mobile 5.317A

Radiolocation

Defence systems

5.323

5.323

EU2

EU13

EU14

The bands 870-876 and 915-921 MHz are identified as preferred band for TRR, in particular for cross-border operations. In countries where these bands are or will be in civil use according to ERC/ECC Decisions (e.g. digital PMR/PAMR), shared use of the bands should be considered on a national basis. Other sub-bands within the tuning range 610-960 MHz may also be used on a national basis according to the national requirements

Digital land mobile PMR/PAMR

ECC/DEC/(04)06am

EN 300 392

FB paired with 870-876 MHz

ERC/DEC/(96)04

EN 301 166

T/R 25-08

EN 301 449

EN 301 526

EN 302 426

EN 302 561

EN 303 035

### 921 - 925 MHz

BROADCASTING 5.322

MOBILE

-

This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT

FIXED

Radiolocation

MOBILE except aeronautical mobile 5.317A

Radiolocation

Defence systems

5.323

5.323

EU2

EU13

EU14

GSM-R

ECC/DEC/(02)05am

EN 301 419

FB paired with 876-880 MHz. Railway systems

ECC/DEC/(02)09

EN 301 502

ECC/DEC/(02)10

EN 301 511

ECC/REC/(05)08



	European Common Allocation		Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>925 - 935 MHz</b>							
BROADCASTING 5.322	MOBILE		Defence systems	EU30			Sharing on a national basis
FIXED	Radiolocation		GSM-900	EU30	ECC/REC/(05)08	EN 301 419	FB paired with 880-890 MHz
MOBILE except aeronautical mobile 5.317A				EU32	ERC/DEC/(97)02	EN 301 502	
Radiolocation						EN 301 511	
5.323	5.317A	EU2	GSMOBV		ECC/DEC/(08)08		
	5.323	EU13					
		EU14	IMT		ECC/DEC/(06)13	EN 301 908	
		EU29			ECC/REC/(08)02		
<b>935 - 942 MHz</b>							
BROADCASTING 5.322	MOBILE		GSM-900	EU32	ECC/REC/(05)08	EN 301 419	FB paired with 890-897 MHz
FIXED	Radiolocation				ERC/DEC/(94)01	EN 301 502	
MOBILE except aeronautical mobile 5.317A						EN 301 511	
Radiolocation			GSMOBV		ECC/DEC/(08)08		
5.323	5.317A	EU13	IMT		ECC/DEC/(06)13	EN 301 908	
	5.323	EU14			ECC/REC/(08)02		
		EU29					
<b>942 - 960 MHz</b>							
BROADCASTING 5.322	MOBILE		GSM-900	EU32	ECC/REC/(05)08	EN 301 419	FB paired with 897-915 MHz
FIXED					ERC/DEC/(94)01	EN 301 502	
MOBILE except aeronautical mobile 5.317A						EN 301 511	
5.323	5.317A	EU13	GSMOBV		ECC/DEC/(08)08		
	5.323	EU29	IMT		ECC/DEC/(06)13	EN 301 908	
					ECC/REC/(08)02		

### 960 - 1164 MHz

AERONAUTICAL  
RADIONAVIGATION  
AERONAUTICAL MOBILE (R) 5.327A  
5.328

AERONAUTICAL  
RADIONAVIGATION  
AERONAUTICAL MOBILE (R)  
5.327A  
5.328

Navigation systems

Including DME, JTIDS, MIDS, SSR,  
TACAN

### 1164 - 1215 MHz

AERONAUTICAL  
RADIONAVIGATION 5.328  
RADIONAVIGATION-SATELLITE  
(S/E) (S/S) 5.328B  
5.328A

AERONAUTICAL  
RADIONAVIGATION 5.328  
RADIONAVIGATION-SATELLITE  
(S/E) (S/S) 5.328B  
5.328A

Galileo

Within the band 1164-1214 MHz

GLONASS

Within the band 1190.3-1213.8 MHz

Navigation systems

Including DME, JTIDS, MIDS, SSR,  
TACAN

### 1215 - 1240 MHz

EARTH EXPLORATION-SATELLITE  
(active)  
RADIOLOCATION  
RADIONAVIGATION-SATELLITE  
(S/E) (S/S) 5.328B 5.329 5.329A  
SPACE RESEARCH (active)  
5.330  
5.331  
5.332

EARTH EXPLORATION-  
SATELLITE (active)  
RADIOLOCATION  
RADIONAVIGATION-SATELLITE  
(S/E) (S/S) 5.328B 5.329 5.329A  
SPACE RESEARCH (active)  
5.331 EU2  
5.332

Active sensors (satellite)

Defence systems

GLONASS

Within the band 1237.8-1253.8 MHz

GPS

Within the band 1215.6-1239.6 MHz

Radar and Navigation systems

### 1240 - 1260 MHz

EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)			
RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	RADIOLOCATION	Amateur		EN 301 783	
RADIOLOCATION	RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	Defence systems			
SPACE RESEARCH (active)	SPACE RESEARCH (active)	GLONASS			Within the band 1237.8-1253.8 MHz
Amateur	Amateur	Radar and Navigation systems			
5.282	5.331 EU2				
5.330	5.332				
5.331					
5.332					
5.335					

### 1260 - 1270 MHz

EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)			
RADIOLOCATION	RADIOLOCATION	Amateur		EN 301 783	
RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	Amateur Satellite		EN 301 783	
SPACE RESEARCH (active)	SPACE RESEARCH (active)	Defence systems			
Amateur	Amateur	Galileo			Within the band 1260-1300 MHz
	Amateur-satellite	Radar and Navigation systems			
5.282	5.282 EU2				
5.330	5.331				
5.331	5.335A				
5.335					
5.335A					

### 1270 - 1300 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
RADIOLOCATION	RADIOLOCATION	Amateur			EN 301 783	
RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.329 5.329A	Defence systems				
SPACE RESEARCH (active)	SPACE RESEARCH (active)	Galileo				Within the band 1260-1300 MHz
Amateur	Amateur	Radar and Navigation systems				
5.330	5.331 EU2	Wind profiler radars				Within the band 1270-1295 MHz
5.331	5.335A					
5.335						
5.335A						

### 1300 - 1350 MHz

AERONAUTICAL RADIONAVIGATION 5.337	AERONAUTICAL RADIONAVIGATION 5.337	Defence systems				
RADIOLOCATION	RADIOLOCATION	Radar and Navigation systems				
RADIONAVIGATION-SATELLITE (E/S)	RADIONAVIGATION-SATELLITE (E/S)	Radio astronomy				Spectral line observations in 1330-1400 MHz
5.149	5.149 EU2	Satellite Navigation systems				
5.337A	5.337A					

### 1350 - 1400 MHz

FIXED	FIXED	Defence systems	EU15A			
MOBILE	MOBILE	Low capacity fixed links		T/R 13-01	EN 302 217	
RADIOLOCATION	RADIOLOCATION	Radio astronomy				Spectral line observations in 1330-1400 MHz
5.149	5.149 EU2					
5.338	5.338A EU15					
5.338A	5.339					
5.339						

**1400 - 1427 MHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Measurement of soil moisture, salinity, ocean surface temperature, vegetation index
RADIO ASTRONOMY	RADIO ASTRONOMY					
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.341	5.341					

**1427 - 1429 MHz**

FIXED	FIXED	Defence systems	EU15A			
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
SPACE OPERATION (E/S)	SPACE OPERATION (E/S)	Low capacity fixed links		T/R 13-01	EN 302 217	
5.338A	5.341 EU2					
5.341	5.338A EU15					

**1429 - 1452 MHz**

FIXED	FIXED	Defence systems	EU15A			
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
		Low capacity fixed links		T/R 13-01	EN 302 217	
5.338A	5.341 EU2					
5.341	5.338A EU15					
5.342						

**1452 - 1492 MHz**

BROADCASTING 5.345	BROADCASTING 5.345	S-DAB		ECC/DEC/(03)02		Within the band 1479.5-1492.0 MHz
BROADCASTING-SATELLITE 5.208B 5.345	BROADCASTING-SATELLITE 5.208B 5.345	T-DAB			EN 300 401	Within the band 1452.0-1479.5 MHz. Maastricht 2002 Special Arrangement, as revised in Constanta, 2007
FIXED	Fixed				EN 302 077	
MOBILE except aeronautical mobile 5.341	MOBILE except aeronautical mobile 5.341					
5.342	5.342					

**1492 - 1518 MHz**

FIXED	FIXED	Defence systems		EU15A		
MOBILE except aeronautical mobile 5.341	MOBILE except aeronautical mobile 5.341					
5.342	5.341 EU2					
	EU15					

**1518 - 1525 MHz**

FIXED	FIXED	Defence systems		EU15A		
MOBILE except aeronautical mobile 5.348	MOBILE except aeronautical mobile 5.348					
MOBILE-SATELLITE (S/E) 5.348A 5.348B 5.351A	MOBILE-SATELLITE (S/E) 5.348A 5.348B 5.351A	IMT Satellite component				
5.341	5.341 EU2	Mobile satellite applications		ECC/DEC/(04)09am		
5.342	EU15			ECC/DEC/(07)04		
				ECC/DEC/(07)05		
		Unidirectional fixed links				EN 302 217

### 1525 - 1530 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	IMT Satellite component				
MOBILE-SATELLITE (S/E) 5.208B 5.351A	MOBILE-SATELLITE (S/E) 5.208B 5.351A	Mobile satellite applications		ECC/DEC/(02)08	EN 301 426	
SPACE OPERATION (S/E)	SPACE OPERATION (S/E)			ECC/DEC/(02)11	EN 301 444	
Earth exploration-satellite				ECC/DEC/(07)04	EN 301 473	
Mobile except aeronautical mobile 5.349				ECC/DEC/(07)05	EN 301 681	
5.341	5.341	Unidirectional fixed links			EN 302 217	
5.342	5.351					
5.350	5.354					
5.351						
5.352A						
5.354						

### 1530 - 1533 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
MOBILE-SATELLITE (S/E) 5.208B 5.351A 5.353A	MOBILE-SATELLITE (S/E) 5.208B 5.351A 5.353A	IMT Satellite component				
SPACE OPERATION (S/E)	SPACE OPERATION (S/E)	Mobile satellite applications		ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
Earth exploration-satellite	Earth exploration-satellite			ECC/DEC/(02)11	EN 301 444	
Fixed	Fixed			ECC/DEC/(07)04	EN 301 473	
Mobile except aeronautical mobile	Mobile except aeronautical mobile			ECC/DEC/(07)05	EN 301 681	
5.341	5.341					
5.342	5.351					
5.351	5.354					
5.354						

### 1533 - 1535 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
MOBILE-SATELLITE (S/E) 5.208B 5.351A 5.353A	MOBILE-SATELLITE (S/E) 5.208B 5.351A 5.353A	IMT Satellite component				
SPACE OPERATION (S/E)	SPACE OPERATION (S/E)	Mobile satellite applications		ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
Earth exploration-satellite	Earth exploration-satellite			ECC/DEC/(02)11	EN 301 444	
Fixed	Mobile except aeronautical mobile			ECC/DEC/(07)04	EN 301 473	
Mobile except aeronautical mobile				ECC/DEC/(07)05	EN 301 681	
5.341	5.341					
5.342	5.351					
5.351	5.354					
5.354						

### 1535 - 1544 MHz

MOBILE-SATELLITE (S/E) 5.208B 5.351A	MOBILE-SATELLITE (S/E) 5.208B 5.351A	IMT Satellite component				
		Mobile satellite applications		ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
5.341	5.341			ECC/DEC/(02)11	EN 301 444	
5.351	5.351			ECC/DEC/(07)04	EN 301 473	
5.353A	5.353A			ECC/DEC/(07)05	EN 301 681	
5.354	5.354					
5.355						

### 1544 - 1545 MHz

MOBILE-SATELLITE (S/E) 5.208B	MOBILE-SATELLITE (S/E) 5.208B	Distress and safety communications (incl GMDSS)				
		IMT Satellite component				
5.341	5.341					
5.354	5.354	Mobile satellite applications			EN 301 426	Limited to distress communications
5.355	5.356				EN 301 473	
5.356					EN 301 681	
5.357						
5.357A						



**1545 - 1555 MHz**

MOBILE-SATELLITE (S/E) 5.208B 5.351A	MOBILE-SATELLITE (S/E) 5.208B 5.351A	IMT Satellite component			
		Mobile satellite applications		ECC/DEC/(02)08	EN 301 426
5.341	5.341			ECC/DEC/(02)11	EN 301 473
5.351	5.351			ECC/DEC/(07)04	EN 301 681
5.354	5.354			ECC/DEC/(07)05	
5.355	5.357				
5.357	5.357A				
5.357A	5.359				
5.359					

**1555 - 1559 MHz**

MOBILE-SATELLITE (S/E) 5.208B 5.351A	MOBILE-SATELLITE (S/E) 5.208B 5.351A	IMT Satellite component			
		Mobile satellite applications		ECC/DEC/(02)08	EN 301 426
5.341	5.341			ECC/DEC/(02)11	EN 301 444
5.351	5.351			ECC/DEC/(07)04	EN 301 473
5.354	5.354			ECC/DEC/(07)05	EN 301 681
5.355	5.359				
5.359					
5.362A					

**1559 - 1610 MHz**

AERONAUTICAL RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.208B 5.328B 5.329A	AERONAUTICAL RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.208B 5.328B 5.329A	Galileo			Within the band 1559.42-1591.42 MHz
5.341	5.341	GLONASS			Within the band 1592.9-1610.5 MHz
5.362B	5.362B	GPS			Within the band 1563.42-1587.42 MHz
5.362C					

### 1610 - 1610.6 MHz

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	GLONASS			Within the band 1592.9-1610.5 MHz
5.341	5.341	IMT Satellite component			
5.355	5.355	Mobile satellite applications	ECC/DEC/(07)04	EN 301 441	
5.359	5.359		ECC/DEC/(07)05	EN 301 473	
5.364	5.364		ERC/DEC/(97)03	EN 301 426	
5.366	5.366		ERC/DEC/(97)05		
5.367	5.367				
5.368	5.368				
5.369	5.369				
5.371	5.371				
5.372	5.372				

### 1610.6 - 1613.8 MHz

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	AERONAUTICAL RADIONAVIGATION MOBILE-SATELLITE (E/S) 5.351A	IMT Satellite component			
RADIO ASTRONOMY	RADIO ASTRONOMY	Mobile satellite applications	ECC/DEC/(07)04	EN 301 441	
5.149	5.149		ECC/DEC/(07)05	EN 301 473	
5.341	5.341		ERC/DEC/(97)03	EN 301 426	
5.355	5.355		ERC/DEC/(97)05		
5.359	5.359	Radio astronomy			Spectral line observations
5.364	5.364				
5.366	5.366				
5.367	5.367				
5.368	5.368				
5.369	5.369				
5.371	5.371				
5.372	5.372				

**1613.8 - 1626.5 MHz**

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	IMT Satellite component			
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	Mobile satellite applications	ECC/DEC/(07)04	EN 301 441	
Mobile-satellite (S/E) 5.208B	Mobile-satellite (S/E) 5.208B		ECC/DEC/(07)05	EN 301 473	
5.341	5.341		ERC/DEC/(97)03		
5.355	5.355		ERC/DEC/(97)05		
5.359	5.364				
5.364	5.365				
5.365	5.366				
5.366	5.367				
5.367	5.368				
5.368	5.371				
5.369	5.372				
5.371					
5.372					

**1626.5 - 1631.5 MHz**

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	IMT Satellite component			
		Mobile satellite applications	ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
5.341	5.341		ECC/DEC/(02)11	EN 301 473	
5.351	5.351		ECC/DEC/(07)04	EN 301 681	
5.353A	5.353A		ECC/DEC/(07)05		
5.354	5.354				
5.355	5.359				
5.359					

### 1631.5 - 1636.5 MHz

MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	IMT Satellite component			
		Mobile satellite applications	ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
5.341	5.341		ECC/DEC/(02)11	EN 301 444	
5.351	5.351		ECC/DEC/(07)04	EN 301 473	
5.353A	5.353A		ECC/DEC/(07)05	EN 301 681	
5.354	5.354				
5.355	5.359				
5.359	5.374				
5.374					

### 1636.5 - 1645.5 MHz

MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	IMT Satellite component			
		Mobile satellite applications	ECC/DEC/(02)08	EN 301 426	Priority for GMDSS Distress and safety communications
5.341	5.341		ECC/DEC/(02)11	EN 301 473	
5.351	5.351		ECC/DEC/(07)04	EN 301 681	
5.353A	5.353A		ECC/DEC/(07)05		
5.354	5.354				
5.355	5.359				
5.359					

### 1645.5 - 1646.5 MHz

MOBILE-SATELLITE (E/S)	MOBILE-SATELLITE (E/S)	Mobile satellite applications			
			ECC/DEC/(07)04	EN 301 426	Distress and safety communications (incl GMDSS)
			ECC/DEC/(07)05	EN 301 473	
				EN 301 681	
5.341	5.341				
5.354	5.354				
5.375	5.375				

**1646.5 - 1656.5 MHz**

MOBILE-SATELLITE (E/S) 5.351A

MOBILE-SATELLITE (E/S) 5.351A

IMT Satellite component

Mobile satellite applications

ECC/DEC/(02)08

EN 301 426

5.341

5.341

ECC/DEC/(02)11

EN 301 473

5.351

5.351

ECC/DEC/(07)04

EN 301 681

5.354

5.354

ECC/DEC/(07)05

5.355

5.357A

5.357A

5.359

5.359

5.376

5.376

**1656.5 - 1660 MHz**

MOBILE-SATELLITE (E/S) 5.351A

MOBILE-SATELLITE (E/S) 5.351A

IMT Satellite component

Mobile satellite applications

ECC/DEC/(02)08

EN 301 426

5.341

5.341

ECC/DEC/(02)11

EN 301 444

5.351

5.351

ECC/DEC/(07)04

EN 301 473

5.354

5.354

ECC/DEC/(07)05

EN 301 681

5.355

5.359

5.359

5.374

5.362A

5.374

**1660 - 1660.5 MHz**

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
MOBILE-SATELLITE (E/S) 5.351A	MOBILE-SATELLITE (E/S) 5.351A	IMT Satellite component				
RADIO ASTRONOMY	RADIO ASTRONOMY	Mobile satellite applications		ECC/DEC/(02)08	EN 301 426	
5.149	5.149 EU15			ECC/DEC/(02)11	EN 301 444	
5.341	5.341			ECC/DEC/(07)04	EN 301 473	
5.351	5.351			ECC/DEC/(07)05	EN 301 681	
5.354	5.354	Radio astronomy				Continuum line and VLBI observations
5.362A	5.376A					
5.376A						

**1660.5 - 1668 MHz**

RADIO ASTRONOMY	RADIO ASTRONOMY	Defence systems	EU15A			
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Radio astronomy				Continuum line and VLBI observations
Fixed	Fixed					
Mobile except aeronautical mobile	Mobile except aeronautical mobile					
5.149	5.149 EU2					
5.341	5.341 EU15					
5.379	5.379A					
5.379A						

**1668 - 1668.4 MHz**

MOBILE-SATELLITE (E/S) 5.351A 5.379B 5.379C	MOBILE-SATELLITE (E/S) 5.351A 5.379B 5.379C	Defence systems				
RADIO ASTRONOMY	RADIO ASTRONOMY	IMT Satellite component				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Radio astronomy				Continuum line and VLBI observations
Fixed	Fixed					
Mobile except aeronautical mobile	Mobile except aeronautical mobile					
5.149	5.149 EU15					
5.341	5.341					
5.379	5.379A					
5.379A						

### 1668.4 - 1670 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Defence systems		EU15A		
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	IMT Satellite component				
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Meteorology				
MOBILE-SATELLITE (E/S) 5.351A 5.379B 5.379C	MOBILE-SATELLITE (E/S) 5.351A 5.379B 5.379C	Radio astronomy				Continuum line and VLBI observations
RADIO ASTRONOMY	RADIO ASTRONOMY					
5.149	5.149 EU2					
5.341	5.341 EU15					
5.379D	5.379D					
5.379E	5.379E					

### 1670 - 1675 MHz

FIXED	METEOROLOGICAL AIDS	IMT Satellite component				
METEOROLOGICAL AIDS	METEOROLOGICAL-SATELLITE (S/E)	Meteorological Satellites				
METEOROLOGICAL-SATELLITE (S/E)	MOBILE	Mobile satellite applications (S/E)		ECC/DEC/(04)09am		
MOBILE	MOBILE-SATELLITE (E/S) 5.351A 5.379B			ECC/DEC/(07)04		
MOBILE-SATELLITE (E/S) 5.351A 5.379B	Fixed			ECC/DEC/(07)05		
5.341	5.341					
5.379D	5.379D					
5.379E	5.379E					
5.380A	5.380A					

### 1675 - 1690 MHz

FIXED	FIXED	Defence systems		EU15A		
METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Meteorological radiosondes			EN 302 454	
METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Meteorological Satellites				Data collection platform
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
5.341	5.341 EU2 EU15					

**1690 - 1700 MHz**

METEOROLOGICAL AIDS	METEOROLOGICAL AIDS	Defence systems	EU15A		
METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Meteorological Satellites			Data collection platform. Allocation to EESS is via RR 5.289
Fixed	Fixed				
Mobile except aeronautical mobile	Mobile except aeronautical mobile				
5.289	5.289 EU2				
5.341	5.341 EU15				
5.382	5.382				

**1700 - 1710 MHz**

FIXED	FIXED	Defence systems	EU15A		
METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Meteorological Satellites			Data collection platform. Allocation to EESS is via RR 5.289
MOBILE except aeronautical mobile	Mobile except aeronautical mobile				
5.289	5.289 EU2				
5.341	5.341 EU15				

**1710 - 1785 MHz**

FIXED	FIXED	GSM-1800	EU33	ECC/DEC/(05)08	EN 301 419
MOBILE 5.384A	MOBILE 5.384A			ERC/DEC/(95)03	EN 301 502
5.149	5.149 EU29				EN 301 511
5.341	5.341	GSMOBV		ECC/DEC/(08)08	
5.385	5.385	IMT		ECC/DEC/(06)07am	EN 301 908
5.386				ECC/DEC/(06)13	
5.387				ECC/REC/(08)02	



**1785 - 1800 MHz**

FIXED	FIXED	-				This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT
MOBILE 5.384A	MOBILE					
5.386		EU2	-----			
5.387		EU15	Mobile applications			
			Radio microphones and Assistive Listening devices	ERC/REC 70-03	EN 300 422 EN 300 454 EN 301 840	
			Wireless Audio Applications	ERC/REC 70-03	EN 301 357	Within the band 1795-1800 MHz

**1800 - 1805 MHz**

FIXED	MOBILE	-				This band is identified for IMT in the RRs, but within CEPT this band is not planned for the harmonised introduction of IMT
MOBILE 5.384A	Fixed					
5.386			-----			

**1805 - 1880 MHz**

FIXED	FIXED	GSM-1800	EU33	ECC/REC/(05)08	EN 301 419	
MOBILE 5.384A	MOBILE 5.384A			ERC/DEC/(95)03	EN 301 502 EN 301 511	
5.386		EU29	-----			
			GSMOBV	ECC/DEC/(08)08		
			IMT	ECC/DEC/(06)07am ECC/DEC/(06)13 ECC/REC/(08)02	EN 301 908	

**1880 - 1885 MHz**

FIXED	MOBILE 5.384A	DECT	EU33	ERC/DEC/(94)03	EN 301 406	
MOBILE 5.384A	Fixed				EN 301 908	
	EU33					

**1885 - 1900 MHz**

FIXED	MOBILE 5.388A	DECT	EU33	ERC/DEC/(94)03	EN 301 406	
MOBILE 5.388A 5.388B	Fixed				EN 301 908	
5.388	5.388 EU33					

**1900 - 1930 MHz**

FIXED	MOBILE 5.388A	-				This band can also be used by fixed service on a national basis
MOBILE 5.388A 5.388B	Fixed					
5.388	5.388 EU29	IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

**1930 - 1970 MHz**

FIXED	MOBILE 5.388A	-				This band can also be used by fixed service on a national basis
MOBILE 5.388A 5.388B	Fixed					
5.388	5.388 EU29	IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

**1970 - 1980 MHz**

FIXED	MOBILE 5.388A	-				This band can also be used by fixed service on a national basis
MOBILE 5.388A 5.388B	Fixed					
5.388	5.388 EU29	IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

**1980 - 2010 MHz**

FIXED	MOBILE	-				This band can also be used by fixed service on a national basis
MOBILE	MOBILE-SATELLITE (E/S) 5.351A					
MOBILE-SATELLITE (E/S) 5.351A	Fixed	IMT				Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced
5.388	5.388					
5.389A	5.389A	Mobile satellite applications		ECC/DEC/(06)09am ECC/DEC/(06)10 ECC/DEC/(07)04 ECC/DEC/(07)05 ECC/REC/(06)05 ERC/DEC/(97)03 ERC/DEC/(97)05	EN 301 442 EN 301 473	The mobile satellite systems using this band may incorporate a CGC
5.389B						
5.389F						

**2010 - 2025 MHz**

FIXED	MOBILE 5.388A	-				This band can also be used by fixed service on a national basis
MOBILE 5.388A 5.388B	Fixed					
5.388	5.388 EU29	IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

**2025 - 2110 MHz**

EARTH EXPLORATION-SATELLITE (E/S) (S/S) FIXED MOBILE 5.391	EARTH EXPLORATION-SATELLITE (E/S) (S/S) FIXED MOBILE 5.391	Defence systems	EU16A			Harmonised military band for Tactical Radio Relay links for near cross border operation within the band 2025-2070 MHz
SPACE OPERATION (E/S) (S/S)	SPACE OPERATION (E/S) (S/S)	Fixed links		T/R 13-01	EN 302 217	
SPACE RESEARCH (E/S) (S/S) 5.392	SPACE RESEARCH (E/S) (S/S) 5.392 EU2 EU15 EU27	SAP/SAB Space Research/EESS	EU16A	ERC/REC 25-10	EN 302 064	On a tuning range Satellite payload and platform telecommand

**2110 - 2120 MHz**

FIXED MOBILE 5.388A 5.388B SPACE RESEARCH (deep space) (E/S) 5.388	MOBILE 5.388A SPACE RESEARCH (deep space) (E/S) Fixed 5.388 EU29	-				Satellite payload and platform telecommand for space research (deep space). This band can also be used by fixed service on a national basis
		IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

**2120 - 2170 MHz**

FIXED MOBILE 5.388A 5.388B 5.388	MOBILE 5.388A Fixed 5.388 EU29	-				This band can also be used by fixed service on a national basis
		IMT		ECC/DEC/(06)01 ERC/REC/(01)01	EN 301 908	Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced

European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes	
<b>2170 - 2200 MHz</b>						
FIXED	MOBILE	-			This band can also be used by fixed service on a national basis	
MOBILE	MOBILE-SATELLITE (S/E) 5.351A					
MOBILE-SATELLITE (S/E) 5.351A	Fixed	IMT Satellite component			Within CEPT, this band is identified for IMT. This includes IMT-2000 and IMT-Advanced	
5.388	5.388					
5.389A	5.389A	Mobile satellite applications			The mobile satellite systems using this band may incorporate a Complementary Ground Component (CGC)	
5.389F			ECC/DEC/(06)09am	EN 301 442		
			ECC/DEC/(06)10	EN 301 473		
			ECC/DEC/(07)04			
			ECC/DEC/(07)05			
			ECC/REC/(06)05			
			ERC/DEC/(97)03			
			ERC/DEC/(97)05			
<b>2200 - 2290 MHz</b>						
EARTH EXPLORATION-SATELLITE (S/E) (S/S)	EARTH EXPLORATION-SATELLITE (S/E) (S/S)	Defence systems	EU16A		Harmonised military band for Tactical Radio Relay links for near cross border operation within the band 2200-2245 MHz	
FIXED	FIXED					
MOBILE 5.391	MOBILE 5.391					
SPACE OPERATION (S/E) (S/S)	SPACE OPERATION (S/E) (S/S)	Fixed links		T/R 13-01	EN 302 217	
SPACE RESEARCH (S/E) (S/S)	SPACE RESEARCH (S/E) (S/S)	Radio astronomy			Continuum line and VLBI observations	
5.392	5.392					
	EU15					
	EU27	SAP/SAB	EU16A	ERC/REC 25-10	EN 302 064	On a tuning range
		Space Research/EESS				Satellite payload and platform telemetry

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>2290 - 2300 MHz</b>						
FIXED	FIXED	Mobile applications				
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Space Research (deep space)				Satellite payload and platform telemetry for space research (deep space)
SPACE RESEARCH (deep space) (S/E)	SPACE RESEARCH (deep space) (S/E)					
	EU2					
<b>2300 - 2400 MHz</b>						
FIXED	FIXED	Aeronautical Telemetry		ERC/REC 62-02		Parts of the band are used for aeronautical telemetry on a national basis
MOBILE 5.384A	MOBILE					
Amateur	Amateur	Amateur			EN 301 783	
Radiolocation	Radiolocation					
5.395	EU2	Mobile applications				
		SAP/SAB		ERC/REC 25-10	EN 302 064	
<b>2400 - 2450 MHz</b>						
FIXED	FIXED	Amateur			EN 301 783	
MOBILE	MOBILE					
Amateur	Amateur-satellite	Amateur Satellite			EN 301 783	
Radiolocation	Radiolocation	ISM				
5.150	5.150 EU2	Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 2400.0-2483.5 MHz
5.282	5.282	Radiodetermination applications		ERC/DEC/(01)08 ERC/REC 70-03	EN 300 440	Within the band 2400.0-2483.5 MHz
		Railway applications		ERC/REC 70-03	EN 300 761	Within the band 2446-2454 MHz for AVI applications
		RFID		ERC/REC 70-03	EN 300 440	Within the band 2446-2454 MHz
		Wideband Data Transmission Systems		ERC/DEC/(01)07 ERC/REC 70-03	EN 300 328	Within the band 2400-2483.5 MHz

**2450 - 2483.5 MHz**

Allocation	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	ISM				
MOBILE	MOBILE	Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 2400.0-2483.5 MHz
Radiolocation						
5.150	5.150 EU2	Radiodetermination applications		ERC/DEC/(01)08 ERC/REC 70-03	EN 300 440	Within the band 2400.0-2483.5 MHz
5.397		Railway applications		ERC/REC 70-03	EN 300 761	Within the band 2446-2454 MHz for AVI applications
		RFID		ERC/REC 70-03	EN 300 440	Within the band 2446-2454 MHz
		Wideband Data Transmission Systems		ERC/DEC/(01)07 ERC/REC 70-03	EN 300 328	Within the band 2400-2483.5 MHz

**2483.5 - 2500 MHz**

Allocation	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	IMT Satellite component				
MOBILE	MOBILE	ISM				
MOBILE-SATELLITE (S/E) 5.351A	MOBILE-SATELLITE (S/E) 5.351A	Mobile applications				
Radiolocation						
5.150	5.150	Mobile satellite applications		ECC/DEC/(07)04	EN 301 441	
5.371	5.371			ECC/DEC/(07)05	EN 301 473	
5.397	5.398			ERC/DEC/(97)03		
5.398	5.402			ERC/DEC/(97)05		
5.399						
5.400		SAP/SAB		ERC/REC 25-10	EN 302 064	
5.402						

**2500 - 2520 MHz**

Allocation	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED 5.410	MOBILE except aeronautical mobile 5.384A	IMT		ECC/DEC/(02)06	EN 301 908	
MOBILE except aeronautical mobile 5.384A	Fixed			ECC/DEC/(05)05		
5.405						
5.412						

## 2520 - 2655 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
BROADCASTING-SATELLITE 5.413 5.416	FIXED	Defence systems				Within the band 2520-2575 MHz
FIXED 5.410	MOBILE except aeronautical mobile 5.384A	Fixed links		T/R 13-01	EN 302 217	
MOBILE except aeronautical mobile 5.384A		IMT		ECC/DEC/(02)06	EN 301 908	
5.339	5.339 EU2			ECC/DEC/(05)05		
5.403	5.418B EU15					
5.405	5.418C EU16	SAP/SAB		ERC/REC 25-10	EN 302 064	On a tuning range
5.412						
5.417C						
5.417D						
5.418B						
5.418C						

## 2655 - 2670 MHz

BROADCASTING-SATELLITE 5.208B 5.413 5.416	FIXED	Fixed links		T/R 13-01	EN 302 217	
FIXED 5.410	MOBILE except aeronautical mobile 5.384A	IMT		ECC/DEC/(02)06	EN 301 908	
MOBILE except aeronautical mobile 5.384A	Earth exploration-satellite (passive)			ECC/DEC/(05)05		
Earth exploration-satellite (passive)	Radio astronomy	Radio astronomy				Continuum observations
Radio astronomy	Space research (passive)	SAP/SAB		ERC/REC 25-10	EN 302 064	On a tuning range
Space research (passive)						
5.149	5.149 EU2					
5.412	5.208B EU15					
5.420	EU16					



**2670 - 2690 MHz**

FIXED 5.410	MOBILE except aeronautical mobile 5.384A	IMT		ECC/DEC/(02)06	EN 301 908	
MOBILE except aeronautical mobile 5.384A	Fixed			ECC/DEC/(05)05		
Earth exploration-satellite (passive)	Radio astronomy	Radio astronomy				Continuum observations
Radio astronomy						
Space research (passive)						
5.149	5.149					
5.412						
5.419						

**2690 - 2700 MHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				
RADIO ASTRONOMY	RADIO ASTRONOMY					
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.422						

**2700 - 2900 MHz**

AERONAUTICAL RADIONAVIGATION 5.337	AERONAUTICAL RADIONAVIGATION 5.337	Meteorological radars				
Radiolocation	Radiolocation	Radar and Navigation systems		ECC/REC/(02)09		
5.423	5.423					
5.424						

**2900 - 3100 MHz**

RADIOLOCATION 5.424A  
RADIONAVIGATION 5.426

RADIOLOCATION 5.424A  
RADIONAVIGATION 5.426

Defence systems

-----  
Radar and Navigation systems

EN 302 248

5.425

5.425 EU2

5.427

5.427 EU27

**3100 - 3300 MHz**

RADIOLOCATION  
Earth exploration-satellite (active)  
Space research (active)

RADIOLOCATION  
Earth exploration-satellite (active)  
Space research (active)

Active sensors (satellite)

-----  
Defence systems

-----  
Radars active sensors satellite

5.149

5.149 EU2

5.428

EU27

**3300 - 3400 MHz**

RADIOLOCATION

RADIOLOCATION

Defence systems

-----  
Radars

Upper limit for airborne radars 3410 MHz

5.149

5.149 EU2

5.429

5.430

### 3400 - 3500 MHz

FIXED	FIXED	Amateur	EU17	EN 301 783	EU 17 within the band 3400-3410 MHz
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)				
Mobile 5.430A	MOBILE 5.430A	BWA		ECC/DEC/(07)02 EN 302 217	Within the band 3400-3800 MHz
Radiolocation	Amateur			ECC/REC/(04)05 EN 302 326	
	Radiolocation			ERC/REC 14-03 EN 302 326	
5.431		FSS		EN 301 443	
		IMT			This band is planned for future mobile applications (IMT), based on the provisions of the Radio Regulations
		Mobile applications		EN 302 064	For coordinated SAB/SAP applications for occasional use. In some countries the mobile service may be on secondary basis
		Radars			Upper limit for airborne radars is 3410 MHz

### 3500 - 3600 MHz

FIXED	FIXED	BWA		ECC/DEC/(07)02 EN 302 217	Within the band 3400-3800 MHz
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)			ECC/REC/(04)05 EN 302 326	
Mobile 5.430A	MOBILE 5.430A			ERC/REC 14-03 EN 302 326	
Radiolocation		FSS		EN 301 443	
		IMT			This band is planned for future mobile applications (IMT), based on the provisions of the Radio Regulations
		Mobile applications		EN 302 064	For coordinated SAB/SAP applications for occasional use. In some countries the mobile service may be on secondary basis

**3600 - 3800 MHz**

FIXED	FIXED	-				In some countries the mobile service may be on secondary basis
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)					
Mobile	MOBILE	BWA		ECC/DEC/(07)02 ECC/REC/(04)05	EN 302 217 EN 302 326	Within the band 3400-3800 MHz
		FSS		ECC/DEC/(05)09	EN 301 443 EN 301 447	Priority for civil networks
		Medium/high capacity fixed links		ERC/REC 12-08	EN 302 217	

**3800 - 4200 MHz**

FIXED	FIXED	FSS		ECC/DEC/(05)09	EN 301 443 EN 301 447	Priority for civil networks
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)					
Mobile		Medium/high capacity fixed links		ERC/REC 12-08	EN 302 217	

**4200 - 4400 MHz**

AERONAUTICAL RADIONAVIGATION 5.438	AERONAUTICAL RADIONAVIGATION 5.438	Altimeters				
		Passive sensors (satellite)				For sea surface temperature measurements
5.439	5.440	EU18				
5.440						

**4400 - 4500 MHz**

FIXED	FIXED	Defence systems	EU20			Harmonised military band for fixed and mobile systems
MOBILE	MOBILE	Mobile applications			EN 302 064	For coordinated SAB/SAP applications for occasional use
	EU2					
	EU27					

**4500 - 4800 MHz**

FIXED	FIXED	Defence systems	EU20			Harmonised military band for fixed and mobile systems
FIXED-SATELLITE (S/E) 5.441	FIXED-SATELLITE (S/E) 5.441					
MOBILE	MOBILE EU27	FSS				FSS not to be implemented in NATO Europe. Fixed-Satellite frequency plan in 4500-4800 MHz
		Mobile applications			EN 302 064	For coordinated SAB/SAP applications for occasional use
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application

**4800 - 4990 MHz**

FIXED	FIXED	BBDR		ECC/REC/(08)04		Within the band 4940-4990 MHz
MOBILE 5.442	MOBILE except aeronautical mobile	Defence systems	EU20			Harmonised military band for fixed and mobile systems
Radio astronomy	Radio astronomy					
5.149	5.149 EU27	Mobile applications			EN 302 064	For coordinated SAB/SAP applications for occasional use
5.339	5.339					
5.443		Passive sensors (satellite)				Space Research and EESS (passive) above 4950 MHz in some countries
		Radio astronomy				Continuum observations and VLBI
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application

**4990 - 5000 MHz**

FIXED	FIXED	Defence systems	EU20			Harmonised military band for fixed and mobile systems
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
RADIO ASTRONOMY	RADIO ASTRONOMY	Mobile applications				For coordinated SAB/SAP applications for occasional use
Space research (passive)						
5.149	5.149 EU27	Radio astronomy				Continuum observation and VLBI
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz TLPR application

**5000 - 5010 MHz**

AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Galileo				For future use by Galileo
RADIONAVIGATION-SATELLITE (E/S)	RADIONAVIGATION-SATELLITE (E/S)	Radio astronomy				Continuum observation and VLBI
	Radio astronomy	Radiodetermination applications	ERC/REC 70-03	EN 302 372		Within the band 4500-7000 MHz TLPR application
	Space research (passive)					
5.367	5.367	Satellite Navigation systems				Aeronautical Radionavigation and FSS envisaged in some countries

**5010 - 5030 MHz**

AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	Galileo C1				
RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.443B	RADIONAVIGATION-SATELLITE (S/E) (S/S) 5.328B 5.443B	Radio astronomy				VLBI observations
	Radio astronomy	Radiodetermination applications	ERC/REC 70-03	EN 302 372		Within the band 4500-7000 MHz TLPR application
	Space research (passive)					
5.367	5.367	Satellite Navigation systems				Aeronautical Radionavigation and FSS envisaged in some countries

**5030 - 5091 MHz**

AERONAUTICAL RADIONAVIGATION	AERONAUTICAL RADIONAVIGATION	MLS				Aeronautical Radionavigation envisaged in some countries. FSS in use in some countries
5.367	5.367 EU18	Radiodetermination applications	ERC/REC 70-03	EN 302 372		Within the band 4500-7000 MHz TLPR application
5.444	5.444					

### 5091 - 5150 MHz

AERONAUTICAL  
RADIONAVIGATION  
AERONAUTICAL MOBILE 5.444B

AERONAUTICAL  
RADIONAVIGATION

MLS

Aeronautical Radionavigation  
envisaged in some countries. FSS in  
use in some countries

5.367	5.367	EU18	Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz TLPR application
5.444	5.444					
5.444A	5.444A					

### 5150 - 5250 MHz

AERONAUTICAL  
RADIONAVIGATION  
FIXED-SATELLITE (E/S) 5.447A  
MOBILE except aeronautical mobile  
5.446A 5.446B

FIXED-SATELLITE (E/S) 5.447A  
MOBILE except aeronautical  
mobile 5.446A 5.446B

Aeronautical telemetry transmission

5.446	5.446		BBDR	ECC/REC/(08)04		Aeronautical Radionavigation and FSS envisaged in some countries
5.446C	5.446C		Feeder links for MSS			
5.447	5.447		Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.447B	5.447B		WAS/RLANS	ECC/DEC/(04)08	EN 301 893	Within the bands 5150-5350 and 5470-5725 MHz
5.447C	5.447C			ERC/REC 70-03		

### 5250 - 5255 MHz

EARTH EXPLORATION-SATELLITE  
(active)  
MOBILE except aeronautical mobile  
5.446A 5.447F  
RADIOLOCATION

EARTH EXPLORATION-  
SATELLITE (active)  
MOBILE except aeronautical  
mobile 5.446A 5.447F  
RADIOLOCATION

Active sensors (satellite)

SPACE RESEARCH 5.447D	SPACE RESEARCH 5.447D		Defence systems			Tactical and weapon system radars
5.447E	5.448A	EU2	Position fixing			
5.448		EU22	Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.448A			Shipborne and VTS radar			

WAS/RLANS	ECC/DEC/(04)08	EN 301 893	Weather radars			Within the bands 5150-5350 and 5470-5725 MHz
	ERC/REC 70-03					

Weather radars

Ground based and airborne

### 5255 - 5350 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
MOBILE except aeronautical mobile 5.446A 5.447F	MOBILE except aeronautical mobile 5.446A 5.447F	Defence systems				Tactical and weapon system radars
RADIOLOCATION	RADIOLOCATION	Position fixing				
SPACE RESEARCH (active) 5.447E	SPACE RESEARCH (active) 5.448A EU2	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.448	EU22	Shipborne and VTS radar				
5.448A		WAS/RLANS		ECC/DEC/(04)08 ERC/REC 70-03	EN 301 893	Within the bands 5150-5350 and 5470-5725 MHz
		Weather radars				Ground based and airborne

### 5350 - 5450 MHz

AERONAUTICAL RADIONAVIGATION 5.449	AERONAUTICAL RADIONAVIGATION 5.449	Active sensors (satellite)				
EARTH EXPLORATION-SATELLITE (active) 5.448B	EARTH EXPLORATION-SATELLITE (active) 5.448B	Defence systems				Tactical and weapon system radars
RADIOLOCATION 5.448D	RADIOLOCATION 5.448D	Position fixing				
SPACE RESEARCH (active) 5.448C	SPACE RESEARCH (active) 5.448C	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4.5-7.0 GHz for TLPR application
	Fixed	Shipborne and VTS radar				
	EU2	Weather radars				Ground based and airborne
	EU22					



**5450 - 5460 MHz**

AERONAUTICAL RADIONAVIGATION 5.449	AERONAUTICAL RADIONAVIGATION 5.449	Active sensors (satellite)				
EARTH EXPLORATION-SATELLITE (active) 5.448B	EARTH EXPLORATION-SATELLITE (active) 5.448B	Defence systems				Tactical and weapon system radars
RADIOLOCATION 5.448D	RADIOLOCATION 5.448D	Position fixing				
SPACE RESEARCH (active) 5.448C	SPACE RESEARCH (active) 5.448C	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
	EU2	Shipborne and VTS radar				
	EU22	Weather radars				Ground based and airborne

**5460 - 5470 MHz**

EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
RADIOLOCATION 5.448D	RADIOLOCATION 5.448D	Defence systems				Tactical and weapon system radars
RADIONAVIGATION 5.449	RADIONAVIGATION 5.449	Position fixing				
SPACE RESEARCH (active) 5.448B	SPACE RESEARCH (active) 5.448B	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
	EU2	Shipborne and VTS radar				
	EU22	Weather radars				Ground based and airborne

### 5470 - 5570 MHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
MARITIME RADIONAVIGATION	MARITIME RADIONAVIGATION	Defence systems				Tactical and weapon system radars
MOBILE except aeronautical mobile 5.446A 5.450A	MOBILE except aeronautical mobile 5.446A 5.450A	Position fixing				
RADIOLOCATION 5.450B	RADIOLOCATION 5.450B	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
SPACE RESEARCH (active)	SPACE RESEARCH (active)	Shipborne and VTS radar				
5.448B	5.448B EU2					
5.450	EU22					
5.451		WAS/RLANS		ECC/DEC/(04)08 ERC/REC 70-03	EN 301 893	Within the bands 5150-5350 and 5470-5725 MHz
		Weather radars				Ground based and airborne

### 5570 - 5650 MHz

MARITIME RADIONAVIGATION	MARITIME RADIONAVIGATION	Defence systems				Tactical and weapon system radars
MOBILE except aeronautical mobile 5.446A 5.450A	MOBILE except aeronautical mobile 5.446A 5.450A	Position fixing				
RADIOLOCATION 5.450B	RADIOLOCATION 5.450B	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.450	5.452 EU2	Shipborne and VTS radar				
5.451	EU22					
5.452		WAS/RLANS		ECC/DEC/(04)08 ERC/REC 70-03	EN 301 893	Within the bands 5150-5350 and 5470-5725 MHz
		Weather radars				Ground based

**5650 - 5725 MHz**

MOBILE except aeronautical mobile 5.446A 5.450A	MOBILE except aeronautical mobile 5.446A 5.450A	Amateur	EU17		EN 301 783	Within the band 5660-5670 MHz
RADIOLOCATION	RADIOLOCATION	Amateur Satellite (E/S)	EU23		EN 301 783	Within the band 5660-5670 MHz
Amateur	Amateur	Defence systems				Tactical and weapon system radars
Space research (deep space)	Amateur-satellite (E/S)	Position fixing				
5.282	5.282 EU2	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.451	EU17	Shipborne and VTS radar				
5.453	EU22	WAS/RLANS		ECC/DEC/(04)08 ERC/REC 70-03	EN 301 893	Within the bands 5150-5350 and 5470-5725 MHz
5.454		Weather radars				Ground based and airborne
5.455						

**5725 - 5830 MHz**

FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Amateur			EN 301 783	
RADIOLOCATION	RADIOLOCATION	BFWA		ECC/REC/(06)04	EN 302 502	Within the band 5725-5875 MHz
Amateur	Amateur	Defence systems				Tactical and weapon system radars
5.150	5.150 EU2	ISM				Within the band 5725-5875 MHz
5.451	EU22	Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 5725-5875 MHz
5.453		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.455		RTTT		ECC/DEC/(02)01 ERC/REC 70-03	EN 300 674	Within the band 5795-5805 MHz. RTTT in the band 5805-5815 MHz on a national basis
5.456		Weather radars				Ground based and airborne

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>5830 - 5850 MHz</b>						
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Amateur Satellite (S/E)	EU23		EN 301 783	Within the band 5830-5850 MHz
RADIOLOCATION	RADIOLOCATION	BFWA		ECC/REC/(06)04	EN 302 502	Within the band 5725-5875 MHz
Amateur	Amateur	Defence systems				Tactical and weapon system radars
Amateur-satellite (S/E)	Amateur-satellite (S/E)	ISM				Within the band 5725-5875 MHz
5.150	5.150 EU2	Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 5725-5875 MHz
5.451	EU22	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
5.453		Weather radars				Ground based and airborne
5.455						
5.456						
<b>5850 - 5925 MHz</b>						
FIXED	FIXED	BFWA		ECC/REC/(06)04	EN 302 502	Within the band 5725-5875 MHz
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	FSS			EN 301 443	Priority for civil networks
MOBILE	MOBILE	ISM				Within the band 5725-5875 MHz
5.150	5.150	ITS		ECC/DEC/(08)01 ECC/REC/(08)01	EN 302 571	Within the band 5875-5925 MHz. Within the band 5855-5875 MHz
		Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 5725-5875 MHz
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
<b>5925 - 6425 MHz</b>						
FIXED	FIXED	Fixed links		ERC/REC 14-01	EN 302 217	Point-to-point
FIXED-SATELLITE (E/S) 5.457A 5.457B	FIXED-SATELLITE (E/S) 5.457A	FSS		ECC/DEC/(05)09	EN 301 443 EN 301 447	Priority for civil networks
MOBILE 5.457C		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>6425 - 6700 MHz</b>						
FIXED	FIXED	Fixed links		ERC/REC 14-02	EN 302 217	Point-to-point
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	FSS			EN 301 443	Priority for civil networks
MOBILE	Earth exploration-satellite (passive)	Passive sensors (satellite)				For sea surface temperature, sea surface wind speed and soil moisture measurements
5.149	5.149					
5.440	5.440					
5.458	5.458	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
<b>6700 - 7075 MHz</b>						
FIXED	FIXED	Feeder links for MSS				Within the band 6925-7075 MHz
FIXED-SATELLITE (E/S) (S/E) 5.441	FIXED-SATELLITE (E/S) (S/E) 5.441	Fixed links		ERC/REC 14-02	EN 302 217	Point-to-point
MOBILE	Earth exploration-satellite (passive)	FSS			EN 301 443	Within the band 6725-7025 MHz Priority for civil networks
5.458	5.458					
5.458A	5.458A	Passive sensors (satellite)				For sea surface temperature, sea surface wind speed and soil moisture measurements
5.458B	5.458B					
5.458C	5.458C	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 4500-7000 MHz for TLPR application
<b>7075 - 7145 MHz</b>						
FIXED	FIXED	Fixed links		ERC/REC 14-02	EN 302 217	Point-to-point
MOBILE	Earth exploration-satellite (passive)	Passive sensors (satellite)				For sea surface temperature, sea surface wind speed and soil moisture measurements
5.458	5.458					
5.459						

**7145 - 7235 MHz**

FIXED	FIXED	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE	MOBILE	Passive sensors (satellite)			For sea surface temperature, sea surface wind speed and soil moisture measurements
SPACE RESEARCH (E/S) 5.460	SPACE RESEARCH (E/S) 5.460				
	Earth exploration-satellite (E/S)				
	Space operation (E/S)				
5.458	5.458				
5.459					

**7235 - 7250 MHz**

FIXED	FIXED	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE	Earth exploration-satellite (E/S)	Passive sensors (satellite)			For sea surface temperature, sea surface wind speed and soil moisture measurements
5.458	Space research (E/S)				

**7250 - 7300 MHz**

FIXED	FIXED	Defence systems			Harmonised military band for satellite operation
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)				
MOBILE	MOBILE	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point. FIXED and MOBILE services not to be implemented in most NATO countries
5.461	5.461 EU2				
	EU27	Mobile satellite applications			Within the band 7250-7375 MHz

**7300 - 7450 MHz**

FIXED	FIXED	Defence systems			Harmonised military band for satellite operation
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)				
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
5.461	5.461 EU2 EU27	Mobile satellite applications			Within the band 7250-7375 MHz

**7450 - 7550 MHz**

FIXED	FIXED	Defence systems			Harmonised military band for satellite operation
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)				
METEOROLOGICAL-SATELLITE (S/E)	METEOROLOGICAL-SATELLITE (S/E)	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Meteorological Satellites			Limited to geostationary systems
5.461A	5.461A EU2 EU27				

**7550 - 7750 MHz**

FIXED	FIXED	Defence systems			Harmonised military band for satellite operation
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)				
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
	EU2 EU27				

**7750 - 7850 MHz**

FIXED	FIXED	Defence systems			
METEOROLOGICAL-SATELLITE (S/E) 5.461B	METEOROLOGICAL-SATELLITE (S/E) 5.461B	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile EU2	Meteorological Satellites			Limited to non-geostationary systems

**7850 - 7900 MHz**

FIXED	FIXED	Defence systems			
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point

**7900 - 8025 MHz**

FIXED	FIXED	Defence systems			Harmonised military band for satellite operation
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)				
MOBILE 5.461	MOBILE 5.461 EU2 EU27	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point. FIXED and MOBILE services not to be implemented above 7975 MHz in NATO countries
		Mobile satellite applications			



### 8025 - 8175 MHz

EARTH EXPLORATION-SATELLITE (S/E)	EARTH EXPLORATION-SATELLITE (S/E)	Defence systems			Harmonised military band fro satellite operation
FIXED	FIXED	Earth Exploration-Satellite			Satellite payload telemetry
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE 5.463	MOBILE 5.463	Mobile applications			Within the band 8025-8200 MHz
5.462A	5.462A EU2 EU27				

### 8175 - 8215 MHz

EARTH EXPLORATION-SATELLITE (S/E)	EARTH EXPLORATION-SATELLITE (S/E)	Defence systems			Harmonised military band for satellite operation
FIXED	FIXED	Earth Exploration-Satellite			Satellite payload telemetry
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
METEOROLOGICAL-SATELLITE (E/S)	METEOROLOGICAL-SATELLITE (E/S)	Mobile applications			Within the band 8025-8200 MHz
MOBILE 5.463	MOBILE 5.463				
5.462A	5.462A EU2 EU27				

### 8215 - 8400 MHz

EARTH EXPLORATION-SATELLITE (S/E)	EARTH EXPLORATION-SATELLITE (S/E)	Defence systems			Harmonised military band for satellite operation
FIXED	FIXED	Earth Exploration-Satellite			Satellite payload telemetry
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Fixed links	ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE 5.463	MOBILE 5.463	Radio astronomy			Continuum observations and VLBI
5.462A	5.462A EU2 5.463 EU27				

**8400 - 8500 MHz**

FIXED	FIXED	Fixed links		ECC/REC/(02)06	EN 302 217	Point-to-point
MOBILE except aeronautical mobile	SPACE RESEARCH (S/E) 5.465	Space Research				Satellite payload telemetry. The band 8400-8450 MHz is limited to deep space applications
SPACE RESEARCH (S/E) 5.465 5.466	Radiolocation					

**8500 - 8550 MHz**

RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. airfield approach
5.468	5.469 EU2	Radars				Shipborne, land and airborne surveillance and weapon
5.469	EU24	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application

**8550 - 8650 MHz**

EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. airfield approach
SPACE RESEARCH (active)	SPACE RESEARCH (active)	Radars				Shipborne, land and airborne surveillance and weapon
5.468	5.469 EU2					
5.469	5.469A EU24	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application
5.469A						

**8650 - 8750 MHz**

RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. airfield approach
5.468	5.469 EU2	Radars				Shipborne, land and airborne surveillance and weapon
5.469	EU24	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application

**8750 - 8850 MHz**

AERONAUTICAL  
RADIONAVIGATION 5.470  
RADIOLOCATION

AERONAUTICAL  
RADIONAVIGATION 5.470  
RADIOLOCATION

Aeronautical radionavigation

Civil and military e.g. airfield approach

5.471

Space research

Radars

Shipborne, land and airborne surveillance and weapon

EU2

Radiodetermination applications

ERC/REC 70-03

EN 302 372

Within the band 8.5-10.6 GHz for TLPR application

EU24

**8850 - 9000 MHz**

MARITIME RADIONAVIGATION  
5.472  
RADIOLOCATION

MARITIME RADIONAVIGATION  
5.472  
RADIOLOCATION

Aeronautical radionavigation

Civil and military e.g. airfield approach

5.473

Space research

Radars

Shipborne, land and airborne surveillance and weapon

5.473 EU2

Radiodetermination applications

ERC/REC 70-03

EN 302 372

Within the band 8.5-10.6 GHz for TLPR application

EU24

**9000 - 9200 MHz**

AERONAUTICAL  
RADIONAVIGATION 5.337  
RADIOLOCATION

AERONAUTICAL  
RADIONAVIGATION 5.337  
RADIOLOCATION

Aeronautical radionavigation

Civil and military e.g. airfield approach

5.471

Space research

Radars

Shipborne, land and airborne surveillance and weapon

5.473A EU2

Radiodetermination applications

ERC/REC 70-03

EN 302 372

Within the band 8.5-10.6 GHz for TLPR application

EU24

5.473A

### 9200 - 9300 MHz

MARITIME RADIONAVIGATION 5.472	MARITIME RADIONAVIGATION 5.472	Aeronautical radionavigation				Civil and military e.g. airfield approach
RADIOLOCATION	RADIOLOCATION	Radars				Shipborne, land and airborne surveillance and weapon
5.473	5.473 EU2					
5.474	5.474 EU24	Radiodetermination applications	ERC/REC 70-03	EN 300 440 EN 302 372		Within the band 9200-9975 MHz; and within the band 8.5-10.6 GHz for TLPR application

### 9300 - 9500 MHz

RADIONAVIGATION 5.476	RADIONAVIGATION 5.476	Aeronautical radionavigation				Civil and military e.g. airfield approach
RADIOLOCATION	RADIOLOCATION					
EARTH EXPLORATION-SATELLITE (active)	SPACE RESEARCH	Radars			EN 302 194	Shipborne, land and airborne surveillance and weapon
SPACE RESEARCH (active)	EARTH EXPLORATION-SATELLITE (active)					
5.427	5.427 EU2	Radiodetermination applications	ERC/REC 70-03	EN 300 440 EN 302 372		Within the band 9200-9975 MHz; and within the band 8.5-10.6 GHz for TLPR application
5.474	5.474 EU24					
5.475	5.475	Weather radars				Ground based and airborne
5.475A	5.475A					
5.475B	5.475B					
5.476A	5.476A					

### 9500 - 9800 MHz

EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				
RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. airfield approach
RADIONAVIGATION	SPACE RESEARCH (active)					
SPACE RESEARCH (active)		Radars				Shipborne, land and airborne surveillance and weapon
5.476A	5.476A EU2 EU24	Radiodetermination applications	ERC/REC 70-03	EN 300 440 EN 302 372		Within the band 9200-9975 MHz; and within the band 8.5-10.6 GHz for TLPR application

**9800 - 9900 MHz**

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. airfield approach
Fixed	Space research (active)					
Earth exploration-satellite (active)	Earth exploration-satellite (active)	Radars				Shipborne, land and airborne surveillance and weapon
Space research (active)						
5.477	5.478A EU2	Radiodetermination applications		ERC/REC 70-03	EN 300 440	Within the band 9200-9975 MHz; and within the band 8.5-10.6 GHz for TLPR application
5.478	5.478B EU24			EN 302 372		
5.478A						
5.478B						
5.479						

**9900 - 10000 MHz**

RADIOLOCATION	RADIOLOCATION	Aeronautical radionavigation				Civil and military e.g. Airfield approach
FIXED	Fixed					
		Radars				Shipborne, land and airborne surveillance and weapon
5.477	5.477					
5.478	5.478	Radiodetermination applications		ERC/REC 70-03	EN 300 440	Within the band 8.5-10.6 GHz for TLPR application
5.479	5.479				EN 302 372	

**10000 - 10150 MHz**

FIXED	FIXED	Amateur			EN 301 783	
MOBILE	MOBILE					
RADIOLOCATION	RADIOLOCATION	Non civil radar				
Amateur	Amateur	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application
5.479	5.479 EU2	SAP/SAB	EU17A	ERC/REC 25-10		

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>10150 - 10300 MHz</b>						
FIXED	FIXED	Amateur			EN 301 783	
MOBILE	MOBILE	Civil and military radars				Low power radars in certain subbands
RADIOLOCATION	RADIOLOCATION					
Amateur	Amateur	Fixed links		ERC/REC 12-05	EN 302 217	
	EU2	FWA			EN 302 326	Including Point-to-Multipoint
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application
		SAP/SAB	EU17A	ERC/REC 25-10		
<b>10300 - 10450 MHz</b>						
FIXED	FIXED	Amateur			EN 301 783	
MOBILE	RADIOLOCATION	Civil and military radars				Low power radars in certain subbands
RADIOLOCATION	Amateur					
Amateur	Mobile	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application
	EU2					
	EU17	SAP/SAB	EU17A	ERC/REC 25-10		
<b>10450 - 10500 MHz</b>						
RADIOLOCATION	FIXED	Amateur	EU17		EN 301 783	
Amateur	MOBILE	Amateur Satellite	EU23		EN 301 783	
Amateur-satellite	RADIOLOCATION	Civil and military radars				
	Amateur					
	Amateur-satellite	Fixed links		ERC/REC 12-05	EN 302 217	
5.481	5.481 EU2	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 8.5-10.6 GHz for TLPR application
		SAP/SAB	EU17A	ERC/REC 25-10		

**10.5 - 10.55 GHz**

FIXED	FIXED	Fixed links		ERC/REC 12-05	EN 302 217	
MOBILE	MOBILE	FWA			EN 302 326	Including Point-to-Multipoint
Radiolocation	Radiolocation	Radiodetermination applications		ERC/REC 70-03	EN 300 440 EN 302 372	Within the band 10.5-10.6 GHz; and within the band 8.5-10.6 GHz for TLPR application
		SAP/SAB	EU17A	ERC/REC 25-10		

**10.55 - 10.6 GHz**

FIXED	FIXED	Fixed links		ERC/REC 12-05	EN 302 217	
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	FWA			EN 302 326	Including Point-to-Multipoint
Radiolocation	Radiolocation	Radiodetermination applications		ERC/REC 70-03	EN 300 440 EN 302 372	Within the band 10.5-10.6 GHz, and within the band 8.5-10.6 GHz for TLPR application
		SAP/SAB	EU17A	ERC/REC 25-10		

**10.6 - 10.65 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Fixed links		ERC/REC 12-05	EN 302 217	
FIXED	FIXED	FWA			EN 302 326	Including Point-to-Multipoint
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	Passive sensors (satellite)				Surface emissivity and precipitation measurements
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy				Continuum and VLBI measurements
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	SAP/SAB	EU17A	ERC/REC 25-10		
Radiolocation	Radiolocation					
5.149	5.149					
5.482	5.482					
5.482A	5.482A					

**10.65 - 10.68 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Fixed links		ERC/REC 12-05	EN 302 217	
FIXED	FIXED	Passive sensors (satellite)				Surface emissivity and precipitation measurements
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy				Continuum and VLBI measurement
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	SAP/SAB	EU17A	ERC/REC 25-10		
Radiolocation						
5.149	5.149					
5.482	5.482					
5.482A	5.482A					

**10.68 - 10.7 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Surface emissivity and precipitation measurement
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy				Continuum and VLBI measurement
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.483						



European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>10.7 - 11.7 GHz</b>					
FIXED	FIXED	Aircraft Earth Stations	ECC/DEC/(05)11	EN 302 186	
FIXED-SATELLITE (S/E) 5.441 5.484A (E/S) 5.484	FIXED-SATELLITE (S/E) 5.441 5.484A (E/S) 5.484	Fixed links	ERC/DEC/(00)08	EN 302 217	Limited to high capacity fixed links
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile		ERC/REC 12-06		
	Mobile-satellite (S/E)	FSS	ECC/DEC/(05)10 ECC/DEC/(05)11 ERC/DEC/(00)08	EN 301 427 EN 301 428 EN 301 430 EN 301 360 EN 301 459	Within the band 10.7-10.95/11.2-11.45 GHz in accordance with App 30B of RR SIT/SUT - EUTELTRACK - VSAT
		HEST	ECC/DEC/(06)03	EN 301 428 EN 301 459	
		LEST	ECC/DEC/(06)02	EN 301 428 EN 301 459	
<b>11.7 - 12.5 GHz</b>					
BROADCASTING	BROADCASTING-SATELLITE	Broadcasting Satellite	ERC/DEC/(00)08	EN 301 459	In accordance with App 30 of RR. SIT within the band 12.4 - 12.5 GHz
BROADCASTING-SATELLITE 5.492	5.492				
FIXED	FIXED	HEST	ECC/DEC/(06)03		
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile	LEST	ECC/DEC/(06)02		
5.487	5.487 EU28				
5.487A	5.487A				

### 12.5 - 12.75 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED-SATELLITE (S/E) 5.484A (E/S)	FIXED-SATELLITE (S/E) 5.484A (E/S)	Aircraft Earth Stations		ECC/DEC/(05)11	EN 302 186	
		FSS		ECC/DEC/(05)10	EN 301 427	Priority for civil networks. Low density carriers, including VSATs and digital SNG are encouraged to use this band VSAT - SIT/SUT
5.494	5.495			ECC/DEC/(05)11	EN 301 428	
5.495	5.496				EN 301 430	
5.496					EN 301 360	
					EN 302 186	
					EN 301 459	
		HEST		ECC/DEC/(06)03	EN 301 428	
					EN 301 459	
		LEST		ECC/DEC/(06)02	EN 301 428	
					EN 301 459	

### 12.75 - 13.25 GHz

FIXED	FIXED	Fixed links		ERC/REC 12-02	EN 302 217	
FIXED-SATELLITE (E/S) 5.441	FIXED-SATELLITE (E/S) 5.441	FSS			EN 301 430	
MOBILE						
Space research (deep space) (S/E)						

### 13.25 - 13.4 GHz

AERONAUTICAL RADIONAVIGATION 5.497	AERONAUTICAL RADIONAVIGATION 5.497	Active sensors (satellite)				Altimeters, scatterometers, precipitation radars
EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Doppler Navigation aids				
SPACE RESEARCH (active)	SPACE RESEARCH (active)	Ship berthing radars				
5.498A	5.498A EU26					
5.499						

### 13.4 - 13.75 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
EARTH EXPLORATION-SATELLITE (active)	EARTH EXPLORATION-SATELLITE (active)	Active sensors (satellite)				Altimeters, scatterometers, precipitation radars
RADIOLOCATION	RADIOLOCATION	Data relay satellites				
SPACE RESEARCH 5.501A	SPACE RESEARCH 5.501A	Defence systems				Military radars
Standard frequency and time signal-satellite (E/S)		Doppler Navigation aids				
5.499	5.501B EU2	Radiodetermination applications		ERC/REC 70-03	EN 300 440	Within the band 13.4-14.0 GHz
5.500	EU26	Ship berthing radars				
5.501						
5.501B						

### 13.75 - 14 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED-SATELLITE (E/S) 5.484A	FIXED-SATELLITE (E/S) 5.484A	Data relay satellites				
RADIOLOCATION	RADIOLOCATION	Defence systems				Military radars
Earth exploration-satellite	Space research	FSS			EN 301 430	
Space research		Navigation radars				
Standard frequency and time signal-satellite (E/S)		Passive sensors (satellite)				Future VLBI measurements
5.499	5.502 EU2	Radiodetermination applications		ERC/REC 70-03	EN 300 440	Within the band 13.4-14.0 GHz
5.500	5.503 EU26	Ship berthing radars				
5.501						
5.502						
5.503						

### 14 - 14.25 GHz

FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	Aircraft Earth Stations	ECC/DEC/(05)11	EN 302 186	
RADIONAVIGATION 5.504	Space research	Earth Stations on board Vessels	ECC/DEC/(05)10	EN 302 340	
Space research	Mobile-satellite (E/S) 5.504C 5.506A	HEST	ECC/DEC/(06)03	EN 301 428 EN 301 459	
Mobile-satellite (E/S) 5.504C 5.506A 5.504A	5.504	LEST	ECC/DEC/(06)02	EN 301 428 EN 301 459	
		MSS		EN 301 427	Priority for civil networks
		VSAT/SNG	ERC/REC 13-03	EN 301 430	Low density carriers, including VSATs and digital SNG, are encouraged to use this band

### 14.25 - 14.3 GHz

FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	Aircraft Earth Stations	ECC/DEC/(05)11	EN 302 186	
RADIONAVIGATION 5.504	Mobile-satellite (E/S) 5.506A 5.508A	Earth Stations on board Vessels	ECC/DEC/(05)10	EN 302 340	
Mobile-satellite (E/S) 5.506A 5.508A	Space research	MSS		EN 301 427	Priority for civil networks
Space research	5.504	VSAT/SNG	ERC/REC 13-03	EN 301 428 EN 301 430	
5.504A					
5.508					

### 14.3 - 14.4 GHz

FIXED	FIXED-SATELLITE (E/S) 5.457A 5.484A 5.506	Aircraft Earth Stations	ECC/DEC/(05)11	EN 302 186	
FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	Mobile-satellite (E/S) 5.506A 5.509A	Earth Stations on board Vessels	ECC/DEC/(05)10	EN 302 340	
Mobile except aeronautical mobile		FSS		EN 302 340	Fixed links to be coordinated with Fixed Satellite Services on a national basis
Mobile-satellite (E/S) 5.506A 5.509A		MSS		EN 301 427	Priority for civil networks
Radionavigation-satellite 5.504A		VSAT/SNG	ERC/REC 13-03	EN 301 428 EN 301 430	

### 14.4 - 14.47 GHz

FIXED	FIXED-SATELLITE (E/S) 5.457A 5.484A 5.506	Aircraft Earth Stations	ECC/DEC/(05)11	EN 302 186	
FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	Mobile-satellite (E/S) 5.506A 5.509A	Earth Stations on board Vessels	ECC/DEC/(05)10	EN 302 340	
MOBILE except aeronautical mobile		FSS		EN 302 340	Fixed links to be coordinated with Fixed Satellite Services on a national basis
Mobile-satellite (E/S) 5.506A 5.509A		MSS		EN 301 427	Priority for civil networks
Radionavigation-satellite 5.504A	5.504A	VSAT/SNG	ERC/REC 13-03	EN 301 428 EN 301 430	

**14.47 - 14.5 GHz**

FIXED	FIXED-SATELLITE (E/S) 5.457A 5.484A 5.506	Aircraft Earth Stations		ECC/DEC/(05)11	EN 302 186	
FIXED-SATELLITE (E/S) 5.457A 5.457B 5.484A 5.506 5.506B	Mobile-satellite (E/S) 5.504B 5.506A 5.509A	Earth Stations on board Vessels		ECC/DEC/(05)10	EN 302 340	
MOBILE except aeronautical mobile	Radio astronomy	FSS				Fixed links to be coordinated with Fixed Satellite Service on a national basis
Mobile-satellite (E/S) 5.504B 5.506A 5.509A		MSS			EN 301 427	Priority for civil networks
Radio astronomy		Radio astronomy				Spectral line and future VLBI measurements
5.149	5.149					
5.504A	5.504A					
		VSAT/SNG		ERC/REC 13-03	EN 301 428	VSAT&SNG

**14.5 - 14.8 GHz**

FIXED	FIXED	Defence systems		EU20			The band 14.62-15.23 GHz is a harmonised military band for fixed and mobile services
FIXED-SATELLITE (E/S) 5.510	MOBILE						
MOBILE	Radio astronomy	Fixed links		EU20	ERC/REC 12-07	EN 302 217	
Space research	EU27	Radio astronomy					Future VLBI measurements compatible with primary use

**14.8 - 15.35 GHz**

FIXED	FIXED	Defence systems		EU20			The band 14.62-15.23 GHz is a harmonised military band for fixed and mobile services
MOBILE	MOBILE						
Space research	Radio astronomy	Fixed links		EU20	ERC/REC 12-07	EN 302 217	
5.339	5.339 EU27	Radio astronomy					Future VLBI measurements compatible with primary use

### 15.35 - 15.4 GHz

EARTH EXPLORATION-SATELLITE  
(passive)  
RADIO ASTRONOMY  
SPACE RESEARCH (passive)  
5.340  
5.511

EARTH EXPLORATION-  
SATELLITE (passive)  
RADIO ASTRONOMY  
SPACE RESEARCH (passive)  
5.340

Passive sensors (satellite)  
-----  
Radio astronomy

Continuum and future VLBI  
measurements

### 15.4 - 15.43 GHz

AERONAUTICAL  
RADIONAVIGATION  
  
5.511D

AERONAUTICAL  
RADIONAVIGATION  
  
5.511D

Doppler radar low power sensing  
-----  
Ground movement radars

### 15.43 - 15.63 GHz

AERONAUTICAL  
RADIONAVIGATION  
FIXED-SATELLITE (E/S) 5.511A  
5.511C

AERONAUTICAL  
RADIONAVIGATION  
FIXED-SATELLITE (E/S)  
5.511C

Doppler radar low power sensing  
-----  
FSS  
-----  
Ground movement radars

MSS feeder links

### 15.63 - 15.7 GHz

AERONAUTICAL  
RADIONAVIGATION  
  
5.511D

AERONAUTICAL  
RADIONAVIGATION  
  
5.511D

Doppler radar low power sensing  
-----  
Ground movement radars

**15.7 - 16.6 GHz**

RADIOLOCATION

RADIOLOCATION

Defence systems

Harmonised military band for land, airborne and naval radars

5.512

EU27

5.513

**16.6 - 17.1 GHz**

RADIOLOCATION

RADIOLOCATION

Defence systems

Harmonised military band for land, airborne and naval radars

Space research (deep space) (E/S)

Space research (deep space) (E/S)

5.512

EU27

5.513

**17.1 - 17.2 GHz**

RADIOLOCATION

RADIOLOCATION

Defence systems

Military radar applications

Mobile

WAS/RLANS

ERC/REC 70-03

Within the band 17.1-17.3 GHz

5.512

EU2

5.513

**17.2 - 17.3 GHz**

EARTH EXPLORATION-SATELLITE (active)

EARTH EXPLORATION-SATELLITE (active)

Defence systems

Military radar applications

RADIOLOCATION

MOBILE

WAS/RLANS

ERC/REC 70-03

Within the band 17.1-17.3 GHz

SPACE RESEARCH (active)

RADIOLOCATION

SPACE RESEARCH (active)

5.512

5.513A EU2

5.513

5.513A



### 17.3 - 17.7 GHz

FIXED-SATELLITE (E/S) 5.516 (S/E) 5.516A 5.516B Radiolocation 5.514	FIXED-SATELLITE (E/S) 5.516 (S/E) 5.516A 5.516B Radiolocation EU2	Defence systems Feeder links for the BSS service High Density FSS				Military radar applications Appendix 30A of RR ECC/DEC/(05)08
---	---	---	--	--	--	---

### 17.7 - 18.1 GHz

FIXED FIXED-SATELLITE (S/E) 5.484A (E/S) 5.516 MOBILE	FIXED FIXED-SATELLITE (S/E) 5.484A (E/S) 5.516	Feeder links for the BSS service Fixed links FSS				Appendix 30A of RR EN 302 217 ERC/DEC/(00)07 ERC/REC 12-03 EN 301 360 EN 301 459 To coordinated earth stations. Priority for civil networks
---	---	--	--	--	--	--

### 18.1 - 18.3 GHz

FIXED FIXED-SATELLITE (S/E) 5.484A (E/S) 5.520 MOBILE 5.519 5.521	FIXED FIXED-SATELLITE (S/E) 5.484A METEOROLOGICAL-SATELLITE (S/E)	Feeder links for the BSS service Fixed links FSS Meteorological Satellites				EN 302 217 ERC/REC 12-03 EN 301 360 EN 301 459 To coordinated earth stations. Priority for civil networks
---	---	---	--	--	--	--

**18.3 - 18.4 GHz**

FIXED	FIXED	Feeder links for the BSS service				
FIXED-SATELLITE (S/E) 5.484A (E/S) 5.520	FIXED-SATELLITE (S/E) 5.484A (E/S) 5.520	Fixed links		ERC/REC 12-03	EN 302 217	
MOBILE	METEOROLOGICAL-SATELLITE (S/E)	FSS			EN 301 360 EN 301 459	To coordinated earth stations. Priority for civil networks
5.519						
5.521						

**18.4 - 18.6 GHz**

FIXED	FIXED	Fixed links		ERC/DEC/(00)07	EN 302 217	
FIXED-SATELLITE (S/E) 5.484A	FIXED-SATELLITE (S/E) 5.484A			ERC/REC 12-03		
MOBILE		FSS		ERC/DEC/(00)07	EN 301 360 EN 301 459	To coordinated earth stations. Priority for civil networks

**18.6 - 18.8 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Fixed links		ERC/DEC/(00)07	EN 302 217	
FIXED	FIXED			ERC/REC 12-03		
FIXED-SATELLITE (S/E) 5.522B	FIXED-SATELLITE (S/E) 5.522B	FSS		ERC/DEC/(00)07	EN 301 360 EN 301 459	To coordinated earth stations. Priority for civil networks
MOBILE except aeronautical mobile						
Space research (passive)		Passive sensors (satellite)				Surface emissivity, snow, sea, ice and precipitation
5.522A	5.522A					
5.522C						

**18.8 - 19.3 GHz**

FIXED	FIXED	Fixed links	ERC/DEC/(00)07	EN 302 217	
FIXED-SATELLITE (S/E) 5.523A	FIXED-SATELLITE (S/E) 5.523A		ERC/REC 12-03		
MOBILE		FSS	ERC/DEC/(00)07	EN 301 360 EN 301 459	To coordinated earth stations. Priority for civil networks

**19.3 - 19.7 GHz**

FIXED	FIXED	Fixed links	ERC/DEC/(00)07	EN 302 217	
FIXED-SATELLITE (S/E) (E/S) 5.523B 5.523C 5.523D 5.523E	FIXED-SATELLITE (S/E) (E/S) 5.523B 5.523C 5.523D 5.523E		ERC/REC 12-03		
MOBILE		FSS	ERC/DEC/(00)07	EN 301 360 EN 301 459	To coordinated earth stations. Priority for civil networks

**19.7 - 20.1 GHz**

FIXED-SATELLITE (S/E) 5.484A 5.516B	FIXED-SATELLITE (S/E) 5.484A 5.516B	FSS/MSS		EN 301 459 EN 301 360	For uncoordinated earth stations SUT
Mobile-satellite (S/E) 5.524	Mobile-satellite (S/E)	HEST	ECC/DEC/(06)03	EN 301 459 EN 301 360	
		High Density FSS	ECC/DEC/(05)08		
		LEST	ECC/DEC/(06)02	EN 301 459 EN 301 360	

**20.1 - 20.2 GHz**

FIXED-SATELLITE (S/E) 5.484A 5.516B	FIXED-SATELLITE (S/E) 5.484A 5.516B	FSS/MSS			EN 301 459 EN 301 360	For uncoordinated earth stations SUT
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)					
5.524	5.525	HEST		ECC/DEC/(06)03	EN 301 459 EN 301 360	
5.525	5.526					
5.526	5.527	High Density FSS		ECC/DEC/(05)08		
5.527	5.528	LEST		ECC/DEC/(06)02	EN 301 459 EN 301 360	
5.528						

**20.2 - 21.2 GHz**

FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	FSS/MSS				For uncoordinated earth stations. Harmonised military band for satellite downlinks
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)					
Standard frequency and time signal- satellite (S/E)						
5.524	EU2 EU27					

**21.2 - 21.4 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION- SATELLITE (passive)	Passive sensors (satellite)				Passive systems will be phased out by 2015
FIXED	FIXED					
MOBILE	MOBILE	Unidirectional temporary fixed or mobile links		ERC/REC 25-10		Including SAP/SAB
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					

### 21.4 - 22 GHz

BROADCASTING-SATELLITE FIXED	BROADCASTING-SATELLITE	Broadcasting Satellite			EN 301 360 EN 301 459	
MOBILE 5.208B 5.530	5.208B 5.530	SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
		Wideband High Definition Television				Fixed service envisaged in some countries

### 22 - 22.21 GHz

FIXED MOBILE except aeronautical mobile	FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive)	Fixed links Radio astronomy		T/R 13-02	EN 302 217	
5.149	5.149	SAP/SAB		EU17A	ERC/REC 25-10	
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

### 22.21 - 22.5 GHz

EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive)	FIXED MOBILE except aeronautical mobile Mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Earth exploration-satellite (passive)	Fixed links Passive sensors (satellite) Radio astronomy		T/R 13-02	EN 302 217	
5.149 5.532	5.149 5.532	SAP/SAB SRR		EU17A	ERC/REC 25-10	
				ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**22.5 - 22.55 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
MOBILE	MOBILE	Radio astronomy				
	RADIO ASTRONOMY					
	SPACE RESEARCH (passive)	SAP/SAB	EU17A	ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**22.55 - 22.6 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
INTER-SATELLITE 5.338A	MOBILE	Radio astronomy				
MOBILE	RADIO ASTRONOMY					
	SPACE RESEARCH (passive)	SAP/SAB	EU17A	ERC/REC 25-10		
	INTER-SATELLITE 5.338A	SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**22.6 - 23 GHz**

FIXED	FIXED	Radio astronomy				Spectral line observations (Methyl Formate and Ammonia lines 22.81-22.86 GHz)
INTER-SATELLITE 5.338A	MOBILE					
MOBILE	RADIO ASTRONOMY					
	SPACE RESEARCH (passive)	SAP/SAB	EU17A	ERC/REC 25-10		
	INTER-SATELLITE 5.338A	SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
5.149	5.149					

**23 - 23.55 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
INTER-SATELLITE 5.338A	INTER-SATELLITE 5.338A	Radio astronomy				Spectral line observations
MOBILE	MOBILE					
5.149	5.149	SAP/SAB		ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**23.55 - 23.6 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
MOBILE	INTER-SATELLITE					
	MOBILE	SAP/SAB		ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**23.6 - 24 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Measurement of water vapour, liquid water, clouds for atmospheric sounding
RADIO ASTRONOMY	RADIO ASTRONOMY					
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Radio astronomy				Continuum observation. Ammonia line measurement
5.340	5.340	SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>24 - 24.05 GHz</b>						
AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	
5.150	5.150	ISM				Within the band 24-24.25 GHz
		Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 24-24.25 GHz
		SAP/SAB		ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
<b>24.05 - 24.25 GHz</b>						
RADIOLOCATION	RADIOLOCATION	Active sensors (satellite)				Rain radars from satellites
Amateur	Amateur	Amateur			EN 301 783	
Earth exploration-satellite (active)	Earth exploration-satellite (active)	Defence systems				
	Fixed	ISM				Within the band 24-24.25 GHz
5.150	5.150 EU2	Mobile				
		Non-Specific SRDs		ERC/REC 70-03	EN 300 440	Within the band 24-24.25 GHz
		Radiodetermination applications		ERC/REC 70-03	EN 300 440	Within the band 24.05-27.00 GHz for TLPR application. Includes narrow band SRR
		SAP/SAB		ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013



**24.25 - 24.45 GHz**

FIXED	FIXED	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
	MOBILE					
		SAP/SAB	EU17A	ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
		Unidirectional fixed links				

**24.45 - 24.5 GHz**

FIXED INTER-SATELLITE	FIXED	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
	MOBILE					
		SAP/SAB	EU17A	ERC/REC 25-10		
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
		Unidirectional fixed links				

**24.5 - 24.65 GHz**

FIXED INTER-SATELLITE	FIXED	Fixed links		T/R 13-02	EN 302 217	
			FWA		ERC/REC/(00)05	EN 302 326
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**24.65 - 24.75 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
INTER-SATELLITE		FWA		ERC/REC/(00)05	EN 302 326	CRS paired with 25.5-26.5 GHz for FDD systems
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**24.75 - 25.25 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
		FWA		ERC/REC/(00)05	EN 302 326	CRS paired with 25.5-26.5 GHz for FDD systems
		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

**25.25 - 25.5 GHz**

FIXED	FIXED	Fixed links		T/R 13-02	EN 302 217	
INTER-SATELLITE 5.536	INTER-SATELLITE 5.536	FWA		ERC/REC/(00)05	EN 302 326	CRS paired with 25.5-26.5 GHz for FDD systems
MOBILE	MOBILE	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
Standard frequency and time signal-satellite (E/S)		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

## 25.5 - 26.5 GHz

EARTH EXPLORATION-SATELLITE (S/E) 5.536A 5.536B	FIXED	Fixed links		T/R 13-02	EN 302 217	
FIXED	INTER-SATELLITE 5.536	FWA		ERC/REC/(00)05	EN 302 326	TS should be paired with 24.5-25.5 GHz for FDD systems
INTER-SATELLITE 5.536	MOBILE					
MOBILE	SPACE RESEARCH (S/E) 5.536A 5.536C	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
SPACE RESEARCH (S/E) 5.536A 5.536C	Earth exploration-satellite (S/E) 5.536A 5.536B	Space Research				Satellite payload telemetry
Standard frequency and time signal-satellite (E/S)		SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013

## 26.5 - 27 GHz

EARTH EXPLORATION-SATELLITE (S/E) 5.536A 5.536B	FIXED	Defence systems				Harmonised military band for fixed and mobile systems
FIXED	INTER-SATELLITE 5.536					
INTER-SATELLITE 5.536	MOBILE	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 24.05-27.00 GHz for TLPR application
MOBILE	SPACE RESEARCH (S/E) 5.536A 5.536C	Space Research				Satellite payload telemetry
SPACE RESEARCH (S/E) 5.536A 5.536C	Earth exploration-satellite (S/E) 5.536A 5.536B	SRR		ECC/DEC/(04)10am	EN 302 288	New SRR systems may only be introduced in CEPT countries in the frequency bands 21.4-27 GHz until the reference date of 1 July 2013
Standard frequency and time signal-satellite (E/S)						
	EU27					

**27 - 27.5 GHz**

FIXED	FIXED	Defence systems				Harmonised military band for fixed and mobile systems
INTER-SATELLITE 5.536	INTER-SATELLITE 5.536					
MOBILE	MOBILE Earth exploration-satellite (S/E) EU27					

**27.5 - 28.5 GHz**

FIXED 5.537A	FIXED	Feeder links				Feeder links to be used for Broadcasting satellites (HDTV) 27.5-29.5 GHz
FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539	FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539					
MOBILE		Fixed links		ECC/DEC/(05)01 T/R 13-02	EN 302 217	For frequency arrangement between FS and FSS see ECC Decision (05)01
5.538	5.538					
5.540	5.540	FSS		ECC/DEC/(05)01	EN 301 360	The Earth-to-Space direction for uncoordinated earth stations within the band 27.5-27.8285 GHz. The Space-to-Earth direction is limited to beacons for uplink power control 27.5-27.501 GHz
		FWA		ERC/REC/(01)03	EN 302 326	CRS paired with 28.5-29.5 GHz for FDD systems

**28.5 - 29.1 GHz**

FIXED	FIXED	Feeder links		ECC/DEC/(05)01		Feeder links to be used for Broadcasting satellites (HDTV) 27.5-29.5 GHz
FIXED-SATELLITE (E/S) 5.484A 5.516B 5.523A 5.539	FIXED-SATELLITE (E/S) 5.484A 5.516B 5.523A 5.539					
MOBILE	Earth exploration-satellite (E/S) 5.541	Fixed links		ECC/DEC/(05)01 T/R 13-02	EN 302 217	For frequency arrangement between FS and FSS see ECC/DEC/(05)01
Earth exploration-satellite (E/S) 5.541	5.541					
5.540	5.540	FSS		ECC/DEC/(05)01	EN 301 360	Uncoordinated earth stations within the band 28.4445-28.8365 GHz
		FWA		ERC/REC/(01)03	EN 302 326	TS paired with 27.5-28.5 GHz for FDD systems

### 29.1 - 29.5 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Feeder links				Feeder links to be used for Broadcasting satellites (HDTV) 27.5-29.5 GHz
FIXED-SATELLITE (E/S) 5.516B 5.523C 5.523E 5.535A 5.539 5.541A	FIXED-SATELLITE (E/S) 5.516B 5.523C 5.523E 5.535A 5.539 5.541A	Fixed links		ECC/DEC/(05)01 T/R 13-02	EN 302 217	Within the band 29.0605-29.4525 GHz
MOBILE	Earth exploration-satellite (E/S) 5.541					
Earth exploration-satellite (E/S) 5.541	Earth exploration-satellite (E/S) 5.541	FSS		ECC/DEC/(05)01	EN 301 360	Uncoordinated earth stations within the band 29.4525-29.5 GHz
5.540	5.540	FWA		ERC/REC/(01)03	EN 302 326	TS paired with 27.5-28.5 GHz for FDD systems

### 29.5 - 29.9 GHz

FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539	FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539	HEST		ECC/DEC/(06)03	EN 301 459	
Earth exploration-satellite (E/S) 5.541	Earth exploration-satellite (E/S) 5.541	High Density FSS		ECC/DEC/(05)08	EN 301 459	SIT/SUT
Mobile-satellite (E/S)	Mobile-satellite (E/S)	LEST		ECC/DEC/(06)02	EN 301 459	
5.540	5.540	MSS			EN 301 459	
5.542						

### 29.9 - 30 GHz

FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539	FIXED-SATELLITE (E/S) 5.484A 5.516B 5.539	FSS				Limited to beacons for uplink power control 29.999-30 GHz
MOBILE-SATELLITE (E/S)	MOBILE-SATELLITE (E/S)	HEST		ECC/DEC/(06)03	EN 301 459	
Earth exploration-satellite (E/S) 5.541 5.543	Earth exploration-satellite (E/S) 5.541 5.543	High Density FSS		ECC/DEC/(05)08	EN 301 459	SIT/SUT
5.525	5.525	LEST		ECC/DEC/(06)02	EN 301 459	
5.526	5.526	MSS			EN 301 459	For uncoordinated earth stations
5.527	5.527					
5.538	5.538					
5.540	5.540					
5.542						

**30 - 31 GHz**

FIXED-SATELLITE (E/S) 5.338A

FIXED-SATELLITE (E/S) 5.338A

FSS/MSS

MOBILE-SATELLITE (E/S)

MOBILE-SATELLITE (E/S)

For uncoordinated earth stations.  
Harmonised military band for satellite uplinks

Standard frequency and time signal-satellite (S/E)

5.542

EU2

EU27

**31 - 31.3 GHz**

FIXED 5.543A 5.338A

FIXED 5.338A

Fixed links

ECC/REC/(02)02

EN 302 217

MOBILE

MOBILE

EN 302 326

Space research 5.544 5.545

Radio astronomy

Continuum observations

Standard frequency and time signal-satellite (S/E)

5.149

5.149

**31.3 - 31.5 GHz**

EARTH EXPLORATION-SATELLITE (passive)

EARTH EXPLORATION-SATELLITE (passive)

Passive sensors (satellite)

Measurement of sea ice, water vapour, oil spills, liquid water, clouds, surface temperature. Reference window for the 50-60 GHz range

RADIO ASTRONOMY

RADIO ASTRONOMY

SPACE RESEARCH (passive)

SPACE RESEARCH (passive)

Radio astronomy

Continuum observation

5.340

5.340

Surface temperature and emissivity, atmospheric attenuation

### 31.5 - 31.8 GHz

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Fixed links			
RADIO ASTRONOMY	RADIO ASTRONOMY	Passive sensors (satellite)			Measurement of sea ice, water vapour, oil spills, liquid water, clouds, surface temperature. Reference window for the 50-60 GHz range
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)				
Fixed	Fixed				
Mobile except aeronautical mobile	Mobile except aeronautical mobile	Radio astronomy			Continuum observation
5.149	5.149				
5.546	5.546	Surface temperature and emissivity, atmospheric attenuation			

### 31.8 - 32 GHz

FIXED 5.547A	FIXED 5.547A	High Density FS		ECC/REC/(04)06	EN 302 217	Point-to-Point and Point-to-Multipoint
RADIONAVIGATION	RADIONAVIGATION			ERC/REC/(01)02	EN 302 326	
SPACE RESEARCH (deep space) (S/E)	SPACE RESEARCH (deep space) (S/E)					
5.547	5.547					
5.547B	5.548					
5.548						

### 32 - 32.3 GHz

FIXED 5.547A	FIXED 5.547A	High Density FS		ECC/REC/(04)06	EN 302 217	Point-to-Point and Point-to-Multipoint
RADIONAVIGATION	RADIONAVIGATION			ERC/REC/(01)02	EN 302 326	
SPACE RESEARCH (deep space) (S/E)	SPACE RESEARCH (deep space) (S/E)					
5.547	5.547					
5.547C	5.548					
5.548						

**32.3 - 33 GHz**

FIXED 5.547A	FIXED 5.547A	High Density FS	ECC/REC/(04)06	EN 302 217	Point-to-Point and Point-to-Multipoint
INTER-SATELLITE	INTER-SATELLITE		ERC/REC/(01)02	EN 302 326	
RADIONAVIGATION	RADIONAVIGATION	-----			
5.547	5.547				
5.547D	5.548				
5.548					

**33 - 33.4 GHz**

FIXED 5.547A	FIXED 5.547A	High Density FS	ECC/REC/(04)06	EN 302 217	Point-to-Point and Point-to-Multipoint
RADIONAVIGATION	INTER-SATELLITE		ERC/REC/(01)02	EN 302 326	
	RADIONAVIGATION	-----			
5.547	5.547				
5.547E					

**33.4 - 34.2 GHz**

RADIOLOCATION	RADIOLOCATION	Defence systems			Harmonised military band for radiolocation systems
		Radiodetermination applications			
5.549	EU2	-----			
	EU27	Surveying and measurement			
		-----			

**34.2 - 34.7 GHz**

RADIOLOCATION	RADIOLOCATION	Defence systems			Harmonised military band for radiolocation systems
SPACE RESEARCH (deep space) (E/S)	SPACE RESEARCH (deep space) (E/S)	Radiodetermination applications			
5.549	EU2	-----			
	EU27	Surveying and measurement			
		-----			



**34.7 - 35.2 GHz**

RADIOLOCATION  
Space research 5.550  
  
5.549

RADIOLOCATION  
Space research  
  
EU2  
EU27

Defence systems  
  
Radiodetermination applications  
-----  
Surveying and measurement  
-----

Harmonised military band for radiolocation systems

**35.2 - 35.5 GHz**

METEOROLOGICAL AIDS  
RADIOLOCATION  
  
5.549

METEOROLOGICAL AIDS  
RADIOLOCATION  
  
EU2  
EU27

Active sensors (satellite)  
-----  
Defence systems  
-----

Rain radar from satellites  
  
Harmonised military band for radiolocation systems  
-----

**35.5 - 36 GHz**

EARTH EXPLORATION-SATELLITE (active)  
METEOROLOGICAL AIDS  
RADIOLOCATION  
SPACE RESEARCH (active)  
5.549  
5.549A

EARTH EXPLORATION-SATELLITE (active)  
METEOROLOGICAL AIDS  
RADIOLOCATION  
SPACE RESEARCH (active)  
5.549A EU2  
EU27

Active sensors (satellite)  
-----  
Defence systems  
-----

Harmonised military band for Radiolocation systems  
-----

**36 - 37 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Defence systems			Harmonised military band for fixed and mobile systems
FIXED	FIXED	Passive sensors (satellite)			EESS surface emissivity, snow, sea ice and precipitation
MOBILE	MOBILE				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Radio astronomy			Hydrogen cyanide and Hydroxyl lines 36.43-36.50 GHz
5.149	5.149 EU27				
5.550A	5.550A				

**37 - 37.5 GHz**

FIXED	FIXED	Defence systems			Low and medium capacity fixed links
MOBILE	SPACE RESEARCH (S/E)	High density fixed links	T/R 12-01	EN 302 217	Major use by civil Fixed Service Systems
SPACE OPERATION (S/E)					
5.547	5.547 EU2				

**37.5 - 38 GHz**

FIXED	FIXED	Defence systems			Low and medium capacity fixed links
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	FSS	ERC/DEC/(00)02		Uncoordinated Earth stations shall not claim protection from the Fixed Service
MOBILE	SPACE RESEARCH (S/E)				
SPACE RESEARCH (S/E)	Earth exploration-satellite (S/E)	High density fixed links	T/R 12-01	EN 302 217	Major use by civil Fixed Service Systems
Earth exploration-satellite (S/E)					
5.547	5.547 EU2				

### 38 - 39.5 GHz

FIXED	FIXED	Defence systems				Low and medium capacity fixed links
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	FSS		ERC/DEC/(00)02		Uncoordinated Earth stations shall not claim protection from the Fixed Service
MOBILE	Earth exploration-satellite (S/E)					
Earth exploration-satellite (S/E)						
5.547	5.547 EU2	High density fixed links		T/R 12-01	EN 302 217	Major use by civil Fixed Service Systems

### 39.5 - 40 GHz

FIXED	FIXED	FSS		ERC/DEC/(00)02		Earth stations
FIXED-SATELLITE (S/E) 5.516B	FIXED-SATELLITE (S/E) 5.516B					
MOBILE	MOBILE					
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)					
Earth exploration-satellite (S/E)	Earth exploration-satellite (S/E)					
5.547	5.547 EU2					

### 40 - 40.5 GHz

EARTH EXPLORATION-SATELLITE (E/S)	FIXED	Broadband mobile systems				Possible future band
FIXED	FIXED-SATELLITE (S/E) 5.516B	FSS		ERC/DEC/(00)02		Earth stations
FIXED-SATELLITE (S/E) 5.516B	MOBILE					
MOBILE	MOBILE-SATELLITE (S/E)					
MOBILE-SATELLITE (S/E)	SPACE RESEARCH (E/S)					
SPACE RESEARCH (E/S)	Earth exploration-satellite (S/E)					
Earth exploration-satellite (S/E)						
	EU2					

### 40.5 - 41 GHz

BROADCASTING	BROADCASTING	FSS	ECC/DEC/(02)04		
BROADCASTING-SATELLITE	BROADCASTING-SATELLITE	MWS	ECC/REC/(01)04	EN 301 997	
FIXED	FIXED		ERC/DEC/(99)15		
FIXED-SATELLITE (S/E)					
Mobile					
5.547	5.547				

### 41 - 42 GHz

BROADCASTING	BROADCASTING	FSS	ECC/DEC/(02)04		
BROADCASTING-SATELLITE	BROADCASTING-SATELLITE	MWS	ECC/REC/(01)04	EN 301 997	
FIXED	FIXED		ERC/DEC/(99)15		
FIXED-SATELLITE (S/E)					
Mobile					
5.547	5.547				
5.551F					

### 42 - 42.5 GHz

BROADCASTING	BROADCASTING	FSS	ECC/DEC/(02)04		
BROADCASTING-SATELLITE	BROADCASTING-SATELLITE	MWS	ECC/REC/(01)04	EN 301 997	
FIXED	FIXED		ERC/DEC/(99)15		
FIXED-SATELLITE (S/E)					
Mobile					
5.547	5.551H				
5.551F	5.551I				
5.551H					
5.551I					

**42.5 - 43.5 GHz**

FIXED	FIXED	Broadband mobile systems				Possible future band
FIXED-SATELLITE (E/S) 5.552	FIXED-SATELLITE (E/S) 5.552	FSS		ECC/DEC/(02)04		For fixed applications. Priority for civil networks
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
RADIO ASTRONOMY	RADIO ASTRONOMY	MWS		ECC/REC/(01)04	EN 301 997	
5.149	5.149			ERC/DEC/(99)15		
5.547	5.547	Radio astronomy				Silicon monoxide lines and many other spectral lines in this band

**43.5 - 45.5 GHz**

MOBILE 5.553	MOBILE 5.553	Defence systems				Harmonised military band for satellite uplinks and mobile systems
MOBILE-SATELLITE	MOBILE-SATELLITE					
RADIONAVIGATION	Fixed-satellite					
RADIONAVIGATION-SATELLITE						
5.554	5.554 EU27					

**45.5 - 47 GHz**

MOBILE 5.553	MOBILE 5.553					
MOBILE-SATELLITE	MOBILE-SATELLITE					
RADIONAVIGATION	RADIONAVIGATION					
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE					
5.554	5.554					

**47 - 47.2 GHz**

AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	

**47.2 - 47.5 GHz**

FIXED	FIXED	Feeder links				For 40 GHz Broadcasting satellites
FIXED-SATELLITE (E/S) 5.552	FIXED-SATELLITE (E/S) 5.552	FSS				For fixed applications. Priority for civil networks
MOBILE	MOBILE	HAPS				
5.552A	5.552A	SAP/SAB		ERC/REC 25-10		

**47.5 - 47.9 GHz**

FIXED	FIXED	Feeder links				For 40 GHz Broadcasting satellites
FIXED-SATELLITE (E/S) 5.552 (S/E) 5.516B 5.554A	FIXED-SATELLITE (E/S) 5.552 (S/E) 5.516B 5.554A	High Density FSS		ECC/DEC/(05)08		
MOBILE	MOBILE	SAP/SAB		ERC/REC 25-10		

**47.9 - 48.2 GHz**

FIXED	FIXED	Feeder links				For 40 GHz Broadcasting satellites
FIXED-SATELLITE (E/S) 5.552	FIXED-SATELLITE (E/S) 5.552	FSS				For fixed applications. Priority for civil networks
MOBILE	MOBILE	HAPS				
5.552A	5.552A	SAP/SAB		ERC/REC 25-10		

**48.2 - 48.54 GHz**

FIXED	FIXED	Feeder links				For 40 GHz Broadcasting satellites
FIXED-SATELLITE (E/S) 5.552 (S/E) 5.516B 5.554A 5.555B	FIXED-SATELLITE (E/S) 5.552 (S/E) 5.516B 5.554A 5.555B	Fixed links		ERC/REC 12-10		From 48.50 to 48.54 GHz
MOBILE	MOBILE	High Density FSS		ECC/DEC/(05)08		
		SAP/SAB		ERC/REC 25-10		

**48.54 - 49.44 GHz**

FIXED	FIXED	Feeder links				48.5-49.2 GHz for 40 GHz Broadcasting satellites
FIXED-SATELLITE (E/S) 5.552	FIXED-SATELLITE (E/S) 5.552	Fixed links		ERC/REC 12-10	EN 302 217	
MOBILE	MOBILE	FSS				For fixed applications. Priority for civil networks
5.149	5.149	Radio astronomy				Carbon monosulphide line 48.94-49.4 GHz
5.340	5.340					
5.555	5.555	SAP/SAB		EU17A	ERC/REC 25-10	

**49.44 - 50.2 GHz**

FIXED	FIXED	Fixed links		ERC/REC 12-10	EN 302 217	
FIXED-SATELLITE (E/S) 5.552 5.338A (S/E) 5.516B 5.554A 5.555B	FIXED-SATELLITE (E/S) 5.552 5.338A (S/E) 5.516B 5.554A 5.555B	High Density FSS		ECC/DEC/(05)08		
MOBILE	MOBILE	SAP/SAB		EU17A	ERC/REC 25-10	

**50.2 - 50.4 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Atmospheric temperature sounding. Terrestrial passive radiometers. Reference window for the 52.6-59.3 GHz band
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					

**50.4 - 51.4 GHz**

FIXED	FIXED	Future satellite and terrestrial applications				Shared civil and non civil allocation
FIXED-SATELLITE (E/S) 5.338A	FIXED-SATELLITE (E/S) 5.338A					
MOBILE	Mobile-satellite (E/S)					
Mobile-satellite (E/S)						
	EU2					

**51.4 - 52.6 GHz**

FIXED 5.338A	FIXED 5.338A	High density fixed links		ERC/REC 12-11	EN 302 217	
MOBILE	MOBILE					
	RADIO ASTRONOMY					
5.547	5.547					
5.556	5.556					

**52.6 - 54.25 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Atmospheric temperature sounding. Terrestrial passive radiometers
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.556	5.556					



### 54.25 - 55.78 GHz

EARTH EXPLORATION-SATELLITE  
(passive)  
INTER-SATELLITE 5.556A  
SPACE RESEARCH (passive)  
5.556B

EARTH EXPLORATION-  
SATELLITE (passive)  
SPACE RESEARCH (passive)

Passive sensors (satellite)

Atmospheric temperature sounding.  
Terrestrial passive radiometers

### 55.78 - 56.9 GHz

EARTH EXPLORATION-SATELLITE  
(passive)  
FIXED 5.557A  
INTER-SATELLITE 5.556A  
MOBILE 5.558  
SPACE RESEARCH (passive)  
5.547  
5.557

EARTH EXPLORATION-  
SATELLITE (passive)  
FIXED 5.557A  
INTER-SATELLITE 5.556A  
SPACE RESEARCH (passive)  
5.547 EU21  
5.558

High density fixed links

ERC/REC 12-12

EN 302 217

Passive sensors (satellite)

Atmospheric temperature sounding

### 56.9 - 57 GHz

EARTH EXPLORATION-SATELLITE  
(passive)  
FIXED  
INTER-SATELLITE 5.558A  
MOBILE 5.558  
SPACE RESEARCH (passive)  
5.547  
5.557

EARTH EXPLORATION-  
SATELLITE (passive)  
FIXED  
MOBILE 5.558  
SPACE RESEARCH (passive)  
5.547 EU21  
5.558A

High density fixed links

ERC/REC 12-12

EN 302 217

Passive sensors (satellite)

Atmospheric temperature sounding

### 57 - 58.2 GHz

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	High density fixed links	ECC/REC/(09)01	EN 302 217	Un-coordinated deployment
FIXED	FIXED	Passive sensors (satellite)			Atmospheric temperature sounding
INTER-SATELLITE 5.556A	INTER-SATELLITE 5.556A	Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
MOBILE 5.558	MOBILE 5.558				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)				
5.547	5.547				
5.557					

### 58.2 - 59 GHz

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	High density fixed links	ECC/REC/(09)01	EN 302 217	Un-coordinated deployment
FIXED	FIXED	Passive sensors (satellite)			Atmospheric temperature sounding. Terrestrial passive radiometers
MOBILE	RADIO ASTRONOMY				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)	Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
5.547	5.547 EU6				
5.556	5.556 EU19				

### 59 - 59.3 GHz

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Defence systems			Frequency band 59-61 GHz is a harmonised military band for fixed, mobile and radiolocation systems
FIXED	FIXED				
INTER-SATELLITE 5.556A	INTER-SATELLITE 5.556A	Passive sensors (satellite)			Atmospheric temperature sounding. Terrestrial passive radiometers
MOBILE 5.558	MOBILE 5.558				
RADIOLOCATION 5.559	RADIOLOCATION 5.559	Radiodetermination applications	ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)				
	EU2				
	EU27				

**59.3 - 62 GHz**

FIXED	FIXED		Defence systems				Frequency band 59-61 GHz is a harmonised military band for fixed, mobile and radiolocation systems
INTER-SATELLITE	INTER-SATELLITE						
MOBILE 5.558	MOBILE 5.558		ISM				Within the band 61.0-61.5 GHz
RADIOLOCATION 5.559	RADIOLOCATION 5.559		Non-Specific SRDs		ERC/REC 70-03		Within the band 61.0-61.5 GHz
5.138	5.138	EU2					
		EU27	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
			WAS				

**62 - 63 GHz**

FIXED	INTER-SATELLITE		Broadband mobile systems				For connection to IBCN paired with 65-66 GHz
INTER-SATELLITE	MOBILE 5.558						
MOBILE 5.558	RADIOLOCATION 5.559		Defence systems				
RADIOLOCATION 5.559			Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
		EU2					

**63 - 64 GHz**

FIXED	INTER-SATELLITE		Defence systems				
INTER-SATELLITE	MOBILE 5.558		ITS		ECC/DEC/(09)01		
MOBILE 5.558	RADIOLOCATION 5.559		Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 57-64 GHz for TLPR application
RADIOLOCATION 5.559							
		EU2	RTTT		ECC/DEC/(02)01		Road Transport and Traffic Telematic Vehicle to road/vehicle to vehicle
					ERC/REC 70-03		

**64 - 65 GHz**

FIXED	FIXED	High density fixed links		ECC/REC/(05)02	EN 302 217	
INTER-SATELLITE	INTER-SATELLITE					
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
5.547	5.547					
5.556	5.556					

**65 - 66 GHz**

EARTH EXPLORATION-SATELLITE	EARTH EXPLORATION-SATELLITE	Broadband mobile systems				For connection to IBCN paired with 62-63 GHz
FIXED	FIXED					
INTER-SATELLITE	INTER-SATELLITE	High density fixed links		ECC/REC/(05)02	EN 302 217	
MOBILE except aeronautical mobile	MOBILE except aeronautical mobile					
SPACE RESEARCH	SPACE RESEARCH					
5.547	5.547					

**66 - 71 GHz**

INTER-SATELLITE	INTER-SATELLITE	Future civil systems				
MOBILE 5.553 5.558	MOBILE 5.553 5.558					
MOBILE-SATELLITE	MOBILE-SATELLITE					
RADIONAVIGATION	RADIONAVIGATION					
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE					
5.554	5.554					

**71 - 74 GHz**

FIXED	FIXED	Defence systems				Harmonised military band. Pairing with 81-84 GHz is envisaged
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)					
MOBILE	MOBILE	Fixed links				
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E) EU27					

**74 - 75.5 GHz**

BROADCASTING	BROADCASTING	Fixed links		ECC/REC/(05)07	EN 302 217	
BROADCASTING-SATELLITE	BROADCASTING-SATELLITE	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
FIXED	FIXED					
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	Space Research				VLBI measurements within the band 74-84 GHz
MOBILE	MOBILE					
Space research (S/E)	Space research (S/E)					
5.561	5.561					

**75.5 - 76 GHz**

BROADCASTING	BROADCASTING	Amateur		EU35	EN 301 783	
BROADCASTING-SATELLITE	BROADCASTING-SATELLITE	Amateur Satellite			EN 301 783	
FIXED	FIXED					
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	Fixed links		ECC/REC/(05)07	EN 302 217	
MOBILE	Amateur	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
Space research (S/E)	Amateur-satellite					
5.561	5.561 EU2 EU35	Space Research				VLBI

### 76 - 77.5 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
RADIO ASTRONOMY	RADIO ASTRONOMY	Amateur			EN 301 783	
RADIOLOCATION	RADIOLOCATION	Amateur Satellite			EN 301 783	
Amateur	Amateur	Civil radiolocation				
Amateur-satellite	Amateur-satellite	Radio astronomy				Spectral line and wide band continuum observations
Space research (S/E)	Space research (S/E)	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
5.149	5.149 EU2	RTTT		ECC/DEC/(02)01 ERC/REC 70-03	EN 301 091	Within the band 76-77 GHz Radar. Road Transport and Traffic Telematic
		SRR		ECC/DEC/(04)03		

### 77.5 - 78 GHz

AMATEUR	AMATEUR	Radio astronomy				Spectral line and wide band continuum observations
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
Radio astronomy	Space research (S/E)	SRR		ECC/DEC/(04)03		
Space research (S/E)						
5.149	5.149					

### 78 - 79 GHz

RADIOLOCATION	RADIOLOCATION	Civil and military radiolocation				
Amateur	Amateur	Radio astronomy				Spectral line and wide band continuum observations
Amateur-satellite	Amateur-satellite	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
Radio astronomy	Radio astronomy	SRR		ECC/DEC/(04)03		
Space research (S/E)	Space research (S/E)					
5.149	5.149 EU2					
5.560	5.560					

	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
<b>79 - 81 GHz</b>						
RADIO ASTRONOMY	RADIO ASTRONOMY	Civil and military radiolocation				
RADIOLOCATION	RADIOLOCATION	Radio astronomy				Spectral line and wide band continuum observations
Amateur	Amateur					
Amateur-satellite (S/E)	Amateur-satellite (S/E)	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
Space research (S/E)						
5.149	5.149 EU2	SRR		ECC/DEC/(04)03		
<b>81 - 84 GHz</b>						
FIXED	FIXED	Amateur			EN 301 783	Within the band 81-81.5 GHz
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)	Amateur Satellite			EN 301 783	Within the band 81-81.5 GHz
MOBILE	MOBILE	Defence systems				Harmonised military band. Paring with 71-74 GHz is envisaged
MOBILE-SATELLITE (E/S)	MOBILE-SATELLITE (E/S)					
RADIO ASTRONOMY	RADIO ASTRONOMY	Fixed links		ECC/REC/(05)07	EN 302 217	
Space research (S/E)	Space research (S/E)	Radio astronomy				Spectral line and wide band continuum observations
5.149	5.149 EU27					
5.561A	5.561A	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
<b>84 - 86 GHz</b>						
FIXED	FIXED	Fixed links		ECC/REC/(05)07	EN 302 217	
FIXED-SATELLITE (E/S) 5.561B	FIXED-SATELLITE (E/S)	Radio astronomy				Spectral line and wide band continuum observations
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY	Radiodetermination applications		ERC/REC 70-03	EN 302 372	Within the band 75-85 GHz for TLPR application
5.149	5.149					

**86 - 92 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

Passive sensors (satellite)  
  
 Radio astronomy

Measurement of clouds, oil spills, ice, snow, rain, reference window for the temperature sounding near 118 GHz. Continuum and spectral line measurements  
  
 Continuum and spectral line measurements

**92 - 94 GHz**

FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 RADIOLOCATION  
 5.149

FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 RADIOLOCATION  
 5.149 EU2

Radio astronomy

Diazenylium line and numerous other spectral lines including wide band continuum observations

**94 - 94.1 GHz**

EARTH EXPLORATION-SATELLITE (active)  
 RADIOLOCATION  
 SPACE RESEARCH (active)  
 Radio astronomy  
 5.562  
 5.562A

EARTH EXPLORATION-SATELLITE (active)  
 RADIOLOCATION  
 SPACE RESEARCH (active)  
 Radio astronomy  
 5.562 EU2  
 5.562A

Active sensors (satellite)  
 Space Research (active)

Cloud radars



### 94.1 - 95 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Radio astronomy				Spectral line and wide band continuum observations
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY					
RADIOLOCATION	RADIOLOCATION					
5.149	5.149 EU2					

### 95 - 100 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
FIXED	FIXED	Radio astronomy				Multiple line observations including wide band continuum observations
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY					
RADIOLOCATION	RADIOLOCATION					
RADIONAVIGATION	RADIONAVIGATION					
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE					
5.149	5.149 EU2					
5.554	5.554					

### 100 - 102 GHz

RR Region 1 Allocation and RR footnotes applicable to CEPT	European Common Allocation	Major utilisation	European footnotes	ECC/ERC document	Standard	Notes
EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)				Limb sounding of atmospheric constituents
RADIO ASTRONOMY	RADIO ASTRONOMY	Radio astronomy				Spectral line and wide band continuum observations
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.341	5.341					

**102 - 105 GHz**

FIXED	FIXED	Radio astronomy				Spectral line and wide band continuum observations
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY					
5.149	5.149					
5.341	5.341					

**105 - 109.5 GHz**

FIXED	FIXED
MOBILE	MOBILE
RADIO ASTRONOMY	RADIO ASTRONOMY
SPACE RESEARCH (passive) 5.562B	SPACE RESEARCH (passive) 5.562B
5.149	5.149
5.341	5.341

**109.5 - 111.8 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Radio astronomy				Observations of CO lines at 109.8 and 110.2 GHz and for continuum observations
RADIO ASTRONOMY	RADIO ASTRONOMY					
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.341	5.341					

**111.8 - 114.25 GHz**

FIXED	FIXED				
MOBILE	MOBILE				
RADIO ASTRONOMY	RADIO ASTRONOMY				
SPACE RESEARCH (passive) 5.562B	SPACE RESEARCH (passive) 5.562B				
5.149	5.149				
5.341	5.341				

**114.25 - 116 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Radio astronomy			Observations of the 115.3 GHz CO line
RADIO ASTRONOMY	RADIO ASTRONOMY				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)				
5.340	5.340				
5.341	5.341				

**116 - 119.98 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)			Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz
INTER-SATELLITE 5.562C	INTER-SATELLITE 5.562C				
SPACE RESEARCH (passive)					
5.341	5.341				

**119.98 - 120.02 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562C  
 SPACE RESEARCH (passive)  
 5.341

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562C  
 5.341

Passive sensors (satellite)

Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz

**120.02 - 122.25 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562C  
 SPACE RESEARCH (passive)  
 5.138

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562C  
 SPACE RESEARCH (passive)  
 5.138

Non-Specific SRDs

Passive sensors (satellite)

Within the band 122-123 GHz

Passive sensing as part of the oxygen absorption band with peak at 118.75 GHz

**122.25 - 123 GHz**

FIXED  
 INTER-SATELLITE  
 MOBILE 5.558  
 Amateur  
 5.138

FIXED  
 INTER-SATELLITE  
 MOBILE 5.558  
 Amateur  
 Amateur-satellite  
 5.138

Amateur

Amateur Satellite

Non-Specific SRDs

EN 301 783

EN 301 783

ERC/REC 70-03

Within the band 122-123 GHz

**123 - 126 GHz**

FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)
RADIONAVIGATION	RADIONAVIGATION
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE
Radio astronomy	Radio astronomy
5.554	5.554

**126 - 130 GHz**

FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)
RADIONAVIGATION	RADIONAVIGATION
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE
Radio astronomy 5.562D	Radio astronomy
5.149	5.149
5.554	5.554

**130 - 134 GHz**

EARTH EXPLORATION-SATELLITE (active) 5.562E	EARTH EXPLORATION-SATELLITE (active) 5.562E	Radio astronomy	Spectral line and wide band continuum observations
FIXED	FIXED		
INTER-SATELLITE	INTER-SATELLITE		
MOBILE 5.558	MOBILE 5.558		
RADIO ASTRONOMY	RADIO ASTRONOMY		
5.149	5.149		
5.562A	5.562A		

**134 - 136 GHz**

AMATEUR	AMATEUR	Amateur			EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite			EN 301 783	
Radio astronomy	Radio astronomy					

**136 - 141 GHz**

RADIO ASTRONOMY	RADIO ASTRONOMY	Amateur			EN 301 783	
RADIOLOCATION	RADIOLOCATION	Amateur Satellite			EN 301 783	
Amateur	Amateur					
Amateur-satellite	Amateur-satellite	Radio astronomy				Spectral line and wide band continuum observations
5.149	5.149					

**141 - 148.5 GHz**

FIXED	FIXED	Radio astronomy				Spectral line and wide band continuum observations
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY					
RADIOLOCATION	RADIOLOCATION					
5.149	5.149					

**148.5 - 151.5 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

Passive sensors (satellite)

Harmonised reference window for passive sensor observations

**151.5 - 155.5 GHz**

FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 RADIOLOCATION  
 5.149

FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 RADIOLOCATION  
 5.149

Radio astronomy

Spectral line and wide band continuum observations

**155.5 - 158.5 GHz**

EARTH EXPLORATION-SATELLITE (passive) 5.562F  
 FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive) 5.562B  
 5.149  
 5.562G

EARTH EXPLORATION-SATELLITE (passive) 5.562F  
 FIXED  
 MOBILE  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive) 5.562B  
 5.149  
 5.562G

Passive sensors (satellite)

Radio astronomy

Protection until 1.1.2018

Spectral line and wide band continuum observations

**158.5 - 164 GHz**

FIXED	FIXED	
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)	
MOBILE	MOBILE	
MOBILE-SATELLITE (S/E)	MOBILE-SATELLITE (S/E)	

**164 - 167 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	Passive sensors (satellite)	Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz. Atmospheric limb sounding of the 164.38 GHz CO line
RADIO ASTRONOMY	RADIO ASTRONOMY		
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)		
5.340	5.340		

**167 - 168 GHz**

FIXED	FIXED
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)
INTER-SATELLITE	INTER-SATELLITE
MOBILE 5.558	MOBILE 5.558



**168 - 170 GHz**

FIXED	FIXED
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)
INTER-SATELLITE	INTER-SATELLITE
MOBILE 5.558	MOBILE 5.558
5.149	5.149

**170 - 174.5 GHz**

FIXED	FIXED
FIXED-SATELLITE (S/E)	FIXED-SATELLITE (S/E)
INTER-SATELLITE	INTER-SATELLITE
MOBILE 5.558	MOBILE 5.558
5.149	5.149
5.562D	

**174.5 - 174.8 GHz**

FIXED	FIXED
INTER-SATELLITE	INTER-SATELLITE
MOBILE 5.558	MOBILE 5.558

**174.8 - 182 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562H  
 SPACE RESEARCH (passive)

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562H  
 SPACE RESEARCH (passive)

Passive sensors (satellite)

Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz

**182 - 185 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

Passive sensors (satellite)

Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz

**185 - 190 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562H  
 SPACE RESEARCH (passive)

EARTH EXPLORATION-SATELLITE (passive)  
 INTER-SATELLITE 5.562H  
 SPACE RESEARCH (passive)

Passive sensors (satellite)

Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz

**190 - 191.8 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
SPACE RESEARCH (passive)  
5.340

EARTH EXPLORATION-SATELLITE (passive)  
SPACE RESEARCH (passive)  
5.340

Passive sensors (satellite)

Passive sensing of the water vapour absorption line whose peak is at 183.31 GHz

**191.8 - 200 GHz**

FIXED  
INTER-SATELLITE  
MOBILE 5.558  
MOBILE-SATELLITE  
RADIONAVIGATION  
RADIONAVIGATION-SATELLITE  
5.149  
5.341  
5.554

FIXED  
INTER-SATELLITE  
MOBILE 5.558  
MOBILE-SATELLITE  
RADIONAVIGATION  
RADIONAVIGATION-SATELLITE  
5.149  
5.341  
5.554

**200 - 202 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
RADIO ASTRONOMY  
SPACE RESEARCH (passive)  
5.340  
5.341  
5.563A

EARTH EXPLORATION-SATELLITE (passive)  
RADIO ASTRONOMY  
SPACE RESEARCH (passive)  
5.340  
5.341  
5.563A

EESS

Radio astronomy

Atmospheric limb sounding and atmospheric remote sensing of nitrous oxide at 201 GHz

Spectral line and wide band continuum observations

**202 - 209 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	EESS				Atmospheric limb sounding and atmospheric remote sensing of water vapour at 203.4 GHz and ozone at 208.5 GHz
RADIO ASTRONOMY	RADIO ASTRONOMY					
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)					
5.340	5.340					
5.341	5.341					
5.563A	5.563A					

**209 - 217 GHz**

FIXED	FIXED	Radio astronomy				Spectral line and wide band continuum observations
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)					
MOBILE	MOBILE					
RADIO ASTRONOMY	RADIO ASTRONOMY					
5.149	5.149					
5.341	5.341					

**217 - 226 GHz**

FIXED	FIXED				
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)				
MOBILE	MOBILE				
RADIO ASTRONOMY	RADIO ASTRONOMY				
SPACE RESEARCH (passive) 5.562B	SPACE RESEARCH (passive) 5.562B				
5.149	5.149				
5.341	5.341				

**226 - 231.5 GHz**

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

EARTH EXPLORATION-SATELLITE (passive)  
 RADIO ASTRONOMY  
 SPACE RESEARCH (passive)  
 5.340

Passive sensors (satellite)  
 -----  
 Radio astronomy

Atmospheric limb sounding.  
 Reference window for higher frequency water vapour measurements  
 -----  
 Observations of the 230.5 GHz CO line

**231.5 - 232 GHz**

FIXED  
 MOBILE  
 Radiolocation

FIXED  
 MOBILE  
 Radiolocation

**232 - 235 GHz**

FIXED  
 FIXED-SATELLITE (S/E)  
 MOBILE  
 Radiolocation

FIXED  
 FIXED-SATELLITE (S/E)  
 MOBILE  
 Radiolocation

**235 - 238 GHz**

EARTH EXPLORATION-SATELLITE (passive)

FIXED-SATELLITE (S/E)

SPACE RESEARCH (passive)

5.563A

5.563B

EARTH EXPLORATION-SATELLITE (passive)

FIXED-SATELLITE (S/E)

SPACE RESEARCH (passive)

5.563A

5.563B

Passive sensors (satellite)

Radio astronomy

Passive sensing limited to microwave sounding

Spectral line and wide band continuum observations

**238 - 240 GHz**

FIXED

FIXED-SATELLITE (S/E)

MOBILE

RADIOLOCATION

RADIONAVIGATION

RADIONAVIGATION-SATELLITE

FIXED

FIXED-SATELLITE (S/E)

MOBILE

RADIOLOCATION

RADIONAVIGATION

RADIONAVIGATION-SATELLITE

**240 - 241 GHz**

FIXED

MOBILE

RADIOLOCATION

FIXED

MOBILE

RADIOLOCATION

**241 - 248 GHz**

RADIO ASTRONOMY	RADIO ASTRONOMY	Amateur		EN 301 783	
RADIOLOCATION	RADIOLOCATION	Amateur Satellite		EN 301 783	
Amateur	Amateur				
Amateur-satellite	Amateur-satellite	Non-Specific SRDs	ERC/REC 70-03		Within the band 244-246 GHz
5.138	5.138	Radio astronomy			Spectral line and wide band continuum observations
5.149	5.149				

**248 - 250 GHz**

AMATEUR	AMATEUR	Amateur		EN 301 783	
AMATEUR-SATELLITE	AMATEUR-SATELLITE	Amateur Satellite		EN 301 783	
Radio astronomy	Radio astronomy				
5.149	5.149				

**250 - 252 GHz**

EARTH EXPLORATION-SATELLITE (passive)	EARTH EXPLORATION-SATELLITE (passive)	EESS			Limb sounding of nitrous oxide near 251 GHz
RADIO ASTRONOMY	RADIO ASTRONOMY				
SPACE RESEARCH (passive)	SPACE RESEARCH (passive)				
5.340	5.340				
5.563A	5.563A				

**252 - 265 GHz**

<i>RR Region 1 Allocation and RR footnotes applicable to CEPT</i>	<i>European Common Allocation</i>	<i>Major utilisation</i>	<i>European footnotes</i>	<i>ECC/ERC document</i>	<i>Standard</i>	<i>Notes</i>
FIXED	FIXED	Radio astronomy				Spectral line and wide band continuum observations
MOBILE	MOBILE					
MOBILE-SATELLITE (E/S)	MOBILE-SATELLITE (E/S)					
RADIO ASTRONOMY	RADIO ASTRONOMY					
RADIONAVIGATION	RADIONAVIGATION					
RADIONAVIGATION-SATELLITE	RADIONAVIGATION-SATELLITE					
5.149	5.149					
5.554	5.554					

**265 - 275 GHz**

FIXED	FIXED
FIXED-SATELLITE (E/S)	FIXED-SATELLITE (E/S)
MOBILE	MOBILE
RADIO ASTRONOMY	RADIO ASTRONOMY
5.149	5.149
5.563A	5.563A

**275 - 3000 GHz**

Not allocated	Not allocated
5.565	5.565



**Annex 1 – European-footnotes included in the European Common Allocation Table**

- EU1 Within the frequency band 20-108 MHz the common military tuning range is 30-87.5 MHz, however, some equipment types use the lower (20 MHz) and upper (108 MHz) limits, regulated on a national basis. The harmonised military bands are: -30.30-30.50 MHz; 32.15-32.45 MHz; 41.00-47.00 MHz; 73.30-74.10 MHz; 79.0-79.70 MHz. When providing for additional requirements, further blocks of frequencies should be spread out over the whole common military tuning range in order to supply frequencies for frequency hopping equipment and to support a larger force (corps size, three divisions). This should be done by the national frequency management organisation(s) concerned.
- EU2 Civil-military sharing.
- EU3 CEPT administrations are urged to take all practical steps to clear the band 47-68 MHz of assignments to the broadcasting service. The broadcasting assignments according to Stockholm Agreement 1961 shall be protected.
- EU4 CEPT administrations are urged to take all practical steps to clear the band 68 - 73 MHz of assignments to the broadcasting service. The broadcasting assignments according to the Final Acts of the Special Regional Conference, Geneva, 1961 shall be protected.
- EU5 In parts of this band aeronautical stations and aircraft stations may utilise 8.33 kHz channel spacing for non secure communications requirements.
- EU6 The mobile-satellite service is limited to low earth orbiting satellites.
- EU7 This band can also be used by low capacity fixed links in rural areas on a national basis. These links need to be coordinated with mobile service and require full protection.
- EU8 Any use of low capacity fixed links shall be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.
- EU9 In a growing number of CEPT countries, parts of the band 70.0-70.5 MHz is also allocated to the Amateur service on a secondary basis.
- EU10 The mobile service in the harmonised military band 225-400 MHz generally comprises land, air maritime and satellite mobile applications.
- EU11 Not used.
- EU12 The applicable RR 5 footnotes remain in force. Administrations are however urged to aim for the fullest possible harmonisation with the ITU Table of Allocations and ECA.
- EU13 CEPT Administrations are urged to take all practical steps to clear the band 645-960 MHz of the assignments to the aeronautical radionavigation service.
- EU14 Radiolocation limited to military requirements for naval ship borne radars.
- EU15 In the frequency band 1350-2690 MHz tactical radio relay systems should be capable of tuning over the full range of this band. Requirements for tactical radio relay should be met from the following sub-bands: 1350-1400 MHz; 1427-1452 MHz; 1492-1525 MHz; 1660-1670 MHz; 1675-1710 MHz; 1785-1800 MHz; 2025-2110 MHz; 2200-2290 MHz; 2520-2575 MHz; 2615-2670 MHz. Tactical radio relay systems may operate in the bands 2520-2575 MHz and 2615-2670 MHz provided that they shall not cause harmful interference to terrestrial IMT and do not claim protection from them. The common requirement of 2 x 45 MHz for tactical radio relay for cross/near border operations and exercises should be met from 2025-2110 MHz and 2200-2290 MHz and in particular the bands 2025-2070 / 2200-2245 MHz.
- EU15A Use of the band by the mobile service is limited to tactical radio relay applications.
- EU16 On the introduction of IMT, the fixed service will become secondary in appropriate parts of the band.
- EU16A Use of the band by the mobile service is limited to tactical radio relay and SAP/SAB applications.
- EU17 In the sub-bands 3400 - 3410 MHz, 5660 - 5670 MHz, 10.36 - 10.37 GHz, 10.45 - 10.46 GHz the amateur service operates on a secondary basis. In making assignments to other services, CEPT administrations are requested wherever possible to maintain these sub-bands in such a way as to facilitate the reception of amateur emissions with minimal power flux densities.
- EU17A Use of the band by the mobile service is limited to SAP/SAB applications.
- EU18 This aeronautical radionavigation band shall be subject to further study to ascertain future requirements and developments.
- EU19 This band is allocated to the radio astronomy service. CEPT administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from space or airborne stations in this and adjacent bands can cause serious harmful interference.

- EU20 This fixed service band is designated for common use by civil and non civil users. Any user priorities in respect of preferred channels or sub-bands are to be determined after discussions between interested parties.
- EU21 Not used.
- EU22 The band 5250-5850 MHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration.
- EU23 In the sub-bands 5660-5670 MHz (earth to space), 5830-5850 MHz (space to earth) and 10.45-10.50 GHz the amateur-satellite additionally operates on a secondary and non interference basis to other services. In making assignments to other services, CEPT administrations are requested wherever possible to maintain these allocations in such a way as to facilitate the reception of amateur emissions with minimal power flux densities.
- EU24 The band 8500-10000 MHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration in conjunction with the band 5250-5850 MHz (see EU20).
- EU25 Not used.
- EU26 The band 13.25-14.0 GHz is utilised for a variety of radiodetermination applications falling within the radionavigation and radiolocation services. This band will be subject to further detailed consideration.
- EU27 A frequency band that is in general military use in Europe and identified for major military utilisation in the ECA. Such a frequency band forms a basis for military use and planning. The band can be shared between civil and military users according to national requirements and legislation.
- EU28 CEPT administrations shall not deploy new fixed service systems in the band 11.7-12.5 GHz (ERC/DEC(00)08).
- EU29 The frequency bands 890-915 / 935-960 MHz, 880-890 / 925-935 MHz, 1710-1785 / 1805-1880 MHz, 1900-1980 MHz, 2010-2025 MHz and 2010-2170 MHz are reserved for public cellular mobile use only. Other services such as the fixed service should only be allowed in the above bands where coexistence with public mobile systems is possible i.e. in sparsely populated or rural areas where the frequency band is not needed for mobile cellular systems.
- EU30 National administrations should consider co-ordination zones around the EISCAT sites when using the band 925-935 MHz for mobile services including international planning for military services. Short Range Devices should not use this band.
- EU31 The band 440-470 MHz is the tuning range for Private Wide Area Paging (PWAP).
- EU32 The bands 880 - 915 MHz and 925 - 960 MHz are currently used for GSM (2nd generation terrestrial mobile system) in most CEPT member countries and are expected to be used by IMT (3rd generation terrestrial mobile system), depending on the market demands and national licensing schemes.
- EU33 The band 1880-1900 MHz is generally expected to be used by IMT/DECT
- EU34 Parts of the bands 450-457.5 / 460-467.5 MHz may also be used for existing and evolving public cellular networks on a national basis.
- EU35 In Europe the band 75.5-76 GHz is also allocated to the Amateur and Amateur Satellite services.

**Annex 2 – ITU Radio Regulations footnotes for Region 1**

- 5.53 Administrations authorizing the use of frequencies below 9 kHz shall ensure that no harmful interference is caused thereby to the services to which the bands above 9 kHz are allocated
- 5.54 Administrations conducting scientific research using frequencies below 9 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.
- 5.55 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.56 The stations of services to which the bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-07)
- 5.57 The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.
- 5.58 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakstan, Kyrgyzstan, Tajikistan and Turkmenistan, the band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC-2000)
- 5.60 In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.
- 5.62 Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.
- 5.64 Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.
- 5.66 Different category of service: in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33) and to the radionavigation service on a secondary basis (see No.5.32).
- 5.67 Additional allocation: in Mongolia, Kyrgyzstan and Turkmenistan, the band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-07)
- 5.67A Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. 5.67. (WRC-07)
- 5.67B The use of the band 135.7-137.8 kHz in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Libyan Arab Jamahiriya, Lebanon, Syrian Arab Republic, Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-07)
- 5.68 Alternative allocation: in Angola, Burundi, Congo (Rep. of the), Malawi, the Dem. Rep. of the Congo, Rwanda and South Africa, the band 160-200 kHz is allocated to the fixed service on a primary basis. (WRC-03)
- 5.69 Additional allocation: in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.
- 5.70 Alternative allocation: in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Tanzania, Chad, Zambia and Zimbabwe, the band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-07)
- 5.71 Alternative allocation: in Tunisia, the band 255-283.5 kHz is allocated to the broadcasting service on a primary basis
- 5.72 Norwegian stations of the fixed service situated in northern areas (north of 60° N) subject to auroral disturbances are allowed to continue operation on four frequencies in the bands 283.5-490 kHz and 510-526.5 kHz.
- 5.73 The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)
- 5.74 Additional Allocation: in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.
- 5.75 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)
- 5.76 The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other

radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.

- 5.79 The use of the bands 415-495 kHz and 505-526.5 kHz (505-510 kHz in Region 2) by the maritime mobile service is limited to radiotelegraphy.
- 5.79A When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-07)). (WRC-07)
- 5.82 In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-07)
- 5.82A The use of the band 495-505 kHz is limited to radiotelegraphy. (WRC-07)
- 5.82B Administrations authorizing the use of frequencies in the band 495-505 kHz by services other than the maritime mobile service shall ensure that no harmful interference is caused to the maritime mobile service in this band or to the services having allocations in the adjacent bands, noting in particular the conditions of use of the frequencies 490 kHz and 518 kHz, as prescribed in Articles 31 and 52. (WRC-07)
- 5.84 The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. (WRC-07)
- 5.87 Additional allocation: in Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland and Zimbabwe, the band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-03)
- 5.87A Additional allocation: in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)
- 5.90 In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.
- 5.92 Some countries in Region 1 use radiodetermination systems in the bands 1606.5-1625 kHz, 1635-1800 kHz, 1850-2160 kHz, 2194-2300 kHz, 2502-2850 kHz and 3500-3800 kHz, subject to agreement obtained under No 9.21. The radiated mean power of these stations shall not exceed 50 W.
- 5.93 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Tajikistan, Chad, Turkmenistan and Ukraine, the bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)
- 5.96 In Germany, Armenia, Austria, Azerbaijan, Belarus, Denmark, Estonia, Finland, Georgia, Hungary, Iceland, Ireland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, the Russian Federation, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-03)
- 5.98 Alternative allocation: in Angola, Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Egypt, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, Moldova, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Tunisia, Turkmenistan, Turkey and Ukraine, the band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.99 Additional allocation: in Saudi Arabia, Austria, Iraq, the Libyan Arab Jamahiriya, Uzbekistan, Slovakia, Romania, Serbia, Slovenia, Chad, and Togo, the band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.100 In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. 5.98 and 5.99 to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. 5.98 and 5.99.
- 5.101 Alternative allocation: in Burundi and Lesotho, the band 1 810-1 850 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- 5.103 In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1850-2045 kHz, 2194-2498 kHz, 2502-2 625 kHz and 2650-2850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.
- 5.104 In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.
- 5.107 Additional allocation: in Saudi Arabia, Eritrea, Ethiopia, Iraq, the Libyan Arab Jamahiriya, Lesotho, Somalia and Swaziland, the band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-03)

- 5.108 The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.109 The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31.
- 5.110 The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are international distress frequencies for narrow-band direct-printing telegraphy. The conditions for the use of these frequencies are prescribed in Article 31.
- 5.111 The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31.  
The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of  $\pm 3$  kHz about the frequency. (WRC-07)
- 5.112 Alternative allocation: in Denmark, Malta, Serbia and Sri Lanka, the band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.113 For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. 5.16 to 5.20, 5.21 and 23.3 to 23.10.
- 5.114 Alternative allocation: in Denmark, Iraq, Malta, and Serbia, the band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.115 The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31 by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)
- 5.116 Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.  
It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.
- 5.117 Alternative allocation: in Côte d'Ivoire, Denmark, Egypt, Liberia, Malta, Serbia, Sri Lanka and Togo, the band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.123 Additional allocation: in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.125 Additional allocation: in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.
- 5.127 The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).
- 5.128 Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Azerbaijan, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-07)
- 5.130 The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.131 The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
- 5.132 The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendix 17).
- 5.133 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-07)
- 5.134 The use of the bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-07). (WRC-07)
- 5.136 Additional allocation: Frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to

use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

- 5.137 On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.
- 5.138 The following bands:  
 6 765 - 6 795 kHz (centre frequency 6 780 kHz),  
 433.05 - 434.79 MHz (centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280,  
 61 - 61.5 GHz (centre frequency 61.25 GHz),  
 122 - 123 GHz (centre frequency 122.5 GHz), and  
 244 - 246 GHz (centre frequency 245 GHz)  
 are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorisation by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.
- 5.138A Until 29 March 2009, the band 6 765-7 000 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. After this date, this band is allocated to the fixed and the mobile except aeronautical mobile (R) services on a primary basis. (WRC-03).
- 5.139 Different category of service: until 29 March 2009, in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 6 765-7 000 kHz to the land mobile service is on a primary basis (see No. 5.33). (WRC-07)
- 5.140 Additional allocation: in Angola, Iraq, Kenya, Rwanda, Somalia and Togo, the band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-03)
- 5.141 Alternative allocation: in Egypt, Eritrea, Ethiopia, Guinea, the Libyan Arab Jamahiriya and Madagascar, the band 7 000 – 7 050 kHz is allocated to the fixed service on a primary basis. (WRC-97)
- 5.141A Additional allocation: in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)
- 5.141B Additional allocation: after 29 March 2009, in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, the Libyan Arab Jamahiriya, Morocco, Mauritania, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, Singapore, Sudan, Tunisia, Viet Nam and Yemen, the band 7 100-7 200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-03)
- 5.141C In Regions 1 and 3, the band 7 100-7 200 kHz is allocated to the broadcasting service until 29 March 2009 on a primary basis. (WRC-03)
- 5.142 Until 29 March 2009, the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. After 29 March 2009 the use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-03)
- 5.143 Additional allocation: Frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- 5.143B In Region 1, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, on condition that harmful interference is not caused to the broadcasting service, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located, each station using a total radiated power that shall not exceed 24 dBW. (WRC-03)
- 5.143C Additional allocation: after 29 March 2009 in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-03)
- 5.143E Until 29 March 2009, the band 7 450-8 100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. (WRC 03)
- 5.145 The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.146 Additional allocation: Frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600-15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take

account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.147 On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

5.149 In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	10.6-10.68 GHz,	102-109.5 GHz,
25 550-25 670 kHz,	14.47-14.5 GHz,	111.8-114.25 GHz,
37.5-38.25 MHz,	22.01-22.21 GHz,	128.33-128.59 GHz,
73-74.6 MHz in regions 1 and 3,	22.21-22.5 GHz,	129.23-129.49 GHz,
150.05-153 MHz in region 1,	22.81-22.86 GHz,	130-134 GHz,
322-328.6 MHz,	23.07-23.12 GHz,	136-148.5 GHz,
406.1-410 MHz,	31.2-31.3 GHz,	151.5-158.5 GHz,
608-614 MHz in regions 1 and 3,	31.5-31.8 GHz in regions 1 and 3,	168.59-168.93 GHz,
1 330-1 400 MHz,	36.43-36.5 GHz,	171.11-171.45 GHz,
1 610.6-1 613.8 MHz,	42.5-43.5 GHz,	172.31-172.65 GHz,
1 660-1 670 MHz,	42.77-42.87 GHz,	173.52-173.85 GHz,
1 718.8-1 722.2 MHz,	43.07-43.17 GHz,	195.75-196.15 GHz,
2 655-2 690 MHz,	43.37-43.47 GHz,	209-226 GHz,
3 260-3 267 MHz,	48.94-49.04 GHz,	241-250 GHz,
3 332-3 339 MHz,	76-86 GHz,	252-275 GHz
3 345.8-3 352.5 MHz,	92-94 GHz,	
4 825-4 835 MHz,	94.1-100 GHz,	
4 950-4 990 MHz,		
4 990-5 000 MHz,		
6 650-6 675.2 MHz,		

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. 4.5 and 4.6 and Article 29). (WRC-2000)

5.150 The following bands:

13 553 - 13 567 kHz	(centre frequency 13 560 kHz),
26 957 - 27 283 kHz	(centre frequency 27 120 kHz),
40.66 - 40.70 MHz	(centre frequency 40.68 MHz),
902 - 928 MHz	in Region 2 (centre frequency 915 MHz),
2 400 - 2 500 MHz	(centre frequency 2 450 MHz),
5 725 - 5 875 MHz	(centre frequency 5 800 MHz), and
24 - 24.25 GHz	(centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. 15.13.

5.151 Additional allocation: Frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.152 Additional allocation: in Armenia, Azerbaijan, China, Côte d'Ivoire, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)

5.154 Additional allocation: in Armenia, Azerbaijan, Georgia, Kazakhstan, Kyrgyzstan, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)

5.155 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-07)

5.155A In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-07)

5.155B The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.

5.156 Additional allocation: in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.

5.156A The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety

5.157 The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.

- 5.160 *Additional allocation:* in Botswana, Burundi, Lesotho, Malawi, Dem. Rep. of the Congo, Rwanda and Swaziland, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-2000)
- 5.162A *Additional allocation:* in Germany, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Denmark, Spain, Estonia, the Russian Federation, Finland, France, Ireland, Iceland, Italy, Latvia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Lithuania, Luxembourg, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, Slovakia, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland the band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-07)
- 5.163 *Additional allocation:* in Armenia, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, the Czech Rep., Tajikistan, Turkmenistan and Ukraine, the bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-07)
- 5.164 *Additional allocation:* in Albania, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Denmark, Spain, Estonia, Finland, France, Gabon, Greece, Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Lebanon, Liechtenstein, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Swaziland, Chad, Togo, Tunisia and Turkey, the band 47-68 MHz, in South Africa the band 47-50 MHz, in the Czech Rep. the band 66-68 MHz, and in Latvia and Lithuania the band 48.5-56.5 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the band. (WRC-07)
- 5.165 *Additional allocation:* in Angola, Cameroon, Congo (Rep. of the), Madagascar, Mozambique, Somalia, Sudan, Tanzania and Chad, the band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- 5.169 *Alternative allocation:* in Botswana, Burundi, Lesotho, Malawi, Namibia, the Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland, Zambia and Zimbabwe, the band 50-54 MHz is allocated to the amateur service on a primary basis.
- 5.171 *Additional allocation:* in Botswana, Burundi, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Swaziland and Zimbabwe, the band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis
- 5.175 *Alternative allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical mobile, services on a primary basis. The services to which these bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-07)
- 5.177 *Additional allocation:* in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 73-74 MHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)
- 5.179 *Additional allocation:* in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC-07)
- 5.180 The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons.  
Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.
- 5.181 *Additional allocation:* in Egypt, Israel and the Syrian Arab Republic, the band 74.8-75.2 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-03)
- 5.187 *Alternative allocation:* in Albania, the band 81 - 87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).
- 5.190 *Additional allocation:* in Monaco, the band 87.5 - 88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-97)
- 5.194 *Additional allocation:* in Azerbaijan, Kyrgyzstan, Somalia and Turkmenistan, the band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-07)
- 5.197 *Additional allocation:* in Pakistan and the Syrian Arab Republic, the band 108-111.975 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedures invoked under No. 9.21. (WRC-07)
- 5.197A *Additional allocation:* the band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 413 (Rev.WRC-07). The use of the band 108-112 MHz by the aeronautical mobile (R) service shall



- be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-07)
- 5.200 In the band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service. (WRC-07)
- 5.201 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Bulgaria, Estonia, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Japan, Kazakstan, Latvia, Moldova, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Kyrgyzstan, Slovakia, the Czech Republic, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-97)
- 5.202 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Belarus, Bulgaria, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Jordan, Latvia, Moldova, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Slovakia, the Czech Republic, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-2000)
- 5.204 Different category of service: in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Serbia, Singapore, Thailand and Yemen, the band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC-07)
- 5.205 Different category of service: in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33).
- 5.206 Different category of service: in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, Finland, France, Georgia, Greece, Kazakstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Republic, Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. 5.33). (WRC-2000)
- 5.208 The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-97)
- 5.208A In making assignments to space stations in the mobile-satellite service in the bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions. The threshold levels of interference detrimental to the radio astronomy service are shown in the relevant ITU-R Recommendation. (WRC-07)
- 5208B In the bands:  
 137-138MHz,  
 387-390MHz,  
 400.15-401MHz,  
 1 452-1 492MHz,  
 1 525-1 559MHz,  
 1 559-1610MHz,  
 1 613.8-1 626.5MHz,  
 2 655-2 670MHz,  
 2 670-2 690MHz,  
 21.4-22 GHz,  
 Resolution 739 (Rev.WRC-07) applies. (WRC-07)
- 5.209 The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)
- 5.210 Additional allocation: in Italy, the Czech Rep. and the United Kingdom, the bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-07)
- 5.211 Additional allocation: in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Ireland, Israel, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Liechtenstein, Luxembourg, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-07)
- 5.212 Alternative allocation: in Angola, Botswana, Burundi, Cameroon, the Central African Rep., Congo (Rep. of the), Gabon, Gambia, Ghana, Guinea, Iraq, Libyan Arab Jamahiriya, Jordan, Lesotho, Liberia, Malawi, Mozambique, Namibia, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Swaziland, Chad, Togo, Zambia and Zimbabwe, the band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-07)
- 5.214 Additional allocation: in Eritrea, Ethiopia, Kenya, The Former Yugoslav Republic of Macedonia, Malta, Montenegro, Serbia, Somalia, Sudan and Tanzania, the band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-07)
- 5.218 Additional allocation: the band 148 - 149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed  $\pm$  25 kHz.
- 5.219 The use of the band 148 - 149.9 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the band 148 - 149.9 MHz.

- 5.220 The use of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The mobile-satellite service shall not constrain the development and use of the radionavigation-satellite service in the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz. (WRC-97)
- 5.221 Stations of the mobile-satellite service in the band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Ethiopia, the Russian Federation, Finland, France, Gabon, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, the Libyan Arab Jamahiriya, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Sri Lanka, South Africa, Sweden, Switzerland, Swaziland, Tanzania, Chad, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Ukraine, Viet Nam, Yemen, Zambia, and Zimbabwe. (WRC-07)
- 5.222 Emissions of the radionavigation-satellite service in the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz may also be used by receiving earth stations of the space research service.
- 5.223 Recognising that the use of the band 149.9 - 150.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation-satellite service, administrations are urged not to authorise such use in application of No. 4.4.
- 5.224A The use of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz by the mobile-satellite service (Earth-to-space) is limited to the land mobile-satellite service (Earth-to-space) until 1 January 2015. (WRC-97)
- 5.224B The allocation of the bands 149.9 - 150.05 MHz and 399.9 - 400.05 MHz to the radionavigation-satellite service shall be effective until 1 January 2015. (WRC-97)
- 5.226 The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18.
- The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18.
- In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 18).
- Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.
- However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)
- 5.227 Additional allocation: the bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz are also allocated to the fixed and land mobile services on a primary basis. The use of these bands by the fixed and land mobile services shall not cause harmful interference to nor claim protection from the maritime mobile VHF radiocommunication service. (WRC-07)
- 5.227A Additional allocation: the bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz are also allocated to the mobile-satellite service (Earth-to-space) on a secondary basis for the reception of automatic identification system (AIS) emissions from stations operating in the maritime-mobile service (see Appendix 18). (WRC-07)
- 5.229 Alternative allocation: in Morocco, the band 162-174 MHz is allocated to the broadcasting service on a primary basis. The use of this band shall be subject to agreement with administrations having services, operating or planned, in accordance with the Table which are likely to be affected. Stations in existence on 1 January 1981, with their technical characteristics as of that date, are not affected by such agreement.
- 5.235 Additional allocation: in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174 - 223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.
- 5.237 *Additional allocation:* in Congo (Rep. of the), Eritrea, Ethiopia, Gambia, Guinea, the Libyan Arab Jamahiriya, Malawi, Mali, Sierra Leone, Somali, Chad and Zimbabwe, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-03)
- 5.246 Alternative allocation: in Spain, France, Israel and Monaco, the band 223 - 230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. 5.33) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.
- 5.247 Additional allocation: in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

- 5.251 Additional allocation: in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.252 Alternative allocation: in Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia and Zimbabwe, the bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.254 The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. 5.256A. (WRC-03)
- 5.255 The bands 312 - 315 MHz (Earth-to-space) and 387 - 390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. 9.11A.
- 5.256 The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)
- 5.256A Additional allocation: in China, the Russian Federation, Kazakhstan and Ukraine, the band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, nor claim protection from, nor constrain the use and development of the mobile service systems and mobile-satellite service systems operating in the band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-03)
- 5.257 The band 267 - 272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. 9.21.
- 5.258 The use of the band 328.6 - 335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).
- 5.259 Additional allocation: in Egypt, Israel, Japan, and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-2000)
- 5.260 Recognising that the use of the band 399.9 - 400.05 MHz by the fixed and mobile services may cause harmful interference to the radionavigation satellite service, administrations are urged not to authorise such use in application of No. 4.4.
- 5.261 Emissions shall be confined in a band of  $\pm 25$  kHz about the standard frequency 400.1 MHz.
- 5.262 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, Costa Rica, Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Romania, Singapore, Somalia, Tajikistan, Turkmenistan and Ukraine, the band 400.05-401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)
- 5.263 The band 400.15 - 401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.
- 5.264 The use of the band 400.15 - 401 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.
- 5.266 The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position-indicating radiobeacons (see also Article 31). (WRC-07)
- 5.267 Any emission capable of causing harmful interference to the authorised uses of the band 406 - 406.1 MHz is prohibited.
- 5.268 Use of the band 410-420 MHz by the space research service is limited to communications within 5 km of an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from extra-vehicular activities shall not exceed  $-153 \text{ dB(W/m}^2\text{)}$  for  $0^\circ \leq \delta \leq 5^\circ$ ,  $-153 + 0.077 (\delta - 5) \text{ dB(W/m}^2\text{)}$  for  $5^\circ \leq \delta \leq 70^\circ$  and  $-148 \text{ dB(W/m}^2\text{)}$  for  $70^\circ \leq \delta \leq 90^\circ$ , where  $\delta$  is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. No. 4.10 does not apply to extra-vehicular activities. In this frequency band the space research (space-to-space) service shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. (WRC-97)
- 5.269 Different category of service: in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420 - 430 MHz and 440 - 450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.271 Additional allocation: in Belarus, China, India, Kyrgyzstan and Turkmenistan, the band 420-460 MHz is also allocated to the aeronautical radionavigation service (radio altimeters) on a secondary basis. (WRC-07)
- 5.272 Different category of service: in France, the allocation of the band 430 - 434 MHz to the amateur service is on a secondary basis (see No. 5.32).
- 5.274 Alternative allocation: in Denmark, Norway and Sweden, the bands 430 - 432 MHz and 438 - 440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- 5.275 Additional allocation: in Croatia, Estonia, Finland, Libyan Arab Jamahiriya, The Former Yugoslav Republic of Macedonia, Montenegro, Serbia and Slovenia, the bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)

- 5.276 Additional allocation: in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Burundi, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Malta, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Switzerland, Tanzania, Thailand, Togo, Turkey and Yemen, the band 430-440 MHz is also allocated to the fixed service on a primary basis and the bands 430-435 MHz and 438-440 MHz are also allocated to the mobile, except aeronautical mobile, service on a primary basis. (WRC-07)
- 5.277 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-07)
- 5.279A The use of this band by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU R SA.1260-1. Additionally, the Earth exploration-satellite service (active) in the band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC-03)
- 5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, The Former Yugoslav Republic of Macedonia, Liechtenstein, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this band must accept harmful interference which may be caused by these applications. ISM equipment operating in this band is subject to the provisions of No. 15.13. (WRC-07)
- 5.281 Additional allocation: in the French Overseas Departments in Region 2 and India, the band 433.75 - 434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.
- 5.282 In the bands 435 - 438 MHz, 1 260 - 1 270 MHz, 2 400 - 2 450 MHz, 3 400 - 3 410 MHz (in Regions 2 and 3 only) and 5 650 - 5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. 5.43). Administrations authorising such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. 25.11. The use of the bands 1 260 - 1 270 MHz and 5 650 - 5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.
- 5.283 Additional allocation: in Austria, the band 438 - 440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- 5.286 The band 449.75 - 450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. 9.21.
- 5.286AA The band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). See Resolution 224 (Rev.WRC-07). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations.
- 5.286A The use of the bands 454 - 456 MHz and 459 - 460 MHz by the mobile-satellite service is subject to coordination under 9.11A. (WRC-97)
- 5.286B The use of the band 454 - 455 MHz in the countries listed in No. 5.286D, 455-456 MHz and 459 - 460 MHz in Region 2, and 454 - 456 MHz and 459 - 460 MHz in the countries listed in No. 5.286E, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
- 5.287 In the maritime mobile service, the frequencies 457.525 MHz, 457.550 MHz, 457.575 MHz, 467.525 MHz, 467.550 MHz and 467.575 MHz may be used by on-board communication stations. Where needed, equipment designed for 12.5 kHz channel spacing using also the additional frequencies 457.5375 MHz, 457.5625 MHz, 467.5375 MHz and 467.5625 MHz may be introduced for on-board communications. The use of these frequencies in territorial waters may be subject to the national regulations of the administration concerned. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-2. (WRC-07)
- 5.289 Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460 - 470 MHz and 1 690 - 1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.
- 5.290 *Different category of service:* in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 460-470 MHz to the meteorological-satellite service (space-to-Earth) is on a primary basis (see No.5.33), subject to agreement obtained under No. 9.21. (WRC-07)
- 5.291A Additional allocation: in Germany, Austria, Denmark, Estonia, Finland, Liechtenstein, Norway, Netherlands, the Czech Republic and Switzerland, the band 470 - 494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (WRC-97). (WRC-97)
- 5.294 Additional allocation: in Saudi Arabia, Burundi, Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, the Libyan Arab Jamahiriya, Kenya, Malawi, the Syrian Arab Republic, Sudan, Chad and Yemen, the band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-07)
- 5.296 Additional allocation: in Germany, Saudi Arabia, Austria, Belgium, Côte d'Ivoire, Denmark, Egypt, Spain, Finland, France, Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Lithuania, Malta, Morocco, Monaco, Norway, Oman, the Netherlands, Portugal, the Syrian Arab Republic, the United Kingdom, Sweden, Switzerland, Swaziland and Tunisia, the band

470-790 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-07)

- 5.300 Additional allocation: in Israel, the Libyan Arab Jamahiriya, the Syrian Arab Republic and Sudan, the band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis.
- 5.302 Additional allocation: in the United Kingdom, the band 590 - 598 MHz is also allocated to the aeronautical radionavigation service on a primary basis. All new assignments to stations in the aeronautical radionavigation service, including those transferred from the adjacent bands, shall be subject to coordination with the Administrations of the following countries: Germany, Belgium, Denmark, Spain, France, Ireland, Luxembourg, Morocco, Norway and the Netherlands.
- 5.304 Additional allocation: in the African Broadcasting Area (see Nos. 5.10 to 5.13), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
- 5.306 Additional allocation: in Region 1, except in the African Broadcasting Area (see Nos. 5.10 to 5.13), and in Region 3, the band 608 - 614 MHz is also allocated to the radio astronomy service on a secondary basis.
- 5.311A For the frequency band 620-790 MHz, see also Resolution 549 (WRC-07).
- 5.312 Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 645 - 862 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
- 5.314 Additional allocation: in Austria, Italy, Moldova, Uzbekistan, Kyrgyzstan, the United Kingdom and Swaziland, the band 790-862 MHz is also allocated to the land mobile service on a secondary basis. (WRC-07)
- 5.315 Alternative allocation: in Greece, Italy and Tunisia, the band 790 - 838 MHz is allocated to the broadcasting service on a primary basis. (WRC-2000)
- 5.316 Additional allocation: in Germany, Saudi Arabia, Bosnia and Herzegovina, Burkina Faso, Cameroon, Côte d'Ivoire, Croatia, Denmark, Egypt, Finland, Greece, Israel, the Libyan Arab Jamahiriya, Jordan, Kenya, The Former Yugoslav Republic of Macedonia, Liechtenstein, Mali, Monaco, Montenegro, Norway, the Netherlands, Portugal, the United Kingdom, the Syrian Arab Republic, Serbia., Sweden and Switzerland, the band 790-830 MHz, and in these same countries and in Spain, France, Gabon and Malta, the band 830-862 MHz, are also allocated to the mobile, except aeronautical mobile, service on a primary basis. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause harmful interference to, or claim protection from, stations of services operating in accordance with the Table in countries other than those mentioned in connection with the band. This allocation is effective until 16 June 2015. (WRC-07)
- 5.316A Additional allocation: in Angola, Bahrain, Benin, Botswana, Congo (Rep. of the), French Overseas Departments and Communities in Region 1, Gambia, Ghana, Guinea, Kuwait, Lesotho, Malawi, Morocco, Mauritania, Mozambique, Namibia, Niger, Oman, Uganda, Poland, Qatar, Rwanda, Senegal, Sudan, South Africa, Swaziland, Tanzania, Chad, Togo, Yemen, Zambia and Zimbabwe, the band 790-862 MHz in Spain, France, Gabon and Malta, the band 790-830 MHz, in Lithuania, the band 830-862 MHz and in Georgia, the band 806-862 MHz, are also allocated to the mobile, except aeronautical mobile, service on a primary basis subject to the agreement by the administrations concerned obtained under No. 9.21 and under the GE-06 Agreement, as appropriate, including those administrations mentioned in No. 5.312 where appropriate. However, stations of the mobile service in the countries mentioned in connection with each band referred to in this footnote shall not cause unacceptable interference to, nor claim protection from, stations of services operating in accordance with the Table in countries other than those mentioned in connection with the band. Frequency assignment to the mobile service under this allocation in Lithuania and Poland shall not be used without the agreement of the Russian Federation and Belarus. This allocation is effective until 16 June 2015. (WRC-07)
- 5.316B In Region 1, the allocation to the mobile, except aeronautical mobile, service on a primary basis in the frequency band 790-862 MHz shall come into effect from 17 June 2015 and shall be subject to agreement obtained under No. 9.21 with respect to the aeronautical radionavigation service in countries mentioned in No. 5.312. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolution 224 (Rev.WRC-07) and Resolution 749 (Rev.WRC-07) shall apply. (WRC-07)
- 5.317A Those parts of the band 698-960 MHz in Region 2 and the band 790-960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) See Resolution 224 (Rev.WRC-07) and Resolution 749 (WRC-07). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07)
- 5.319 Additional Allocation: In Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (E/S) and 856-890 MHz (S/E) are also allocated to the mobile-satellite, except aeronautical mobile satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.
- 5.322 In Region 1, in the band 862 - 960 MHz stations of the broadcasting service shall be operated only in the African Broadcasting Area (See Nos 5.10 to 5.13) excluding Algeria, Egypt, Spain, the Libyan Arab Jamahiriya, Morocco, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No 9.21. (WRC-2000)
- 5.323 Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Hungary, Kazakhstan, Moldova, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the band 862-960 MHz is also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-07)

- 5.327A The use of the band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 417 (WRC-07). (WRC-07)
- 5.328 The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)
- 5.328A Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution 609 (Rev.WRC-07) and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply. (WRC-07)
- 5.328B The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution 610 (WRC-03) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution 610 (WRC-03) shall only apply to transmitting space stations. In accordance with No. 5.329A, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. 9.7, 9.12, 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)
- 5.329 Use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No. 5.331. Furthermore, the use of the radionavigation-satellite service in the band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution 608 (WRC-03) shall apply. (WRC-03)
- 5.329A Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)
- 5.330 Additional allocation: in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Japan, Jordan, Kuwait, Lebanon, Mozambique, Nepal, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)
- 5.331 *Additional allocation:* in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, The Former Yugoslav Republic of Macedonia, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Turkey, Venezuela and Viet Nam, the band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-07)
- 5.332 In the band 1 215 - 1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)
- 5.335A In the band 1 260 - 1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis.(WRC-2000)
- 5337 The use of the bands 1 300 – 1 350 MHz, 2 700 – 2 900 MHz and 9 000 – 9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.
- 5.337A The use of the band 1 300 - 1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)
- 5.338 In Mongolia, Kyrgyzstan, Slovakia, the Czech Rep. and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-07)
- 5.338A In the bands 1 350-1 400 MHz, 1 427-1 429 MHz, 1 429-1 452 MHz, 22.55-23.55 GHz, 30-31 GHz, 31-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz and 51.4-52.6 GHz, Resolution **750 (WRC-07)** applies. (WRC-07)
- 5.339 The bands 1 370 - 1 400 MHz, 2 640 - 2 655 MHz, 4 950 - 4 990 MHz and 15.20 - 15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.
- 5.340 All emissions are prohibited in the following bands:  
 1 400 - 1 427 MHz,  
 2 690 - 2 700 MHz,                      except those provided for by No. 5.422,  
 10.68 - 10.7 GHz,                      except those provided for by No. 5.483,  
 15.35-15.4 GHz,                      except those provided for by No. 5.511,  
 23.6 - 24 GHz,  
 31.3 - 31.5 GHz,  
 31.5 - 31.8 GHz,                      in Region 2,  
 48.94 - 49.04 GHz,                    from airborne stations,

50.2 - 50.4 GHz<sup>1</sup>,  
 52.6 - 54.25 GHz,  
 86 - 92 GHz,  
 100 - 102 GHz,  
 109.5 - 111.8 GHz,  
 114.25 - 116 GHz,  
 148.5 - 151.5 GHz,  
 164 - 167 GHz,  
 182 - 185 GHz,  
 190 - 191.8 GHz,  
 200 - 209 GHz,  
 226 - 231.5 GHz,  
 250 - 252 GHz. (WRC 03)

- 5.341 In the bands 1 400 - 1 727 MHz, 101 - 120 GHz and 197 - 220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.
- 5.342 Additional allocation: in Armenia, Azerbaijan, Belarus, Bulgaria, the Russian Federation, Uzbekistan, Kyrgyzstan and Ukraine, the band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis exclusively for the purposes of aeronautical telemetry within the national territory. As of 1 April 2007, the use of the band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-2000)
- 5.345 Use of the band 1 452 - 1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (WARC-92).\*
- 5.348 The use of the band 1 518 - 1 525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the band 1 518 - 1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply. (WRC-03)
- 5.348A In the band 1 518 - 1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. 9.11A for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be  $-150$  dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. 5.43A does not apply. (WRC-03)
- 5.348B In the band 1 518 - 1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. 5.343 and 5.344) and in the countries listed in No. 5.342. No. 5.43A does not apply. (WRC-03)
- 5.349 Different category of service: in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Egypt, France, Iran (Islamic Republic of), Iraq, Israel, Kazakhstan, Kuwait, The Former Yugoslav Republic of Macedonia, Lebanon, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-07)
- 5.350 Additional allocation: in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-2000)
- 5.351 The bands 1 525 - 1 544 MHz, 1 545 - 1 559 MHz, 1 626.5 - 1 645.5 MHz and 1 646.5 - 1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorised by an administration to communicate via space stations using these bands.
- 5.351A For the use of the bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 626.5 MHz, 1 626.5-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 500 MHz, 2 500-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions 212 (Rev.WRC-07) and 225 (Rev.WRC-07). (WRC-07)
- 5.352A In the band 1 525 - 1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in France and French overseas territories in Region 3, Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Malta, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Tanzania, Viet Nam and Yemen notified prior to 1 April 1998. (WRC 97)
- 5.353A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 530 - 1 544 MHz and 1 626.5 - 1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the Global Maritime Distress and Safety System (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.) (WRC-2000)

<sup>1</sup> 5.340.1 The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2 - 50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands. (WRC-97)

- 5.354 The use of the bands 1 525 - 1 559 MHz and 1 626.5 - 1 660.5 MHz by the mobile-satellite services is subject to coordination under 9.11A.
- 5.355 Additional allocation: in Bahrain, Bangladesh, Congo (Rep. of the), Egypt, Eritrea, Iraq, Israel, Kuwait, Lebanon, Malta, Qatar, Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-03)
- 5.356 The use of the band 1 544 - 1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).
- 5.357 Transmissions in the band 1 545 - 1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorised when such transmissions are used to extend or supplement the satellite-to-aircraft links.
- 5.357A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the bands 1 545 - 1 555 MHz and 1 646.5 - 1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (The provisions of Resolution 222 (WRC-2000) shall apply.) (WRC-2000)
- 5.359 Additional allocation: in Germany, Saudi Arabia, Armenia, Austria, Azerbaijan, Belarus, Benin, Bulgaria, Cameroon, Spain, the Russian Federation, France, Gabon, Georgia, Greece, Guinea, Guinea-Bissau, the Libyan Arab Jamahiriya, Jordan, Kazakhstan, Kuwait, Lebanon, Lithuania, Mauritania, Moldova, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Swaziland, Tajikistan, Tanzania, Tunisia, Turkmenistan and Ukraine, the bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these bands. (WRC-07)
- 5.362B Additional allocation: The band 1 559-1 610 MHz is also allocated to the fixed service on a primary basis until 1 January 2010 in Algeria, Saudi Arabia, Cameroon, Libyan Arab Jamahiriya, Jordan, Mali, Mauritania, Syrian Arab Republic and Tunisia. After this date, the fixed service may continue to operate on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. The band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis in Algeria, Germany, Armenia, Azerbaijan, Belarus, Benin, Bulgaria, Spain, Russian Federation, France, Gabon, Georgia, Guinea, Guinea-Bissau, Kazakhstan, Lithuania, Moldova, Nigeria, Uganda, Uzbekistan, Pakistan, Poland, Kyrgyzstan, Dem. People's Rep. of Korea, Romania, Senegal, Swaziland, Tajikistan, Tanzania, Turkmenistan and Ukraine until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and the aeronautical radionavigation service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-07)
- 5.362C Additional allocation: in Congo (Rep. of the), Egypt, Eritrea, Iraq, Israel, Jordan, Malta, Qatar, the Syrian Arab Republic, Somalia, Sudan, Chad, Togo and Yemen, the band 1 559-1 610 MHz is also allocated to the fixed service on a secondary basis until 1 January 2015, at which time this allocation shall no longer be valid. Administrations are urged to take all practicable steps to protect the radionavigation-satellite service and not authorize new frequency assignments to fixed-service systems in this band. (WRC-07)
- 5.364 The use of the band 1 610 - 1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodeterminationsatellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.
- 5.365 The use of the band 1 613.8 - 1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under 9.11A.
- 5.366 The band 1 610 - 1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.
- 5.367 Additional allocation: the bands 1 610 - 1 626.5 MHz and 5 000 - 5 150 MHz are also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.368 With respect to the radiodetermination-satellite and mobile-satellite services the provisions of No. 4.10 do not apply in the band 1 610 - 1 626.5 MHz, with the exception of the aeronautical radionavigation-satellite service.
- 5.369 *Different category of service:* in Angola, Australia, Burundi, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, the Libyan Arab Jamahiriya, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, Swaziland, Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-03)
- 5.371 Additional allocation: in Region 1, the bands 1 610 - 1 626.5 MHz (Earth-to-space) and 2 483.5 - 2 500 MHz (space-to-Earth)



- are also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21.
- 5.372 Harmful interference shall not be caused to stations of the radio astronomy service using the band 1 610.6 - 1 613.8 MHz by stations of the radiodetermination-satellite and mobile-satellite services (No. 29.13 applies).
- 5.374 Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5 - 1 634.5 MHz and 1 656.5 - 1 660 MHz shall not cause harmful interference to the stations in the fixed service operating in the countries listed in No. 5.359. (WRC-97)
- 5.375 The use of the band 1 645.5 - 1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress and safety communications (see Article 31).
- 5.376 Transmissions in the band 1 646.5 - 1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorised when such transmissions are used to extend or supplement the aircraft-to-satellite links.
- 5.376A Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)
- 5.379A Administrations are urged to give all practicable protection in the band 1 660.5 - 1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4 - 1 668.4 MHz as soon as practicable.
- 5.379B The use of the band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. **9.11A**. In the band 1 668-1 668.4 MHz, Resolution 904 (WRC-07) shall apply. (WRC-07)
- 5.379C In order to protect the radio astronomy service in the band 1 668 - 1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed  $-181$  dB(W/m<sup>2</sup>) in 10 MHz and  $194$ dB(W/m<sup>2</sup>) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
- 5.379D For sharing of the band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution 744 (Rev.WRC-07) shall apply. (WRC-07)
- 5.379E In the band 1 668.4 - 1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4 - 1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
- 5.380A In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)
- 5.382 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, the Former Yugoslav Republic of Macedonia, Lebanon, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Serbia, Somalia, Tajikistan, Tanzania, Turkmenistan, Ukraine and Yemen, the allocation of the band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. **5.33**), and in the Dem. People's Rep. of Korea, the allocation of the band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. **5.33**) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-07)
- 5.384A The bands, or portions of the bands, 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution **223** (Rev.WRC-07). This identification does not preclude the use of these bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-07).
- 5.385 Additional allocation: the band 1 718.8 - 1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)
- 5.386 Additional allocation: the band 1 750-1 850 MHz is also allocated to the space operation (Earth-to-space) and space research (Earth-to-space) services in Region 2, in Australia, Guam, India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. 9.21, having particular regard to troposcatter systems. (WRC-03)
- 5.387 Additional allocation: in Belarus, Georgia, Kazakhstan, Mongolia, Kyrgyzstan, Slovakia, Romania, Tajikistan and Turkmenistan, the band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-07)
- 5.388 The bands 1 885 - 2 025 MHz and 2 110 - 2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications-2000 (IMT-2000). Such use does not preclude the use of these bands by other services to which they are allocated. The bands should be made available for IMT-2000 in accordance with Resolution 212 (Rev.WRC-97). (See also Resolution 223 (WRC-2000)).
- 5.388A In Regions 1 and 3, the bands 1 885 - 1 980 MHz, 2 010 - 2 025 MHz and 2 110 - 2 170 MHz and, in Region 2, the bands 1 885 - 1 980 MHz and 2 110 - 2 160 MHz may be used by high altitude platform stations as base stations to provide International Mobile Telecommunications 2000 (IMT-2000), in accordance with Resolution 221 (Rev.WRC-03). Their use by IMT-2000 applications using high altitude platform stations as base stations does not preclude the use of these bands by any station in the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-03)
- 5.388B In Algeria, Saudi Arabia, Bahrain, Benin, Burkina Faso, Cameroon, Comoros, Côte d'Ivoire, China, Cuba Djibouti, Egypt, United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, India, Iran (Islamic Republic of), Israel, the Libyan Arab Jamahiriya,

Jordan, Kenya, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, Senegal, Singapore, Sudan, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, for the purpose of protecting fixed and mobile services, including IMT-2000 mobile stations, in their territories from co-channel interference, a high altitude platform station (HAPS) operating as an IMT-2000 base station in neighbouring countries, in the bands referred to in No. 5.388A, shall not exceed a co-channel power flux-density of  $-127 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  at the Earth's surface outside a country's borders unless explicit agreement of the affected administration is provided at the time of the notification of HAPS. (WRC-03).

- 5.389A The use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-2000). (WRC-07)
- 5.389E The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.
- 5.389F In Algeria, Benin, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services. (WRC-2000)
- 5.391 In making assignments to the mobile service in the bands 2 025 - 2 110 MHz and 2 200 - 2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-97)
- 5.392 Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025 - 2 110 MHz and 2 200 - 2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.
- 5.395 In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)
- 5.396 Space stations of the broadcasting-satellite service in the band 2 310-2 360 MHz operating in accordance with No. 5.393 that may affect the services to which this band is allocated in other countries shall be coordinated and notified in accordance with Resolution 33 (Rev.WRC-97)\*. Complementary terrestrial broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use.
- 5.397 Different category of service: in France, the band 2 450 - 2 500 MHz is allocated on a primary basis to the radiolocation service (see No. 5.33). Such use is subject to agreement with administrations having services operating or planned to operate in accordance with the Table of Frequency Allocations which may be affected.
- 5.398 In respect of the radiodetermination-satellite service in the band 2 483.5 - 2 500 MHz, the provisions of No. 4.10 do not apply.
- 5.399 In Region 1, in countries other than those listed in No. 5.400, harmful interference shall not be caused to, or protection shall not be claimed from, stations of the radiolocation service by stations of the radiodetermination satellite service.
- 5.400 Different category of service: in Angola, Australia, Bangladesh, Burundi, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, the Dem. Rep. of the Congo, the Syrian Arab Republic, Sudan, Swaziland, Togo and Zambia, the allocation of the band 2 483.5-2 500 MHz to the radiodetermination-satellite service (space-to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-03)
- 5.402 The use of the band 2 483.5 - 2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. 9.11A. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5 - 2 500 MHz band, especially those caused by second-harmonic radiation that would fall into the 4 990 - 5 000 MHz band allocated to the radio astronomy service worldwide.
- 5.403 Subject to agreement obtained under No. 9.21, the band 2 520-2 535 MHz may also be used for the mobile-satellite (space-to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. 9.11A apply. (WRC-07)
- 5.405 Additional allocation: in France, the band 2 500 - 2 550 MHz is also allocated to the radiolocation service on a primary basis. Such use is subject to agreement with the administrations having services operating or planned to operate in accordance with the Table which may be affected.
- 5.410 The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. 9.21. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-07)
- 5.412 Alternative allocation: in Azerbaijan, Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-07)
- 5.413 In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690 - 2 700 MHz.
- 5.414 The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A. (WRC-07)
- 5.416 The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under No. 9.21. The provisions of No. 9.19 shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)

- 5.417A In applying provision No. 5.418, in Korea (Rep. of) and Japan, *resolves* 3 of Resolution 528 (Rev.WRC-03) is relaxed to allow the broadcasting-satellite service (sound) and the complementary terrestrial broadcasting service to additionally operate on a primary basis in the band 2 605-2 630 MHz. This use is limited to systems intended for national coverage. An administration listed in this provision shall not have simultaneously two overlapping frequency assignments, one under this provision and the other under No. 5.416. The provisions of No. 5.416 and Table 21-4 of Article 21 do not apply. Use of non-geostationary-satellite systems in the broadcasting-satellite service (sound) in the band 2 605-2 630 MHz is subject to the provisions of Resolution 539 (Rev.WRC-03). The power flux-density at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the band 2 605-2 630 MHz for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003, for all conditions and for all methods of modulation, shall not exceed the following limits:
- |  |  |
|--|--|
| -130 dB(W/(m <sup>2</sup> ·MHz))               | for $0^{\circ} \leq \theta \leq 5^{\circ}$ |
| -130 + 0.4 (θ - 5) dB(W/(m <sup>2</sup> ·MHz)) | for $5^{\circ} < \theta \leq 25^{\circ}$   |
| -122 dB(W/(m <sup>2</sup> ·MHz))               | for $25^{\circ} < \theta \leq 90^{\circ}$  |
- where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. In the case of the broadcasting-satellite service (sound) networks of Korea (Rep. of), as an exception to the limits above, the power flux-density value of -122 dB(W/(m<sup>2</sup>·MHz)) shall be used as a threshold for coordination under No. 9.11 in an area of 1 000 km around the territory of the administration notifying the broadcasting-satellite service (sound) system, for angles of arrival greater than 35°. (WRC-03)
- 5.417C Use of the band 2 605 - 2 630 MHz by non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.417A is, for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003, is subject to the application of the provisions of No. 9.12. (WRC-03)
- 5.417D Use of the band 2 605-2 630 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 4 July 2003 is subject to the application of the provisions of No. 9.13 with respect to non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.417A, and No. 22.2 does not apply. (WRC-03)
- 5.418B Use of the band 2 630-2 655 MHz by non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418, for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. 9.12. (WRC-03)
- 5.418C Use of the band 2 630 2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. 9.13 with respect to non geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418 and No. 22.2 does not apply. (WRC-03)
- 5.419 When introducing systems of the mobile-satellite service in the band 2 670-2 690 MHz, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile-satellite systems in the band shall be in accordance with No. 9.11A. (WRC-07)
- 5.420 The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile-satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. 9.21. The coordination under No. 9.11A applies. (WRC-07)
- 5.422 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea-Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, Moldova, Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-07)
- 5.423 In the band 2 700 - 2 900 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the aeronautical radionavigation service.
- 5.424A In the band 2 900 - 3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)
- 5.425 In the band 2 900 - 3 100 MHz, the use of the shipborne interrogator-transponder system (SIT) shall be confined to the sub-band 2 930 - 2 950 MHz.
- 5.426 The use of the band 2 900 - 3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
- 5.427 In the bands 2 900 - 3 100 MHz and 9 300 - 9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9.
- 5.428 Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.429 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Japan, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Oman, Uganda, Pakistan, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea and Yemen, the band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. The countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-07)
- 5.430 Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)

- 5.430A *Different category of service:* in Albania, Algeria, Germany, Andorra, Saudi Arabia, Austria, Azerbaijan, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Cameroon, Cyprus, Vatican, Côte d'Ivoire, Croatia, Denmark, French Overseas Departments and Communities in Region 1, Egypt, Spain, Estonia, Finland, France, Gabon, Georgia, Greece, Guinea, Hungary, Ireland, Iceland, Israel, Italy, Jordan, Kuwait, Lesotho, Latvia, Macedonia, Liechtenstein, Lithuania, Malawi, Malta, Morocco, Mauritania, Moldova, Monaco, Mongolia, Montenegro, Mozambique, Namibia, Niger, Norway, Oman, Netherlands, Poland, Portugal, Qatar, Syria, Congo, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Senegal, Serbia, Sierra Leone, Slovenia, South Africa, Sweden, Switzerland, Swaziland, Togo, Chad, Tunisia, Turkey, Ukraine, Zambia and Zimbabwe, the band 3 400-3 600 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed  $-154.5 \text{ dBW}/(\text{m}^2 \cdot 4 \text{ kHz})$  for more than 20 per cent of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). This allocation is effective from 17 November 2010. (WRC-07)
- 5.431 Additional allocation: in Germany, Israel and the United Kingdom, the band 3 400 - 3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-03)
- 5.438 Use of the band 4 200 - 4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. However, passive sensing in the Earth exploration-satellite and space research services may be authorised in this band on a secondary basis (no protection is provided by the radio altimeters).
- 5.440 The standard frequency and time signal-satellite service may be authorised to use the frequency 4 202 MHz for space-to-Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of  $\pm 2$  MHz of these frequencies, subject to agreement obtained under No. 9.21.
- 5.441 The use of the bands 4 500 - 4 800 MHz (space-to-Earth), 6 725 - 7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7 - 10.95 GHz (space-to-Earth), 11.2 - 11.45 GHz (space-to-Earth) and 12.75 - 13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7 - 10.95 GHz (space-to Earth), 11.2 - 11.45 GHz (space-to-Earth) and 12.75 - 13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite system in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite system in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)
- 5.442 In the bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to the fixed service. (WRC-07)
- 5.443B In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the band 5 030 - 5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the band 5 010 - 5 030 MHz shall not exceed  $-124.5 \text{ dBW}/(\text{m}^2)$  in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the band 4 990 - 5 000 MHz, radionavigation-satellite service systems operating in the band 5 010 - 5 030 MHz shall comply with the limits in the band 4 990 - 5 000 MHz defined in Resolution 741 (WRC 03). (WRC-03)
- 5.444 The band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the band 5 030-5 091 MHz, the requirements of this system shall take precedence over other uses of this band. For the use of the band 5 091-5 150 MHz, No. 5.444A and Resolution 114 (Rev.WRC-03) apply. (WRC-07)
- 5.444A Additional allocation: the band 5 091-5 150 MHz is also allocated to the fixed-satellite service (Earth-to-space) on a primary basis. This allocation is limited to feeder links of non-geostationary mobile-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A.
- In the band 5 091-5 150 MHz, the following conditions also apply:
- 1 prior to 1 January 2018, the use of the band 5 091-5 150 MHz by feeder links of non-geostationary-satellite systems in the mobile-satellite service shall be made in accordance with Resolution **114 (Rev.WRC-03)**;
  - 2 prior to 1 January 2018, the requirements of existing and planned international standard systems for the aeronautical radionavigation service which cannot be met in the 5 000-5 091 MHz band, shall take precedence over other uses of this band;

- 3 after 1 January 2016, no new assignments shall be made to earth stations providing feeder links of non-geostationary mobile-satellite systems;
- 4 after 1 January 2018, the fixed-satellite service will become secondary to the aeronautical radionavigation service. (WRC-03)
- 5.444B The use of the band 5 091-5 150 MHz by the aeronautical mobile service is limited to:
- systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution 748 (WRC-07);
  - aeronautical telemetry transmissions from aircraft stations (see No. 1.83) in accordance with Resolution 418 (WRC-07);
  - aeronautical security transmissions. Such use shall be in accordance with Resolution 419 (WRC-07). (WRC-07)
- 5.446 Additional allocation: in the countries listed in Nos. 5.369 and 5.400, the band 5 150 - 5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21. In Region 2, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in Nos. 5.369 and 5.400, the band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the bands 1 610 - 1 626.5 MHz and/or 2 483.5 - 2 500 MHz. The total power flux-density at the Earth's surface shall in no case exceed -159 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.
- 5.446A The use of the bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution 229 (WRC-03). (WRC-07)
- 5.446B In the band 5 150 - 5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed-satellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)
- 5.446C Additional allocation: in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan and Tunisia) and in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (WRC-07). These stations shall not claim protection from other stations operating in accordance with Article 5. No. 5.43A does not apply. (WRC-07)
- 5.447 *Additional allocation:* in Côte d'Ivoire, Israel, Lebanon, Pakistan, the Syrian Arab Republic and Tunisia, the band 5 150-5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21. In this case, the provisions of Resolution 229 (WRC-03) do not apply. (WRC-07)
- 5.447A The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A.
- 5.447B Additional allocation: the band 5 150 - 5 216 MHz is also allocated to the fixed-satellite service (Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. 9.11A. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150 - 5 216 MHz shall in no case exceed -164 dB(W/m<sup>2</sup>) in any 4 kHz band for all angles of arrival.
- 5.447C Administrations responsible for fixed-satellite service networks in the band 5 150 - 5 250 MHz operated under Nos. 5.447A and 5.447B shall coordinate on an equal basis in accordance with No. 9.11A with administrations responsible for non-geostationary-satellite networks operated under No. 5.446 and brought into use prior to 17 November 1995. Satellite networks operated under No. 5.446 brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. 5.447A and 5.447B.
- 5.447D The allocation of the band 5 250 - 5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)
- 5.447F In the band 5 250 - 5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). These services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendations ITU-R M.1638 and ITU-R SA.1632. (WRC-03).
- 5.448 Additional allocation: in Azerbaijan, the Libyan Arab Jamahiriya, Mongolia, Kyrgyzstan, Slovakia, Romania and Turkmenistan, the band 5 250 - 5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-03).
- 5.448A The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250 - 5 350 MHz shall not claim protection from the radiolocation service. No. 5.43A does not apply. (WRC-03).
- 5.448B The Earth exploration-satellite service (active) operating in the band 5 350 - 5 570 MHz and space research service (active) operating in the band 5 460 - 5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350 - 5 460 MHz, the radionavigation service in the band 5 460 - 5 470 MHz and the maritime radionavigation service in the band 5 470 - 5 570 MHz. (WRC-03)
- 5.448C The space research service (active) operating in the band 5 350 - 5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)
- 5.448D In the frequency band 5 350 - 5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. 5.449. (WRC-03)
- 5.449 The use of the band 5 350 - 5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.

- 5.450 Additional allocation: in Austria, Azerbaijan, Iran (Islamic Republic of), Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470 - 5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
- 5.450A In the band 5 470 - 5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. Radiodetermination services shall not impose on the mobile service more stringent protection criteria, based on system characteristics and interference criteria, than those stated in Recommendation ITU-R M.1638. (WRC-03)
- 5.450B In the frequency band 5 470 - 5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600 - 5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)
- 5.451 Additional allocation: in the United Kingdom, the band 5 470 - 5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. 21.2, 21.3, 21.4 and 21.5 shall apply in the band 5 725 - 5 850 MHz.
- 5.452 Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorised to operate on a basis of equality with stations of the maritime radionavigation service.
- 5.454 Different category of service: in Azerbaijan, the Russian Federation, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC-07)
- 5.455 Additional allocation: in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-07)
- 5.457A In the bands 5 925 - 6 425 MHz and 14 - 14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution 902 (WRC-03). (WRC-03)5457B. In the bands 5 925 - 6425 MHz and 14 - 14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution 902 (WRC-03) in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution 902 (WRC-03). (WRC-03)
- 5.457B In the bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution 902 (WRC-03) in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution 902 (WRC-03). (WRC-03)
- 5.457C In Region 2 (except Brazil, Cuba, French Overseas Departments and Communities, Guatemala, Paraguay, Uruguay and Venezuela), the band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)
- 5.458 In the band 6 425 - 7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075 - 7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425 - 7 025 MHz and 7 075 - 7 250 MHz.
- 5.458A In making assignments in the band 6 700 - 7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650 - 6 675.2 MHz from harmful interference from unwanted emissions.
- 5.458B The space-to-Earth allocation to the fixed-satellite service in the band 6 700 - 7 075 MHz is limited to feeder links for non-geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. 9.11A. The use of the band 6 700 - 7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. 22.2.
- 5.458C Administrations making submissions in the band 7 025 - 7 075 MHz (Earth-to-space) for geostationary-satellite systems in the fixed-satellite service after 17 November 1995 shall consult on the basis of relevant ITU-R Recommendations with the administrations that have notified and brought into use non-geostationary-satellite systems in this frequency band before 18 November 1995 upon request of the latter administrations. This consultation shall be with a view to facilitating shared operation of both geostationary-satellite systems in the fixed-satellite service and non-geostationary-satellite systems in this band.
- 5.459 Additional allocation: in the Russian Federation, the frequency bands 7 100 - 7 155 MHz and 7 190 - 7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. (WRC-97)
- 5.460 The use of the band 7 145-7 190 MHz by the space research service (Earth-to-space) is restricted to deep space; no emissions to deep space shall be effected in the band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. 5.43A does not apply. (WRC-03)
- 5.461 Additional allocation: the bands 7 250 - 7 375 MHz (space-to-Earth) and 7 900 - 8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.461A The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary-satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may

- continue to operate on a primary basis until the end of their lifetime. (WRC-97)
- 5.461B The use of the band 7 750-7 850 MHz by the meteorological-satellite service (space-to-Earth) is limited to non-geostationary satellite systems. (WRC-97)
- 5.462A In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival ( $\theta$ ), without the consent of the affected administration:
- |   |  |
|---|--|
| -174 dB(W/m <sup>2</sup> ) in a 4 kHz band                        | for $0^\circ \leq \theta < 5^\circ$      |
| -174 + 0.5 ( $\theta - 5$ ) dB(W/m <sup>2</sup> ) in a 4 kHz band | for $5^\circ \leq \theta < 25^\circ$     |
| -164 dB(W/m <sup>2</sup> ) in a 4 kHz band                        | for $25^\circ \leq \theta \leq 90^\circ$ |
- These values are subject to study under Resolution 124 (WRC-97)\*\*. (WRC-97)
- 5.463 Aircraft stations are not permitted to transmit in the band 8 025 - 8 400 MHz. (WRC-97)
- 5.465 In the space research service, the use of the band 8 400 - 8 450 MHz is limited to deep space.
- 5.466 Different category of service: in Israel, Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. 5.32). (WRC-03)
- 5.468 *Additional allocation:* in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, the Libyan Arab Jamahiriya, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Swaziland, Tanzania, Chad, Togo, Tunisia and Yemen, the band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)
- 5.469 *Additional allocation:* in Armenia, Azerbaijan, Belarus, Georgia, Hungary, Lithuania, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, the Russian Federation, Tajikistan, Turkmenistan and Ukraine, the band 8 500 - 8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-03)
- 5.469A In the band 8 550 - 8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)
- 5.470 The use of the band 8 750 - 8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.
- 5.471 *Additional allocation:* in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, the Netherlands, Qatar and Sudan, the bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-07)
- 5.472 In the bands 8 850 - 9 000 MHz and 9 200 - 9 225 MHz, the maritime radionavigation service is limited to shore-based radars.
- 5.473 *Additional allocation:* in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.473A In the band 9 000-9 200 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, systems identified in No. 5.337 operating in the aeronautical radionavigation service, or radar systems in the maritime radionavigation service operating in this band on a primary basis in the countries listed in No. 5.471. (WRC-07)
- 5.474 In the band 9 200 - 9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).
- 5.475 The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)
- 5.475A The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)
- 5.475B In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)
- 5.476A In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)
- 5.477 Different category of service: in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Trinidad and Tobago, and Yemen, the allocation of the band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. 5.33). (WRC-07)

- 5.478 Additional allocation: in Azerbaijan, Mongolia, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.478A In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis.
- 5.478B The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band.
- 5.479 The band 9 975 - 10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.
- 5.481 Additional allocation: in Germany, Angola, Brazil, China, Costa Rica, Côte d'Ivoire, El Salvador, Ecuador, Spain, Guatemala, Hungary, Japan, Kenya, Morocco, Nigeria, Oman, Uzbekistan, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Tanzania, Thailand and Uruguay, the band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)
- 5.482 In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed -3 dBW. This limit may be exceeded, subject to agreement obtained under No. 9.21. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, service is not applicable. (WRC-07)
- 5.482A For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution 751 (WRC-07) applies. (WRC-07)
- 5.483 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China, Colombia, Korea (Rep. of), Costa Rica, Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Turkmenistan and Yemen, the band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-07)
- 5.484 In Region 1, the use of the band 10.7 - 11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the oadcasting-satellite service.
- 5.484A The use of the bands 10.95 - 11.2 GHz (space-to-Earth), 11.45 - 11.7 GHz (space-to-Earth), 11.7 - 12.2 GHz (space-to-Earth) in Region 2, 12.2 - 12.75 GHz (space-to-Earth) in Region 3, 12.5 - 12.75 GHz (space-to-Earth) in Region 1, 13.75 - 14.5 GHz (Earth-to-space), 17.8 - 18.6 GHz (space-to-Earth), 19.7 - 20.2 GHz (space-to-Earth), 27.5 - 28.6 GHz (Earth-to-space), 29.5 - 30 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)
- 5.487 In the band 11.7 - 12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC-03)
- 5.487A Additional allocation: in Region 1, the band 11.7 - 12.5 GHz, in Region 2, the band 12.2 - 12.7 GHz and, in Region 3, the band 11.7 - 12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)
- 5.488 The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. 9.14 for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix 30. (WRC-03)
- 5.492 Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)
- 5.494 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, the Libyan Arab Jamahiriya, Jordan, Kuwait, Lebanon, Madagascar, Mali, Morocco, Mongolia, Nigeria, Qatar, the Syrian Arab Republic, the



- Dem. Rep. of the Congo, Somalia, Sudan, Chad, Togo and Yemen, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-03)
- 5.495 Additional allocation: in Bosnia and Herzegovina, France, Greece, Liechtenstein, Monaco, Montenegro, Uganda, Romania, Serbia, Switzerland, Tanzania and Tunisia, the band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-07)
- 5.496 Additional allocation: in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5 - 12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Table 21-4 of Article 21, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)
- 5.497 The use of the band 13.25 - 13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.
- 5.498A The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25 - 13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)
- 5.500 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Malta, Morocco, Mauritania, Nigeria, Pakistan, Qatar, the Syrian Arab Republic, Singapore, Sudan, Chad and Tunisia, the band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)
- 5.501 Additional allocation: in Azerbaijan, Hungary, Japan, Mongolia, Kyrgyzstan, Romania and Turkmenistan, the band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-07)
- 5.501A The allocation of the band 13.4 - 13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)
- 5.501B In the band 13.4 - 13.75 GHz, the earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)
- 5.502 In the band 13.75 - 14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna size smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:
- $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$  for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State;
  - $-115 \text{ dB(W/(m}^2 \cdot 10 \text{ MHz))}$  for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.
- For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)
- 5.503 In the band 13.75 - 14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:
- in the band 13.77 - 13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:
    - i)  $4.7D + 28 \text{ dB(W/40 kHz)}$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;
    - ii)  $49.2 + 20 \log(D/4.5) \text{ dB(W/40 kHz)}$ , where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;
    - iii)  $66.2 \text{ dB(W/40 kHz)}$  for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;
    - iv)  $56.2 \text{ dB(W/4 kHz)}$  for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;
  - the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz.
- Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)
- 5.504 The use of the band 14 - 14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.
- 5.504A In the band 14 - 14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. 5.29, 5.30 and 5.31 apply. (WRC-03)
- 5.504B Aircraft earth stations operating in the aeronautical mobile-satellite service in the band 14 - 14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation ITU-R M.1643, with respect to any radio astronomy station performing

- observations in the 14.47 - 14.5 GHz band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-03)
- 5.504C In the band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, Lesotho, Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-03)
- 5.505 *Additional allocation:* in Algeria, Angola, Saudi Arabia, Bahrain, Bangladesh, Botswana, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lesotho, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Swaziland, Tanzania, Chad and Yemen, the band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-03)
- 5.506 The band 14 - 14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.
- 5.506A In the band 14 - 14.5 GHz, ship earth stations with an e.i.r.p. greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution 902 (WRC 03). This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Bureau prior to 5 July 2003. (WRC-03)
- 5.506B Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14 - 14.5 GHz without the need for prior agreement from Cyprus, Greece and Malta, within the minimum distance given in Resolution 902 (WRC-03) from these countries. (WRC-03)
- 5.508 *Additional allocation:* in Germany, Bosnia and Herzegovina, France, Italy, Libyan Arab Jamahiriya, The Former Yugoslav Rep. of Macedonia and the United Kingdom, the band 14.25-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-07)
- 5.508A In the band 14.25 - 14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, China, Côte d'Ivoire, Egypt, France, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Lesotho, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-03)
- 5.509A In the band 14.3 - 14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, France, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Lesotho, Morocco, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-03)
- 5.510 The use of the band 14.5 - 14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe.
- 5.511 *Additional allocation:* in Saudi Arabia, Bahrain, Bosnia and Herzegovina, Cameroon, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Kuwait, Lebanon, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-07)
- 5.511A The band 15.43 - 15.63 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. Use of the band 15.43 - 15.63 GHz by the fixed-satellite service (space-to-Earth and Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. 9.11A. The use of the frequency band 15.43 - 15.63 GHz by the fixed-satellite service (space-to-Earth) is limited to feeder links of non-geostationary systems in the mobile-satellite service for which advance publication information has been received by the Bureau prior to 2 June 2000. In the space-to-Earth direction, the minimum earth station elevation angle above and gain towards the local horizontal plane and the minimum coordination distances to protect an earth station from harmful interference shall be in accordance with Recommendation ITU-R S.1341. In order to protect the radio astronomy service in the band 15.35 - 15.4 GHz, the aggregate power flux-density radiated in the 15.35 - 15.4 GHz band by all the space stations within any feeder-link of a non-geostationary system in the mobile-satellite service (space-to-Earth) operating in the 15.43 - 15.63 GHz band shall not exceed the level of -156 dB(W/m<sup>2</sup>) in a 50 MHz bandwidth, into any radio astronomy observatory site for more than 2% of the time. (WRC-2000)
- 5.511C Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. 4.10 applies) from harmful interference from feeder-link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340. (WRC-97)
- 5.511D Fixed-satellite service systems for which complete information for advance publication has been received by the Bureau by 21 November 1997 may operate in the bands 15.4 - 15.43 GHz and 15.63 - 15.7 GHz in the space-to-Earth direction and 15.63 - 15.65 GHz in the Earth-to-space direction. In the bands 15.4 - 15.43 GHz and 15.65 - 15.7 GHz, emissions from a non-geostationary space station shall not exceed the power flux-density limits at the Earth's surface of -146 dB(W/m<sup>2</sup>/MHz) for any angle of arrival. In the band 15.63 - 15.65 GHz, where an administration plans emissions from a non-geostationary space

- station that exceed  $-146 \text{ dB(W/m}^2\text{/MHz)}$  for any angle of arrival, it shall coordinate under No. 9.11A with the affected administrations. Stations in the fixed-satellite service operating in the band 15.63 - 15.65 GHz in the Earth-to-space direction shall not cause harmful interference to stations in the aeronautical radionavigation service (No. 4.10 applies). (WRC-97)
- 5.512 Additional allocation: in Algeria, Angola, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Costa Rica, Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), the Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Montenegro, Mozambique, Nepal, Nicaragua, Oman, Pakistan, Qatar, Syrian Arab Republic, Serbia, Singapore, Somalia, Sudan, Swaziland, Tanzania, Chad, Togo and Yemen, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-07)
- 5.513 Additional allocation: in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. 5.512.
- 5.513A Spaceborne active sensors operating in the band 17.2 - 17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)
- 5.514 Additional allocation: in Algeria, Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, Costa Rica, El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, the Libyan Arab Jamahiriya, Japan, Jordan, Kuwait, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan and Sudan, the band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. **21.3** and **21.5** shall apply. (WRC-07)
- 5.515 In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of § 1 of Annex 4 of Appendix 30A.
- 5.516 The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article **11**. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)
- 5.516A In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)
- 5.516B The following bands are identified for use by high-density applications in the fixed-satellite service (HDFSS):
- 17.3 - 17.7 GHz (space-to-Earth) in Region 1
  - 18.3 - 19.3 GHz (space-to-Earth) in Region 2
  - 19.7 - 20.2 GHz (space-to-Earth) in all Regions
  - 39.5 - 40 GHz (space-to-Earth) in Region 1
  - 40 - 40.5 GHz (space-to-Earth) in all Regions
  - 40.5 - 42 GHz (space-to-Earth) in Region 2
  - 47.5 - 47.9 GHz (space-to-Earth) in Region 1
  - 48.2 - 48.54 GHz (space-to-Earth) in Region 1
  - 49.44 - 50.2 GHz (space-to-Earth) in Region 1 and
  - 27.5 - 27.82 GHz (Earth-to-space) in Region 1
  - 28.35 - 28.45 GHz (Earth-to-space) in Region 2
  - 28.45 - 28.94 GHz (Earth-to-space) in all Regions
  - 28.94 - 29.1 GHz (Earth-to-space) in Region 2 and 3
  - 29.25 - 29.46 GHz (Earth-to-space) in Region 2
  - 29.46 - 30 GHz (Earth-to-space) in all Regions
  - 48.2 - 50.2 GHz (Earth-to-space) in Region 2.
- This identification does not preclude the use of these bands by other fixed-satellite service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in these Regulations among users of the bands. Administrations should take this into account when considering regulatory provisions in relation to these bands. See Resolution 143 (WRC-03). (WRC-03)
- 5.519 Additional allocation: the bands 18.0-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)
- 5.520 The use of the band 18.1 - 18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-

- satellite systems in the broadcasting-satellite service. (WRC-2000)
- 5.521 Alternative allocation: in Germany, Denmark, the United Arab Emirates and Greece, the band 18.1 - 18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. 5.33). The provisions of No. 5.519 also apply. (WRC-03)
- 5.522A The emissions of the fixed service and the fixed-satellite service in the band 18.6 - 18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively. (WRC-2000)
- 5.522B The use of the band 18.6 - 18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)
- 5.522C In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Lebanon, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. 21.5A. (WRC-2000)
- 5.523A The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. 9.11A and No. 22.2 does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. 9.11A with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
- 5.523B The use of the band 19.3 - 19.6 GHz (Earth-to-space) by the Fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, and No. 22.2 does not apply.
- 5.523C No. 22.2 of the Radio Regulations shall continue to apply in the bands 19.3 - 19.6 GHz and 29.1 - 29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
- 5.523D The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. 5.523C and 5.523E, is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)
- 5.523E No. 22.2 shall continue to apply in the bands 19.6-19.7 GHz and 29.4 - 29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)
- 5.524 *Additional allocation:* in Afghanistan, Algeria, Angola, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Tanzania, Chad, Togo and Tunisia, the band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the band 19.7-21.2 GHz and of space stations in the mobile-satellite service in the band 19.7-20.2 GHz where the allocation to the mobile-satellite service is on a primary basis in the latter band. (WRC-07)
- 5.525 In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7 - 20.2 GHz and 29.5 - 30 GHz
- 5.526 In the bands 19.7 - 20.2 GHz and 29.5 - 30 GHz in Region 2, and in the bands 20.1 - 20.2 GHz and 29.9 - 30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.
- 5.527 In the bands 19.7 - 20.2 GHz and 29.5 - 30 GHz, the provisions of No 4.10 do not apply with respect to the mobile-satellite service.
- 5.528 The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7 - 20.1 GHz in Region 2 and in the band 20.1 - 20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. 5.524.
- 5.530 In Regions 1 and 3, the use of the band 21.4-22 GHz by the broadcasting-satellite service is subject to the provisions of Resolution 525 (Rev.WRC-07). (WRC-07)
- 5.532 The use of the band 22.21 - 22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.
- 5.533 The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.

- 5.535 In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.
- 5.535A The use of the band 29.1 - 29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2, except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)
- 5.536 Use of the 25.25 - 27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.
- 5.536A Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account Recommendations ITU-R SA.1278 and ITU-R SA.1625, respectively. (WRC-03)
- 5.536B In Germany, Saudi Arabia, Austria, Belgium, Brazil, Bulgaria, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Spain, Estonia, Finland, France, Hungary, India, Iran (Islamic Republic of), Ireland, Israel, Italy, the Libyan Arab Jamahiriya, Jordan, Kenya, Kuwait, Lebanon, Liechtenstein, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, the Syrian Arab Republic, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Sweden, Switzerland, Tanzania, Turkey, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-07)
- 5.536C In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Rep. of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, the Syrian Arab Republic, Somalia, Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5 - 27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-03)
- 5.537 Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. 22.2.
- 5.537A In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed-service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution 145 (Rev.WRC-07). (WRC-07)
- 5.538 *Additional allocation:* the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space-to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of +10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)
- 5.539 The band 27.5 - 30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.
- 5.540 *Additional allocation:* the band 27.501 - 29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.
- 5.541 In the band 28.5 - 30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.
- 5.541A Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1 - 29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)
- 5.542 *Additional allocation:* in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Pakistan, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan, Sri Lanka and Chad, the band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. **21.3** and **21.5** shall apply. (WRC-07)
- 5.543 The band 29.95 - 30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.
- 5.543A In Bhutan, Cameroon, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Japan, Kazakhstan, Lesotho, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 31-31.3 GHz may also be used by systems using high altitude platform stations (HAPS) in the ground-to-HAPS direction. The use of the band 31-31.3 GHz by systems using HAPS is limited to the territory of the countries listed above and shall not cause harmful interference to, nor

claim protection from, other types of fixed-service systems, systems in the mobile service and systems operated under No. 5.545. Furthermore, the development of these services shall not be constrained by HAPS. Systems using HAPS in the band 31-31.3 GHz shall not cause harmful interference to the radio astronomy service having a primary allocation in the band 31.3-31.8 GHz, taking into account the protection criterion as given in Recommendation ITU-R RA.769. In order to ensure the protection of satellite passive services, the level of unwanted power density into a HAPS ground station antenna in the band 31.3-31.8 GHz shall be limited to  $-106$  dB(W/MHz) under clear-sky conditions, and may be increased up to  $-100$  dB(W/MHz) under rainy conditions to mitigate fading due to rain, provided the effective impact on the passive satellite does not exceed the impact under clear-sky conditions. See Resolution 145 (Rev.WRC-07). (WRC-07)

- 5.544 In the band 31 - 31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service.
- 5.545 *Different category of service:* in Armenia, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-07)
- 5.546 *Different category of service:* in Saudi Arabia, Armenia, Azerbaijan, Belarus, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, the United Kingdom, South Africa, Tajikistan, Turkmenistan and Turkey, the allocation of the band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33). (WRC-07)
- 5.547 The bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service (see Resolution 75 (WRC-2000)). Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-07)
- 5.547A Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8 - 33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)
- 5.548 In designing systems for the inter-satellite service in the band 32.3 - 33 GHz, for the radionavigation service in the band 32 - 33 GHz, and for the space research service (deep space) in the band 31.8 - 32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707). (WRC-03)
- 5.549 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, the Libyan Arab Jamahiriya, Jordan, Kuwait, Lebanon, Malaysia, Mali, Malta, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-03)
- 5.549A In the band 35.5 - 36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than  $0.8^\circ$  from the beam centre shall not exceed  $-73.3$  dB(W/m<sup>2</sup>) in this band. (WRC-03)
- 5.550 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-07)
- 5.550A For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution 752 (WRC-07) shall apply. (WRC-07)
- 5.551H The equivalent power flux-density (epfd) produced in the band 42.5-43.5 GHz by all space stations in any non-geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service (space-to-Earth) operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:
- $230$  dB(W/m<sup>2</sup>) in 1 GHz and  $246$  dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
  - $209$  dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.
- These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle  $\theta_{min}$  of the radiotelescope (for which a default value of  $5^\circ$  should be adopted in the absence of notified information).
- These values shall apply at any radio astronomy station that either:
- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
  - was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.
- Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-07)
- 5.551I The power flux-density in the band 42.5 - 43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service (space-to-Earth) operating in the 42 - 42.5 GHz band, shall not exceed the

following values at the site of any radio astronomy station:

- 137 dB(W/m<sup>2</sup>) in 1 GHz and –153 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5 - 43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
- 116 dB(W/m<sup>2</sup>) in any 500 kHz of the 42.5 - 43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Radiocommunication Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

- 5.552 The allocation of the spectrum for the fixed-satellite service in the bands 42.5 - 43.5 GHz and 47.2 - 50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5 - 39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2 - 49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5 - 42.5 GHz.
- 5.552A The allocation to the fixed service in the bands 47.2-47.5 GHz and 47.9-48.2 GHz is designated for use by high altitude platform stations. The use of the bands 47.2-47.5 GHz and 47.9-48.2 GHz is subject to the provisions of Resolution 122 (Rev.WRC-07). (WRC-07)
- 5.553 In the bands 43.5 - 47 GHz and 66 - 71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. 5.43). (WRC-2000)
- 5.554 In the bands 43.5 - 47 GHz, 66 - 71 GHz, 95 - 100 GHz, 123 - 130 GHz, 191.8 - 200 GHz and 252 - 265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)
- 5.554A The use of the bands 47.5 - 47.9 GHz, 48.2 - 48.54 GHz and 49.44 - 50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)
- 5.555 Additional allocation: the band 48.94 - 49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)
- 5.555B The power flux-density in the band 48.94 - 49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2 - 48.54 GHz and 49.44 - 50.2 GHz shall not exceed –151.8 dB(W/m<sup>2</sup>) in any 500 kHz band at the site of any radio astronomy station. (WRC-03)
- 5.556 In the bands 51.4 - 54.25 GHz, 58.2 - 59 GHz and 64 - 65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)
- 5.556A Use of the bands 54.25 - 56.9 GHz, 57 - 58.2 GHz and 59 - 59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed –147 dB(W/m<sup>2</sup> · 100 MHz) for all angles of arrival. (WRC-97)
- 5.557A In the band 55.78 - 56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to –26 dB(W/MHz). (WRC-2000)
- 5.558 In the bands 55.78 - 58.2 GHz, 59 - 64 GHz, 66 - 71 GHz, 122.25 - 123 GHz, 130 - 134 GHz, 167 - 174.8 GHz and 191.8 - 200 GHz, stations in the aeronautical mobile service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)
- 5.558A Use of the band 56.9 - 57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed –147 dB(W/m<sup>2</sup> · 100 MHz) for all angles of arrival. (WRC-97)
- 5.559 In the band 59 - 64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)
- 5.560 In the band 78 - 79 GHz radars located on space stations may be operated on a primary basis in the earth exploration-satellite service and in the space research service.
- 5.561 In the band 74 - 76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)
- 5.561A The 81 - 81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)
- 5.562 The use of the band 94 - 94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)

- 5.562A In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)
- 5.562B In the bands 105-109.5 GHz, 111.8-114.25 GHz, 155.5-158.5 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-2000)
- 5.562C Use of the band 116 - 122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-148 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for all angles of arrival. (WRC-2000)
- 5.562D Additional allocation: In Korea (Rep. of), the bands 128-130 GHz, 171-171.6 GHz, 172.2-172.8 GHz and 173.3-174 GHz are also allocated to the radio astronomy service on a primary basis until 2015. (WRC-2000)
- 5.562E The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5 - 134 GHz. (WRC-2000)
- 5.562F In the band 155.5 - 158.5 GHz, the allocation to the Earth exploration-satellite (passive) and space research (passive) services shall terminate on 1 January 2018. (WRC-2000)
- 5.562G The date of entry into force of the allocation to the fixed and mobile services in the band 155.5-158.5 GHz shall be 1 January 2018. (WRC-2000)
- 5.562H Use of the bands 174.8 - 182 GHz and 185 - 190 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed  $-144 \text{ dB(W/(m}^2 \cdot \text{MHz))}$  for all angles of arrival. (WRC-2000)
- 5.563A In the bands 200 - 209 GHz, 235 - 238 GHz, 250 - 252 GHz and 265 - 275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)
- 5.563B The band 237.9 - 238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)
- 5.565 The frequency band 275-1 000 GHz may be used by administrations for experimentation with, and development of, various active and passive services. In this band a need has been identified for the following spectral line measurements for passive services:
- radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453-510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;
  - Earth exploration-satellite service (passive) and space research service (passive): 275-277 GHz, 294-306 GHz, 316-334 GHz, 342-349 GHz, 363-365 GHz, 371-389 GHz, 416-434 GHz, 442-444 GHz, 496-506 GHz, 546-568 GHz, 624-629 GHz, 634-654 GHz, 659-661 GHz, 684-692 GHz, 730-732 GHz, 851-853 GHz and 951-956 GHz.
- Future research in this largely unexplored spectral region may yield additional spectral lines and continuum bands of interest to the passive services. Administrations are urged to take all practicable steps to protect these passive services from harmful interference until the date when the allocation Table is established in the above-mentioned frequency band. (WRC-2000)

\* *Note by the Secretariat:* This Resolution was revised by WRC-03  
 \*\* *Note by the Secretariat:* This Resolution was revised by WRC-2000



### Annex 3 - Relevant CEPT ECC/ERC Decisions and Recommendations

ECC/DEC/(08)08	ECC Decision of 31 October 2008 on the harmonised use of GSM system on board vessels in the frequency bands 880-915/925-960 MHz and 1710-1785/1805-1880 MHz
ECC/DEC/(08)05	ECC Decision of 27 June 2008 on the harmonisation of frequency bands for the implementation of digital Public Protection and Disaster Relief (PPDR) radio applications in bands within the 380-470 MHz range
ECC/DEC/(08)01	ECC Decision of 14 March 2008 on the harmonised use of the 5875-5925 MHz frequency band for Intelligent Transport Systems (ITS)
ECC/DEC/(07)05	ECC Decision of 21 December 2007 on exemption from individual licensing of land mobile satellite terminals operating in the Mobile-Satellite Service allocation in the frequency range 1-3 GHz
ECC/DEC/(07)04	ECC Decision of date/month 2007 on free circulation and use of mobile satellite terminals operating in the Mobile-Satellite Service allocation in the frequency range 1-3 GHz
ECC/DEC/(07)02	ECC Decision of 30 March 2007 on availability of frequency bands between 3400-3800 MHz for the Harmonised implementation of Broadband Wireless Access systems (BWA)
ECC/DEC/(07)01	ECC Decision of 30 March 2007 on Building Material Analysis (BMA) devices using UWB technology in bands below 8.0 GHz
ECC/DEC/(06)13	ECC Decision of 1 December 2006 on designation of the bands 880-915 MHz, 925-960 MHz, 1710-1785 MHz and 1805-1880 MHz for terrestrial IMT-2000/UMTS systems
ECC/DEC/(06)12	ECC Decision of 1 December 2006 on the harmonised conditions for devices using Ultra-Wideband (UWB) technology with Low Duty Cycle (LDC) in the frequency band 3.4-4.8 GHz
ECC/DEC/(06)10	ECC Decision of 1 December 2006 on transitional arrangements for the Fixed Service and tactical radio relay systems in the bands 1980-2010 MHz and 2170-2200 MHz in order to facilitate the harmonised introduction and development of systems in the Mobile Satellite Service including those supplemented by a Complementary Ground Component
ECC/DEC/(06)09	ECC Decision of 1 December 2006 on designation of the bands 1980-2010 MHz and 2170-2200 MHz for use by systems in the Mobile-Satellite Service (MSS) including those supplemented by a Complementary Ground Component (CGC)
ECC/DEC/(06)08	ECC Decision of 1 December 2006 on the use of Ground- and Wall- Probing Radar (GPR/WPR) imaging systems
ECC/DEC/(06)07	ECC Decision of 1 December 2006 on The harmonised use of airborne GSM systems in the frequency bands 1710-1785 and 1805-1880 MHz (Including technical annex from WGSE)
ECC/DEC/(06)06	ECC Decision of 7 July 2006 on the availability of frequency bands for the introduction of Narrow Band Digital Land Mobile PMR/PAMR in the 80 MHz, 160 MHz and 400 MHz bands
ECC/DEC/(06)05	ECC Decision of 7 July 2006 on the harmonised frequency bands to be designated for Air-Ground-Air operation (AGA) of Digital Land Mobile Systems for the Emergency Services
ECC/DEC/(06)04	ECC Decision of 24 March 2006 on the harmonised conditions for devices using UWB technology in bands below 10.6 GHz
ECC/DEC/(06)03	ECC Decision of 24 March 2006 on Exemption from Individual Licensing of high e.i.r.p. satellite terminals (HEST) with e.i.r.p. above 34 dBW operating within the Frequency Bands 10.70-12.75 GHz or 19.70-20.20 GHz space-to-Earth and 14.00-14.25 GHz or 29.50-30.00 GHz Earth-to-space
ECC/DEC/(06)02	ECC Decision of 24 March 2006 on Exemption from Individual Licensing of Low e.i.r.p. Satellite Terminals (LEST) operating within the Frequency Bands 10.70-12.75 GHz or 19.7-20.2 GHz space-to-Earth and 14.00-14.25 GHz or 29.50-30.00 GHz Earth-to-Space.
ECC/DEC/(06)01	ECC Decision of 24 March 2006 on the harmonised utilisation of spectrum for terrestrial IMT-2000/UMTS systems operating within the bands 1900-1980 MHz, 2010-2025 MHz and 2110-2170 MHz
ECC/DEC/(05)12	ECC Decision of 28.10.2005 on harmonised frequencies, technical characteristics, exemption from individual licensing and free carriage and use of digital PMR 446 applications operating in the frequency band 446.1 - 446.2 MHz
ECC/DEC/(05)11	ECC Decision of 24 June 2005 on the free circulation and use of Aircraft Earth Stations (AES) in the frequency bands 14-14.5 GHz (Earth-to-space), 10.7-11.7GHz (space-to-Earth) and 12.5-12.75 GHz (Space-to-Earth)
ECC/DEC/(05)10	ECC Decision of 24 June 2005 on the free circulation and use of Earth Stations on board Vessels operating in fixed satellite service networks in the frequency bands 14 -14.5 GHz (Earth-to-space), 10.7-11.7 GHz (space-to-Earth) and 12.5-12.75 GHz (space-to-Earth)
ECC/DEC/(05)09	ECC Decision of 24 June 2005 on the free circulation and use of Earth Stations on board Vessels operating in Fixed Satellite service networks in the frequency bands 5 925-6 425 MHz (Earth-to-space) and 3 700-4 200 MHz (space-to-Earth)
ECC/DEC/(05)08	ECC Decision of 24 June 2005 on the availability of frequency bands for High Density applications in the Fixed-Satellite Service (space-to-Earth and Earth-to-space)
ECC/DEC/(05)05	ECC Decision of 18 March 2005 on harmonised utilisation of spectrum for IMT-2000/UMTS systems operating within the band 2500-2690 MHz
ECC/DEC/(05)02	ECC Decision of 18 March 2005 on the use of the frequency band 169.4-169.8125 MHz
ECC/DEC/(05)01	ECC Decision of 18 March 2005 on the use of the band 27.5-29.5 GHz by fixed service and uncoordinated Earth stations of the fixed-satellite service (Earth-to-space)
ECC/DEC/(04)10	ECC Decision of 12 November 2004 on the frequency bands to be designated for the temporary introduction of Automotive Short Range Radars (SRR)
ECC/DEC/(04)09	ECC Decision of 12 November 2004 on designation of the bands 1518-1525 MHz and 1670-1675 MHz for the Mobile Satellite Service
ECC/DEC/(04)08	ECC Decision of 9 July 2004 on the harmonised use of the 5 GHz frequency bands for the implementation of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs)
ECC/DEC/(04)06	ECC Decision of 19 March 2004 on the availability of frequency bands for the introduction of Wide Band Digital Land Mobile PMR/PAMR in the 400 MHz and 800/900 MHz bands
ECC/DEC/(04)03	ECC Decision of 19 March 2004 on the frequency band 77-81 GHz to be designated for the use of Automotive Short Range Radars
ECC/DEC/(04)02	ECC Decision of 19 March 2004 on harmonised frequencies, technical characteristics and exemption from individual licensing of Non-Specific Short Range Devices operating in the frequency band 433.050-434.790 MHz excluding audio and voice applications

ECC/DEC/(03)02	ECC Decision of 17 October 2003 on the designation of the frequency band 1479.5–1492MHz for use by Satellite Digital Audio Broadcasting systems
ECC/DEC/(02)11	ECC Decision of 15 November 2002 on exemption from individual licensing of Satellite User Terminals operating within the frequency bands 1525–1559 MHz space-to-Earth and 1626–1660.5 MHz Earth-to-space, for land mobile applications
ECC/DEC/(02)10	ECC Decision of 15 November 2002 on exemption from individual licensing of GSM-R mobile terminals operating within the frequency bands 876–880 MHz and 921–925 MHz for railway purposes
ECC/DEC/(02)09	ECC Decision of 15 November 2002 on free circulation and use of GSM-R mobile terminals operating within the frequency bands 876–880 MHz and 921–925 MHz for railway purposes in CEPT member countries, enlarging the field of application of ERC/DEC/(95)01
ECC/DEC/(02)08	ECC Decision of 15 November 2002 on free circulation and use of Satellite User Terminals operating within the frequency bands 1525–1559 MHz space-to-Earth and 1626.5–1660.5 MHz Earth-to-space, in CEPT member countries, enlarging the field of application of ERC/DEC/(95)01
ECC/DEC/(02)06	ECC Decision of 15 November 2002 on the designation of frequency band 2500–2690 MHz for UMTS/IMT-2000
ECC/DEC/(02)05	ECC Decision of 5 July 2002 on the designation and availability of frequency bands for railway purposes in the 876–880 and 921–925 MHz bands
ECC/DEC/(02)04	ECC Decision of 15 March 2002 on the use of the band 40.5–42.5 GHz by terrestrial (fixed service / broadcasting service) systems and uncoordinated Earth stations in the fixed satellite service and broadcasting-satellite service (space to Earth)
ECC/DEC/(02)01	ECC Decision of 15 March 2002 on the frequency bands to be designated for the coordinated introduction of Road Transport and Traffic Telematic Systems
ERC/DEC/(01)19	ERC Decision of 12 March 2001 on harmonised frequency bands to be designated for the Direct Mode Operation (DMO) of the Digital Land Mobile Systems for the Emergency Services
ERC/DEC/(01)17	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Ultra Low Power Active Medical Implants operating in the frequency band 402–405 MHz
ERC/DEC/(01)16	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for inductive applications operating in the frequency band 26.957 – 27.283 MHz
ERC/DEC/(01)12	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Model control operating in the frequencies 40.665, 40.675, 40.685 and 40.695 MHz
ERC/DEC/(01)11	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Flying Model control operating in the frequency band 34.995–35.225 MHz
ERC/DEC/(01)10	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Model control operating in the frequencies 26.995, 27.045, 27.095, 27.145 and 27.195 MHz
ERC/DEC/(01)08	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Movement Detection and Alert operating in the frequency band 2400–2483.5 MHz
ERC/DEC/(01)07	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Short Range Devices used for Radio Local Area Networks (RLANs) operating in the frequency band 2400–2483.5 MHz
ERC/DEC/(01)03	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Non-specific Short Range Devices operating in the frequency band 40.660–40.700 MHz
ERC/DEC/(01)02	ERC Decision of 12 March 2001 on harmonised frequencies, technical characteristics and exemption from individual licensing of Non-specific Short Range Devices operating in the frequency band 26.957–27.283 MHz
ERC/DEC/(00)07	ERC Decision of 19 October 2000 on the shared use of the band 17.7–19.7 GHz by the fixed service and Earth stations of the fixed satellite services (space-to-Earth)
ERC/DEC/(00)08	ERC Decision of 19 October 2000 on the use of the band 10.7 - 12.5 GHz by the fixed service and Earth stations of the broadcasting-satellite and fixed-satellite service
ERC/DEC/(00)02	ERC Decision of 27 March 2000 on the use of the band 37.5–40.5 GHz by the fixed service and Earth stations of the fixed – satellite service (space to Earth)
ERC/DEC/(99)17	ERC Decision of 1 June 1999 on the Automatic Identification and Surveillance system (AIS) channels in the maritime VHF band
ERC/DEC/(99)15	ERC Decision of 1 June 1999 on the designation of the harmonised frequency band 40.5 to 43.5 GHz for the introduction of Multimedia Wireless Systems (MWS) including Multipoint Video Distribution Systems (MVDS)
ERC/DEC/(99)06	ERC Decision of 10 March 1999 on the harmonised introduction of satellite personal communication systems operating in the bands below 1 GHz (S-PCS<1GHz)
ERC/DEC/(98)25	ERC Decision of 23 November 1998 on the harmonized frequency band to be designated for PMR 446
ERC/DEC/(98)11	ERC Decision of 23 November 1998 on the harmonised frequency band to be designated for CEPT PR 27 radio equipment and on the implementation of the technical standard for this equipment
ERC/DEC/(97)05	ERC Decision of 30 June 1997 on free circulation, use and licensing of Mobile Earth Stations of Satellite Personal Communications Services (S-PCS) operating within the bands 1610-1626.5 MHz, 2483.5-2500 MHz, 1980-2010 MHz and 2170-2200 MHz within the CEPT
ERC/DEC/(97)03	ERC Decision of 30 June 1997 on the Harmonised Use of Spectrum for Satellite Personal Communication Services (S-PCS) operating within the bands 1610–1626.5 MHz, 2483.5–2500 MHz, 1980–2010 MHz and 2170–2200 MHz
ERC/DEC/(97)02	ERC Decision of 21 March 1997 on the extended frequency bands to be used for the GSM Digital Pan-European Communications System
ERC/DEC/(96)04	ERC Decision of 7 March 1996 on the frequency bands for the introduction of the Trans European Trunked Radio System (TETRA)
ERC/DEC/(96)02	ERC Decision of 7 March 1996 on the harmonised frequency band to be designated for CEPT PR 27 radio equipment and on the implementation of the technical standard for this equipment
ERC/DEC/(96)01	ERC Decision of 7 March 1996 on the harmonised frequency band to be designated for the introduction of the Digital Land Mobile System for the Emergency Services

ERC/DEC/(94)03	ERC Decision of 24 October 1994 on the frequency band to be designated for the coordinated introduction of the Digital European Cordless Telecommunications system
ERC/DEC/(94)01	ERC Decision of 24 October 1994 on the frequency bands to be designated for the coordinated introduction of the GSM Digital pan-European communications System
ECC/REC/(08)04	The identification of frequency bands for the implementation of Broad Band Disaster Relief (BBDR) radio applications in the 5 GHz frequency range
ECC/REC/(08)02	Frequency planning and frequency coordination for the GSM 900 (including E-GSM) / UMTS 900, GSM 1800/UMTS 1800 land mobile systems
ECC/REC/(08)01	Use of the band 5855-5875 MHz for Intelligent Transport Systems (ITS)
ECC/REC/(06)05	The provision of information on the progress of implementation of the Mobile Satellite Systems which are candidates to use the 1980-2010 MHz and 2170-2200 MHz MSS frequency bands
ECC/REC/(06)04	Use of the band 5725-5875 MHz for Broadband Fixed Wireless Access (BFWA)
ECC/REC/(05)08	Frequency planning and frequency coordination for the GSM 900, GSM 1800, E-GSM and GSM-R systems
ECC/REC/(05)07	Radio frequency channel arrangements for Fixed Service systems operating in the bands 71-76 GHz and 81-86 GHz
ECC/REC/(05)05	Early access for the amateur service in the band 7100-7200 kHz
ECC/REC/(05)02	Use of the 64-66 GHz frequency band for Fixed Service
ECC/REC/(04)06	Guidelines for block allocation for Fixed Wireless Systems in the band 31.8-33.4 GHz
ECC/REC/(04)05	Recommended guidelines for accommodation and assignment of multipoint Fixed Wireless Systems in frequency bands 3.4-3.6 and 3.6-3.8 GHz
ECC/REC/(03)03	Measures to safeguard the future use of terrestrial UMTS/IMT-2000 in the 2.5 GHz range with respect to broadcasting satellite systems
ECC/REC/(02)09	Protection of Aeronautical Radio Navigation Service in the band 2700-2900 MHz from interference caused by the operation of Digital Cordless Cameras
ECC/REC/(02)06	Preferred channel arrangements for digital fixed service systems operating in the frequency range 7125-8500 MHz
ECC/REC/(02)02	Channel arrangements for digital fixed service systems (point-to-point and point-to-multipoint) operating in the frequency band 31-31.3 GHz
ECC/REC/(01)04	Recommended guidelines for the accommodation and assignment of Multimedia Wireless Systems (MWS) in the frequency band 40.5-43.5 GHz
ERC/REC/(01)03	Use of parts of the band 27.5-29.5 GHz for Fixed Wireless Access (FWA)
ERC/REC/(01)02	Preferred channel arrangement for digital fixed service systems operating in the frequency band 31.8-33.4 GHz
ERC/REC/(01)01	Border coordination of UMTS/IMT-2000 systems
ERC/REC/(00)05	Use of the band 24.5 - 26.5 GHz for Fixed Wireless Access
ERC/REC/(00)04	Harmonised frequencies and free circulation and use for Meteor Scatter Applications
CEPT/ERC/REC 12-02	Harmonised radio frequency channel arrangements for analogue and digital terrestrial fixed systems operating in the band 12.75 GHz to 13.25 GHz
CEPT/ERC/REC 12-03	Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 17.7 GHz to 19.7 GHz
CEPT/ERC/REC 12-05	Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 10.0 GHz to 10.68 GHz
CEPT/ERC/REC 12-06	Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 10.7 GHz to 11.7 GHz
CEPT/ERC/REC 12-07	Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 15.23 GHz to 15.35 GHz
CEPT/ERC/REC 12-08	Harmonised radio frequency channel arrangements and block allocations for low, medium and high capacity systems in the band 3600 MHz to 4200 MHz
CEPT/ERC/REC 12-09	Radio frequency channel arrangement for fixed service systems operating in the band 57.0 to 59.0 GHz which do not require frequency planning
CEPT/ERC/REC 12-10	Harmonised radio frequency arrangements for digital systems operating in the band 48.5 GHz to 50.2 GHz
CEPT/ERC/REC 12-11	Radio frequency channel arrangement for fixed service systems operating in the band 51.4-52.6 GHz
CEPT/ERC/REC 12-12	Radio frequency channel arrangement for fixed service systems operating in the band 55.78-57.0 GHz
CEPT/ERC/REC 13-03	The use of the band 14.0 - 14.5 GHz for Very Small Aperture Terminals (VSAT) and Satellite News Gathering (SNG)
CEPT/ERC/REC 13-04	Preferred frequency bands for fixed wireless access in the frequency range between 3 and 29.5 GHz
CEPT/ERC/REC 14-01	Radio-frequency channel arrangements for high capacity analogue and digital radio-relay systems operating in the band 5925 MHz - 6425 MHz
CEPT/ERC/REC 14-02	Radio-frequency channel arrangements for medium and high capacity analogue or high capacity digital radio-relay systems operating in the band 6425 MHz - 7125 MHz

CEPT/ERC/REC 14-03	Harmonised radio frequency channel arrangements and block allocations for low and medium capacity systems in the band 3400 MHz to 3600 MHz
CEPT/ERC/REC 25-10	Frequency ranges for the use of temporary terrestrial audio and video SAP/SAB links (incl. ENG/OB)
CEPT/ERC/REC 62-01	Use of the band 135.7-137.8 kHz by the amateur service
CEPT/ERC/REC 62-02	Harmonised frequency band for civil and military airborne telemetry applications
CEPT/ERC/REC 70-03	Relating to the use of Short Range Devices (SRD)
T/R 02-02	Harmonised frequency band for the emergency services
T/R 12-01	Harmonized radio frequency channel arrangements for analogue and digital terrestrial fixed systems operating in the band 37 GHz-39.5 GHz
T/R 13-01	Preferred channel arrangements for fixed services in the range 1-3 GHz
T/R 13-02	Preferred channel arrangements for fixed services in the range 22.0-29.5 GHz
T/R 20-09	PR 27 radio equipment intended to provide short range voice radiocommunication in the 27 MHz band
T/R 22-06	Harmonised radio frequency bands for High Performance European Radio Local Area Networks (HIPERLANs) in the 5 GHz and 17 GHz frequency range
T/R 25-08	Planning criteria and coordination of frequencies in the land mobile service in the range 29.7-921 MHz
T/R 25-09	Designation of frequencies in the 900 MHz band for railway purposes
T/R 32-02	Frequencies to be used by on-board communication stations

#### Annex 4 - European Standards Included in the ECA

<i>Standard name</i>	<i>Short Standard title</i>
<i>EN 300 065</i>	Narrow-band direct-printing telegraph equipment for receiving meteorological or navigational information (NAVTEX)
<i>EN 300 066</i>	Float-free maritime satellite Emergency Position Indicating Radio Beacons (EPIRBs) operating in the 406.0 to 406.1 MHz
<i>EN 300 086</i>	Land Mobile Service; Radio equipment with an internal or external RF connector intended primarily for analogue speech
<i>EN 300 113</i>	Land mobile service; Radio equipment intended for the transmission of data (and speech) and having an antenna connector
<i>EN 300 135</i>	Angle-modulated Citizens Band radio equipment (CEPT PR 27 Radio Equipment)
<i>EN 300 152</i>	Maritime Emergency Position Indicating Radio Beacons (EPIRBs) intended for use on the frequency 121.5 MHz or the frequencies 121.5 MHz and 243 MHz for homing purposes only
<i>EN 300 162</i>	Radiotelephone transmitters and receivers for the maritime mobile service operating in VHF bands
<i>EN 300 219</i>	Land Mobile Service; Radio equipment transmitting signals to initiate a specific response in the receiver
<i>EN 300 220</i>	SRD; Radio equipment to be used in the 25 to 1 000 MHz frequency range with power levels ranging up to 500 mW
<i>EN 300 224</i>	Electromagnetic compatibility and Radio spectrum Matters (ERM); On-site paging service
<i>EN 300 296</i>	Land Mobile Service; Radio equipment using integral antennas intended primarily for analogue speech
<i>EN 300 328</i>	Wideband Transmission systems; Data transmission equipment operating in the 2.4 GHz ISM band and using spread spectrum modulation techniques
<i>EN 300 330</i>	SRD; Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz
<i>EN 300 341</i>	Land Mobile Service (RP 02); Radio equipment using an integral antenna transmitting signals to initiate a specific response in the receiver
<i>EN 300 373</i>	Maritime mobile transmitters and receivers for use in the MF and HF bands
<i>EN 300 390</i>	Land Mobile Service; Radio equipment intended for the transmission of data (and speech) and using an integral antenna
<i>EN 300 392</i>	Terrestrial Trunked Radio (TETRA); Voice plus Data
<i>EN 300 401</i>	Radio Broadcasting Systems; Digital Audio Broadcasting (DAB) to mobile, portable and fixed receivers
<i>EN 300 422</i>	Wireless microphones in the 25 MHz to 3 GHz frequency range
<i>EN 300 433</i>	Land Mobile Service; Double Side Band (DSB) and/or Single Side Band (SSB) amplitude modulated citizen's band radio equipment
<i>EN 300 440</i>	Short Range Devices; Radio equipment to be used in the 1 to 40 GHz frequency range
<i>EN 300 454</i>	Wide band audio links
<i>EN 300 471</i>	Land Mobile Service; Rules for Access and the Sharing of common used channels by equipment complying with EN 300 113
<i>EN 300 674</i>	Road Transport and Traffic Telematics (RTTT); Dedicated Short Range Communication (DSRC) transmission equipment (500 kbit/s/250 kbit/s) operating in the 5.8 GHz
<i>EN 300 676</i>	Ground-based VHF hand-held, mobile and fixed radio transmitters, receivers and transceivers for the VHF aeronautical mobile service using amplitude modulation
<i>EN 300 698</i>	Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways
<i>EN 300 718</i>	Avalanche Beacons; Transmitter-receiver systems
<i>EN 300 720</i>	Electromagnetic compatibility and Radio Spectrum Matters (ERM) Ultra-High Frequency (UHF) on-board communications systems and equipment
<i>EN 300 744</i>	Digital Video Broadcasting (DVB); Framing structure, channel coding and modulation for digital terrestrial television

<i>EN 300 761</i>	Short Range Devices (SRD); Automatic Vehicle Identification (AVI) for railways operating in the 2.45 GHz frequency range
<i>EN 301 025</i>	VHF radiotelephone equipment for general communications and associated equipment for Class “D” Digital Selective Calling (DSC)
<i>EN 301 091</i>	Short Range Devices; Road Transport and Traffic Telematics (RTTT); Radar equipment operating in the 76 GHz to 77 GHz range
<i>EN 301 166</i>	Land Mobile Service; Radio equipment for analogue and/or digital communication (speech and/or data) and operating on narrow band channels and having an antenna connector
<i>EN 301 178</i>	Portable Very High Frequency (VHF) radiotelephone equipment for the maritime mobile service operating in the VHF bands (for non-GMDSS applications only)
<i>EN 301 357</i>	Analogue cordless wideband audio devices using integral antennas operating in the CEPT recommended 863 to 865 MHz frequency range
<i>EN 301 360</i>	Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards geostationary satellites in the 27.5 to 29.5 GHz
<i>EN 301 406</i>	Digital Enhanced Cordless Telecommunications (DECT)
<i>EN 301 419</i>	Digital cellular telecommunications system (Phase 2+) (GSM); Attachment requirements for Global
<i>EN 301 426</i>	Low data rate Land Mobile satellite Earth Stations (LMES) and Maritime Mobile satellite Earth Stations (MMES) not intended for distress and safety communications operating in the 1.5/1.6 GHz
<i>EN 301 427</i>	Low data rate Mobile satellite Earth Stations (MESs) except aeronautical mobile satellite earth stations, operating in the 11/12/14 GHz
<i>EN 301 428</i>	Very Small Aperture Terminal (VSAT); Transmit-only, transmit/receive or receive-only satellite earth stations operating in the 11/12/14 GHz
<i>EN 301 430</i>	Satellite News Gathering Transportable Earth Stations (SNG TES) operating in the 11-12/13-14 GHz frequency bands
<i>EN 301 441</i>	Mobile Earth Stations (MESs), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 1.6/2.4 GHz bands under the Mobile Satellite Service (MSS)
<i>EN 301 442</i>	Mobile Earth Stations (MESs), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 2.0 GHz bands under the Mobile Satellite Service (MSS)
<i>EN 301 443</i>	Very Small Aperture Terminal (VSAT); Transmit-only, transmit-and-receive, receive-only satellite earth stations operating in the 4 GHz and 6 GHz
<i>EN 301 444</i>	Land Mobile Earth Stations (LMES) operating in the 1.5 GHz and 1.6 GHz bands providing voice and/or data communications
<i>EN 301 447</i>	Harmonized EN for satellite Earth Stations on board Vessels (ESVs) operating in the 4/6 GHz frequency bands allocated to the Fixed Satellite Service (FSS)
<i>EN 301 449</i>	CDMA spread spectrum base stations operating in the 450 MHz cellular band (CDMA 450) and 410, 450 and 870 MHz PAMR bands (CDMA-PAMR)
<i>EN 301 459</i>	Satellite Interactive Terminals (SIT) and Satellite User Terminals (SUT) transmitting towards satellites in geostationary orbit in the 29.5 GHz to 30.0 GHz
<i>EN 301 473</i>	Aircraft Earth Stations (AES) operating under the Aeronautical Mobile Satellite Service (AMSS)/Mobile Satellite Service (MSS) and/or the Aeronautical Mobile Satellite on Route Service (AMS(R)S), MSS
<i>EN 301 502</i>	Global System for Mobile communications (GSM); Base Station and Repeater equipment covering essential requirements under article 3.2 of the R&TTE directive
<i>EN 301 511</i>	Global System for Mobile communications (GSM); Harmonized EN for mobile stations in the GSM 900 and GSM 1800 bands covering essential requirements
<i>EN 301 526</i>	CDMA spread spectrum mobile stations operating in the 450 MHz cellular band (CDMA 450) and 410, 450 and 870 MHz PAMR bands (CDMA-PAMR)
<i>EN 301 681</i>	Mobile Earth Stations (MESs) of Geostationary mobile satellite systems, including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 1.5/1.6 GHz under MSS
<i>EN 301 721</i>	Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz
<i>EN 301 688</i>	Fixed and portable VHF equipment operating on 121.5 MHz and 123.1 MHz
<i>EN 301 753</i>	Multipoint equipment and antennas; Generic harmonized standard for multipoint digital fixed radio systems and antennas

<i>EN 301 783</i>	Land Mobile Service;Commercially available amateur radio equipment
<i>EN 301 839</i>	Radio equipment in the frequency range 402 MHz to 405 MHz for Ultra Low Power Active Medical Implants and Accessories
<i>EN 301 840</i>	Digital radio microphones operating in the band 1 785 MHz to 1 800 MHz
<i>EN 301 841</i>	VHF air-ground Digital Link (VDL) Mode 2 radio equipment
<i>EN 301 842</i>	VHF air-ground Digital Link (VDL) Mode 4 radio equipment
<i>EN 301 893</i>	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN
<i>EN 301 908</i>	Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks
<i>EN 301 929</i>	VHF transmitters and receivers as Coast Stations for GMDSS and other applications in the maritime mobile service
<i>EN 301 997</i>	Radio equipment for use in Multimedia Wireless Systems (MWS) in the frequency band 40.5 GHz to 43.5 GHz
<i>EN 302 017</i>	Transmitting equipment for the Amplitude Modulated (AM) sound broadcasting service
<i>EN 302 018</i>	Transmitting equipment for the Frequency Modulated (FM) sound broadcasting service
<i>EN 302 054</i>	Meteorological Aids (Met Aids); Radiosondes to be used in the 400.15 to 406 MHz frequency range with power levels ranging up to 200 mW
<i>EN 302 064</i>	Wireless Video Links (WVL) operating in the 1.3 GHz to 50 GHz
<i>EN 302 065</i>	Ultra WideBand (UWB) technologies for communication purposes
<i>EN 302 066</i>	Ground- and Wall- Probing Radar applications (GPR/WPR) imaging systems
<i>EN 302 077</i>	Transmitting equipment for the Terrestrial – Digital Audio Broadcasting (T-DAB) service
<i>EN 302 152</i>	Satellite Personal Locator Beacons (PLBs) operating in the 406.0 MHz to 406.1 MHz
<i>EN 302 186</i>	Satellite mobile Aircraft Earth Stations (AESs) operating in the 11/12/14 GHz
<i>EN 302 194</i>	Navigation radar used on inland waterways
<i>EN 302 195</i>	Radio equipment in the frequency range 9 kHz to 315 kHz for Ultra Low Power Active Medical Implants (ULP-AMI) and accessories
<i>EN 302 208</i>	Radio Frequency Identification Equipment operating in the band 865 to 868 MHz with power levels up to 2 W
<i>EN 302 217</i>	Characteristics and requirements for point-to-point equipment and antennas
<i>EN 302 245</i>	Transmitting equipment for the Digital Radio Mondiale (DRM) broadcasting service
<i>EN 302 248</i>	Navigation radar for use on non-SOLAS vessels
<i>EN 302 288</i>	Short range radar equipment operating in the 24 GHz range
<i>EN 302 291</i>	SRD Close Range Inductive Data Communication equipment operating at 13.56 MHz
<i>EN 302 297</i>	Transmitting equipment for the analogue television broadcasting service
<i>EN 302 326</i>	Multipoint Equipment and Antennas
<i>EN 302 340</i>	Satellite Earth Stations on board Vessels (ESVs) operating in the 11/12/14 GHz frequency bands
<i>EN 302 372</i>	Tank Level Probing Radar (TLPR) operating in the frequency bands 5.8 GHz, 10 GHz, 25 GHz, 61 GHz and 77 GHz
<i>EN 302 426</i>	CDMA spread spectrum Repeaters operating in the 450 MHz cellular band (CDMA450) and the 410 MHz, 450 MHz and 870 MHz PAMR bands (CDMA-PAMR)
<i>EN 302 448</i>	Tracking Earth Stations on Trains (ESTs) operating in the 14/12 GHz frequency bands
<i>EN 302 454</i>	Radiosondes to be used in the 1 668.4 MHz to 1 690 MHz frequency range
<i>EN 302 480</i>	GSM onboard aircraft system
<i>EN 302 502</i>	5.8 GHz fixed broadband data transmitting systems
<i>EN 302 510</i>	Radio equipment in the frequency range 30 MHz to 37.5 MHz for Ultra Low Power Active Medical Membrane Implants and Accessories
<i>EN 302 536</i>	Radio equipment in the frequency range 315 kHz to 600 kHz

<i>EN 302 537</i>	Ultra Low Power Medical Data Service Systems operating in the frequency range 401 MHz to 402 MHz and 405 MHz to 406 MHz
<i>EN 302 561</i>	Radio equipment using constant or non-constant envelope modulation operating in a channel bandwidth of 25 kHz, 50 kHz, 100 kHz or 150 kHz
<i>EN 302 571</i>	Intelligent Transport Systems (ITS); Radiocommunications equipment operating in the 5855 MHz to 5925 MHz frequency band
<i>EN 302 608</i>	Radio equipment for Eurobalise railway systems
<i>EN 302 609</i>	Radio equipment for Euroloop railway systems
<i>EN 303 035</i>	TETRA equipment covering essential requirements under article 3.2 of the R&TTE Directive



## Annex 5 - List of abbreviations used in this document

AGA	- Air Ground Air
AIS	- Automatic Identification System
APP	- Appendix of the ITU Radio Regulations
AVI	- Automatic Vehicle Identification
BBDR	- Broad Band Disaster Relief
BFWA	- Broadband Fixed Wireless Access
BMA	- Building Material Analysis
BSS	- Broadcasting Satellite Service
BWA	- Broadband Wireless Access
CB	- Citizen Band
CEPT	- European Conference of Postal and Telecommunications Administrations
CGC	- Complementary Ground Component
CRS	- Central Radio Station
DEC	- Decision
DECT	- Digital Enhanced Cordless Telecommunication
DME	- Distance Measuring Equipment
DMO	- Direct Mode Operation
DSC	- Digital Selective Calling
DSI	- Detailed Spectrum Investigation
DVB-T	- Terrestrial Digital Video Broadcasting
ECA	- European Common Allocation
ECC	- Electronic Communications Committee
ECM	- Electronic Countermeasures
ECP	- European Common Proposal
EESS	- Earth Exploration-Satellite Service
EGSM	- Extended GSM
EISCAT	- European Incoherent SCATter facility
ENG	- Electronic News Gathering
EPIRB	- Emergency Position-Indicating Radiobeacon
ERC	- European Radiocommunications Committee
ERO	- European Radiocommunications Office
E/s	- Earth-to-space direction
EU	- European footnote
FB	- Base station (fixed base)
FDD	- Frequency Division Duplex
FM	- Frequency Modulation
FSS	- Fixed-Satellite Service
FWA	- Fixed Wireless Access
GE75	- Geneva 1975 Agreement
GE85	- Geneva 1985 Agreement
GLONASS	- Global Navigation Satellite System
GMDSS	- Global Maritime Distress and Safety System

GNSS	- Global Navigation Satellite System
GPS	- Global Positioning System
GSM	- Global System for Mobile Communications
GSM 1800	- Global System for Mobile Communications using 1800 MHz band
GSMOBV	- GSM on board vessels
GSM-R	- GSM for Railways
HAPS	- High Altitude Platform Systems
HDFS	- High Density Fixed Service
HDFSS	- High Density Fixed-Satellite Service
HDTV	- High Definition Television
HEST	- High E.i.r.p. Satellite Terminals
HF	- High Frequency
HIPERLAN	- High Performance Radio Local Area Network
IALA	- International Association of Lighthouse Authorities
IBCN	- Integrated Broadband Communications Network
ILS	- Instrument Landing System
IMO	- International Maritime Organisation
IMT	- International Mobile Telecommunications
ISM	- Industrial, Scientific and Medical
ITS	- Intelligent Transport Systems
ITU	- International Telecommunication Union
JTIDS	- Joint Tactical Information Distribution System
LDC	- Low Duty Cycle
LEST	- Low E.i.r.p. Satellite Terminals
MIDS	- Multifunctional Information Distribution System
ML	- Mobile Link (Mobile station transmits)
MLS	- Microwave Landing System
MSI	- Maritime Safety Information
MSS	- Mobile-Satellite Service
MWS	- Multimedia Wireless System
NATO	- North Atlantic Treaty Organisation
NAVTEX	- Narrow-band direct-printing telegraphy system for transmission of navigational and meteorological warnings and urgent information to ships
NDB	- Non-Directional Beacon
NJFA	- NATO Joint Civil/Military Frequency Agreement
OB	- Outside Broadcasting
(OR)	- Off-Route
PAMR	- Public Access Mobile Radio
PKO	- Peace Keeping Operations
PMR	- Professional Mobile Radio, Private Mobile Radio
PPDR	- Public Protection and Disaster Relief
PWAP	- Private Wide Area Paging
(R)	- Route
R&TTE	- Radio Equipment and Telecommunications Terminal Equipment
RA	- Radio Astronomy
REC	- Recommendation

RFID	- Radio Frequency Identification
RLANS	- Radio Local Area Network System
RR	- ITU Radio Regulations
RTTT	- Road Transport & Traffic Telematics
SAB	- Services Ancillary to Broadcasting
SAP	- Services Ancillary to Programming
SAR(communications)	- Search and Rescue
S-DAB	- Satellite Digital Audio Broadcasting
s/E	- space-to-Earth direction
SIT	- Satellite Interactive Terminal
SNG	- Satellite News Gathering
S-PCS	- Satellite Personal Communication System
SRD	- Short Range Device
SRR	- Short Range Radar
SSR	- Secondary Surveillance Radar
SUT	- Satellite User Terminal
TACAN	- Tactical Air Navigation
T-DAB	- Terrestrial Digital Audio Broadcasting
TETRA	- Terrestrial Trunked Radio
TLPR	- Tank Level Probing Radar
TRR	- Tactical Radio Relays
TS	- Terminal Station
TV	- Television
UIC	- International Union for Railways
ULP-AMI	- Ultra Low Power Active Medical Implants
UMTS	- Universal Mobile Telecommunications System
UWB	- Ultra – Wideband
VLBI	- Very Long Baseline Interferometry (Radio Astronomy)
VOR	- VHF Omni-directional Range
VSAT	- Very Small Aperture Terminal
VTS	- Vessel Traffic System (radar)
WARC	- World Administrative Radio Conference
WAS	- Wireless Access System
WRC	- World Radiocommunication Conference